

**FAKTOR RISIKO LINGKUNGAN YANG BERHUBUNGAN DENGAN
KEJADIAN PENDERITA TB PARU BTA (+) DI KECAMATAN PANCORAN
MAS KOTA DEPOK BULAN OKTOBER TAHUN 2008 – APRIL 2009**

A. DATA UMUM

1. No Urut Kuisisioner : _____
2. Nama Puskesmas : _____
3. Nama Pewawancara : _____
4. Tanggal Wawancara : _____

B. IDENTITAS RESPONDEN

1. Nama Responden : _____
2. Status Responden : 1. Kasus
2. Kontrol
3. Alamat Responden :
.....
.....

C. KARAKTERISTIK INDIVIDU

4. Umur Responden : tahun
5. Jenis Kelamin : 1. Laki-laki
2. Perempuan
6. Pendidikan Responden :
 1. Tidak pernah sekolah
 2. Tidak tamat SD
 3. Tamat SD/ sederajat
 4. Tamat SLTP/ sederajat
 5. Tamat SLTA/ sederajat
 6. Tamat Akademi/ Perguruan Tinggi

7. Pekerjaan Responden :
1. Tidak punya pekerjaan tetap
 2. Buruh
 3. Pedagang
 4. Wiraswasta
 5. ABRI/ Polri/Purnawirawan
 6. PNS
 7. Ibu rumah tangga
8. Berapa pengeluaran setiap bulan ? Rp.....
9. Status kepemilikan rumah
0. Sewa/kontrak
 1. Milik sendiri
10. Sudah berapa lama tinggal di rumah ini
0. < 1 tahun
 1. > 1 tahun
11. Menurut bapak / ibu apakah perlu menutup mulut ketika batuk
0. Tidak
 1. Ya
12. Apakah ada orang lain serumah yang batuk berdahak 3 minggu atau lebih ?
0. Ya
 1. Tidak
13. Apakah bapak/ ibu merokok ?
0. Ya, lanjut ke nomor 14
 1. Tidak, lanjut ke nomor 15
14. Sudah berapa lama merokok ?..... tahun

C. FAKTOR LINGKUNGAN

15. Berapa orang yang tinggal menetap di rumah ini? orang
 Luas lantai rumah/bangunan.....m²
 Kepadatan hunian = $\frac{\text{Jumlah luas lantai rumah/bangunan}}{\text{Jumlah anggota yang tinggal serumah}}$

Jumlah anggota yang tinggal serumah

= m²/orang

16. Luas Ventilasi rumah

- a. Luas jendela = m²
 b. Luas pintu terbuka = m²
 c. Luas lubang angin = m²
 d. Luas Ventilasi rumah = %

$\frac{\text{Jumlah luas jendela+pintu+jumlah luas lubang angin}}{\text{Jumlah luas lantai rumah}} \times 100 \%$

Jumlah luas lantai rumah

=%

17. Intensitas cahaya dalam rumah.....lux.
 (Pada saat pengukuran matikan semua lampu)

18. Hasil pengukuran kelembaban udara.....%

19. Hasil pengukuran suhu udara..... ° C

20. Apakah kondis1 lantai.....tidak kedap air/kedap air

HASIL UNIVARIAT

Descriptives

		Statistic	Std. Error	
4. Umur Responden :	Mean	35.44	1.331	
	95% Confidence Interval for Mean	Lower Bound	32.80	
		Upper Bound	38.08	
	5% Trimmed Mean	34.68		
	Median	32.50		
	Variance	177.198		
	Std. Deviation	13.312		
	Minimum	16		
	Maximum	80		
	Range	64		
	Interquartile Range	20		
	Skewness	.852	.241	
	Kurtosis	.467	.478	

Descriptives

		Statistic	Std. Error	
8. Berapa pengeluaran setiap bulan ? Rp	Mean	811500.00	39484.398	
	95% Confidence Interval for Mean	Lower Bound	733154.39	
		Upper Bound	889845.61	
	5% Trimmed Mean	785000.00		
	Median	750000.00		
	Variance	15590176		
	Std. Deviation	7676,768		
	Minimum	394843,97		
	Maximum	9		
	Range	100000		
	Interquartile Range	2000000		
	Skewness	1900000		
	Kurtosis	500000		
	Skewness	1.140	.241	
Kurtosis	.997	.478		

7. Pekerjaan Responden :

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak punya pekerjaan tetap	20	20,0	20,0	20,0
Buruh	19	19,0	19,0	39,0
Pedagang	13	13,0	13,0	52,0
Wiraswasta	26	26,0	26,0	78,0
Ibu Rumah tangga	22	22,0	22,0	100,0
Total	100	100,0	100,0	

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
19.Hasil pengukuran kelembaban udara.	100	54,0	79,0	70,380	6,6981
Valid N (listwise)	100				

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
20.Hasil pengukuran suhu udara..	100	30,0	36,0	31,840	1,7333
Valid N (listwise)	100				

1. Umur Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 33 tahun	50	50.0	50.0	50.0
>= 33 tahun	50	50.0	50.0	100.0
Total	100	100.0	100.0	

2. Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	55	55.0	55.0	55.0
Perempuan	45	45.0	45.0	100.0
Total	100	100.0	100.0	

3. Pendidikan Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Rendah	66	66.0	66.0	66.0
Tinggi	34	34.0	34.0	100.0
Total	100	100.0	100.0	

4. Pekerjaan Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak bekerja	22	22.0	22.0	22.0
Bekerja	78	78.0	78.0	100.0
Total	100	100.0	100.0	

5. Perilaku Imenutup mulut ketika batuk

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	25	25.0	25.0	25.0
Ya	75	75.0	75.0	100.0
Total	100	100.0	100.0	

6. Merokok ?

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	36	36.0	36.0	36.0
Tidak	64	64.0	64.0	100.0
Total	100	100.0	100.0	

7. Kepadatan Hunian

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 10	24	24.0	24.0	24.0
>= 10	76	76.0	76.0	100.0
Total	100	100.0	100.0	

8. Ventilasi Rumah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 10	51	51.0	51.0	51.0
>= 10	49	49.0	49.0	100.0
Total	100	100.0	100.0	

9. Pencahayaan Rumah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 60 lux	53	53.0	53.0	53.0
>= 60 lux	47	47.0	47.0	100.0
Total	100	100.0	100.0	

10. Kelembaban Rumah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 40 & > 70	66	66.0	66.0	66.0
40-70	34	34.0	34.0	100.0
Total	100	100.0	100.0	

11. Suhu Rumah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 18 & >30	68	68.0	68.0	68.0
18-30	32	32.0	32.0	100.0
Total	100	100.0	100.0	

12. Kondisi lantai

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Kedap air	3	3.0	3.0	3.0
Kedap air	97	97.0	97.0	100.0
Total	100	100.0	100.0	

HASIL BIVARIAT

1. Umur

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Umur Responden * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Umur Responden * 2. Status Responden : Crosstabulation

			2. Status Responden		Total
			Kasus	Kontrol	Kasus
Umur Responden	< 33 tahun	Count	27	23	50
		% within 2. Status Responden :	54.0%	46.0%	50.0%
	>= 33 tahun	Count	23	27	50
		% within 2. Status Responden :	46.0%	54.0%	50.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.640(b)	1	.424		
Continuity Correction(a)	.360	1	.549		
Likelihood Ratio	.641	1	.423		
Fisher's Exact Test				.549	.274
Linear-by-Linear Association	.634	1	.426		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 25.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Umur Responden (< 33 tahun / >= 33 tahun)	1.378	.628	3.026
For cohort 2. Status Responden : = Kasus	1.174	.791	1.742
For cohort 2. Status Responden : = Kontrol	.852	.574	1.264
N of Valid Cases	100		

2. JENIS KELAMIN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
5. Jenis Kelamin : * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

. Jenis Kelamin : * 2. Status Responden : Crosstabulation

			2. Status Responden :		Total
			Kasus	Kontrol	Kasus
5. Jenis Kelamin :	Laki-laki	Count	31	24	55
		% within 2. Status Responden :	62.0%	48.0%	55.0%
	Perempuan	Count	19	26	45
		% within 2. Status Responden :	38.0%	52.0%	45.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for 5. Jenis Kelamin : (Laki-laki / Perempuan)	1.768	.797	3.919
For cohort 2. Status Responden := Kasus	1.335	.883	2.018
For cohort 2. Status Responden := Kontrol	.755	.511	1.116
N of Valid Cases	100		

3. PENDIDIKAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pendidikan Responden * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Pendidikan Responden * 2. Status Responden : Crosstabulation

			2. Status Responden :		Total
			Kasus	Kontrol	Kasus
Pendidikan Responden	Rendah	Count	36	30	66
		% within 2. Status Responden :	72.0%	60.0%	66.0%
	Tinggi	Count	14	20	34
		% within 2. Status Responden :	28.0%	40.0%	34.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.604(b)	1	.205		
Continuity Correction(a)	1.114	1	.291		
Likelihood Ratio	1.611	1	.204		
Fisher's Exact Test				.291	.146
Linear-by-Linear Association	1.588	1	.208		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Pendidikan Responden (Rendah / Tinggi)	1.714	.742	3.961
For cohort 2. Status Responden : = Kasus	1.325	.838	2.095
For cohort 2. Status Responden : = Kontrol	.773	.525	1.137
N of Valid Cases	100		

4. PEKERJAAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pekerjaan Responden * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Pekerjaan Responden * 2. Status Responden : Crosstabulation

			2. Status Responden		Total
			Kasus	Kontrol	Kasus
Pekerjaan Responden	Tidak bekerja	Count	11	11	22
		% within 2. Status Responden :	22.0%	22.0%	22.0%
	Bekerja	Count	39	39	78
		% within 2. Status Responden :	78.0%	78.0%	78.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000(b)	1	1.000		
Continuity Correction(a)	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test				1.000	.595
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Pekerjaan Responden (Tidak bekerja / Bekerja)	1.000	.388	2.576
For cohort 2. Status Responden := Kasus	1.000	.623	1.605
For cohort 2. Status Responden := Kontrol	1.000	.623	1.605
N of Valid Cases	100		

5. PERILAKU BATUK

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
11. Menurut bapak / ibu apakah perlu menutup mulut ketika batuk? * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Menurut bapak / ibu apakah perlu menutup mulut ketika batuk? * 2. Status Responden : Crosstabulation

		2. Status Responden		Total
		Kasus	Kontrol	Kasus
11. Menurut bapak / ibu apakah perlu menutup mulut ketika batuk?	Tidak	Count 22 44.0%	3 6.0%	25 25.0%
	Ya	Count 28 56.0%	47 94.0%	75 75.0%
Total		Count 50 100.0%	50 100.0%	100 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	19.253(b)	1	.000		
Continuity Correction(a)	17.280	1	.000		
Likelihood Ratio	21.177	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	19.061	1	.000		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.50.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for 11. Menurut bapak / ibu apakah perlu menutup mulut ketika batuk? (Tidak / Ya)	12.310	3.375	44.890
For cohort 2. Status Responden : = Kasus	2.357	1.700	3.269
For cohort 2. Status Responden : = Kontrol	.191	.065	.562
N of Valid Cases	100		

6. MEROKOK Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
13. Apakah bapak/ ibu merokok ? * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Apakah bapak/ ibu merokok ? * 2. Status Responden : Crosstabulation

		2. Status Responden		Total
		Kasus	Kontrol	Kasus
13. Apakah bapak/ ibu merokok ?	Ya	Count 21 % within 2. Status Responden : 42.0%	15 30.0%	36 36.0%
	Tidak	Count 29 % within 2. Status Responden : 58.0%	35 70.0%	64 64.0%
Total		Count 50 % within 2. Status Responden : 100.0%	50 100.0%	100 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.563(b)	1	.211		
Continuity Correction(a)	1.085	1	.298		
Likelihood Ratio	1.568	1	.210		
Fisher's Exact Test				.298	.149
Linear-by-Linear Association	1.547	1	.214		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for 13. Apakah bapak/ ibu merokok ? (Ya / Tidak)	1.690	.740	3.857
For cohort 2. Status Responden := Kasus	1.287	.875	1.893
For cohort 2. Status Responden := Kontrol	.762	.488	1.190
N of Valid Cases	100		

7. KEPADATAN HUNIAN

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kepadatan Hunian * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Kepadatan Hunian * 2. Status Responden : Crosstabulation

		2. Status Responden		Total
		Kasus	Kontrol	Kasus
Kepadatan Hunian	< 10	Count 16	8	24
	% within 2. Status Responden :	32.0%	16.0%	24.0%
	>= 10	Count 34	42	76
	% within 2. Status Responden :	68.0%	84.0%	76.0%
Total	Count	50	50	100
	% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.509(b)	1	.061		
Continuity Correction(a)	2.686	1	.101		
Likelihood Ratio	3.562	1	.059		
Fisher's Exact Test				.100	.050
Linear-by-Linear Association	3.474	1	.062		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Kepadatan Hunian (< 10 / >= 10)	2.471	.944	6.463
For cohort 2. Status Responden := Kasus	1.490	1.022	2.174
For cohort 2. Status Responden := Kontrol	.603	.331	1.100
N of Valid Cases	100		

8. VENTILASI

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ventilasi Rumah * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Ventilasi Rumah * 2. Status Responden : Crosstabulation

		2. Status Responden :		Total	
		Kasus	Kontrol	Kasus	
Ventilasi Rumah	< 10	Count	40	11	51
		% within 2. Status Responden :	80.0%	22.0%	51.0%
	>= 10	Count	10	39	49
		% within 2. Status Responden :	20.0%	78.0%	49.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	33.653(b)	1	.000		
Continuity Correction(a)	31.373	1	.000		
Likelihood Ratio	35.858	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	33.317	1	.000		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.50.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Ventilasi Rumah (< 10 / >= 10)	14.182	5.412	37.160
For cohort 2. Status Responden : = Kasus	3.843	2.170	6.805
For cohort 2. Status Responden : = Kontrol	.271	.158	.466
N of Valid Cases	100		

9. PENCAHAYAAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pencahayaan Rumah * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Pencahayaan Rumah * 2. Status Responden : Crosstabulation

			2. Status Responden :		Total
			Kasus	Kontrol	Kasus
Pencahayaan Rumah < 60 lux	Count	39	14	53	
	% within 2. Status Responden :	78.0%	28.0%	53.0%	
>= 60 lux	Count	11	36	47	
	% within 2. Status Responden :	22.0%	72.0%	47.0%	
Total	Count	50	50	100	
	% within 2. Status Responden :	100.0%	100.0%	100.0%	

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Pencahayaannya Rumah (< 60 lux / >= 60 lux)	9.117	3.668	22.658
For cohort 2. Status Responden := Kasus	3.144	1.829	5.405
For cohort 2. Status Responden := Kontrol	.345	.214	.555
N of Valid Cases	100		

10. KELEMBABAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kelembaban Rumah * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Kelembaban Rumah * 2. Status Responden : Crosstabulation

			2. Status Responden		Total
			Kasus	Kontrol	Kasus
Kelembaban Rumah	< 40 & > 70	Count	37	29	66
		% within 2. Status Responden :	74.0%	58.0%	66.0%
	40-70	Count	13	21	34
		% within 2. Status Responden :	26.0%	42.0%	34.0%
Total		Count	50	50	100
		% within 2. Status Responden :	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.852(b)	1	.091		
Continuity Correction(a)	2.184	1	.139		
Likelihood Ratio	2.872	1	.090		
Fisher's Exact Test				.139	.069
Linear-by-Linear Association	2.824	1	.093		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 17.00.

11. SUHU

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Suhu Rumah * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

Suhu Rumah * 2. Status Responden : Crosstabulation

			2. Status Responden :		Total
			Kasus	Kontrol	Kasus
Suhu Rumah < 18 & >30	Count	38	30	68	
	% within 2. Status Responden :	76.0%	60.0%	68.0%	
18-30	Count	12	20	32	
	% within 2. Status Responden :	24.0%	40.0%	32.0%	
Total	Count	50	50	100	
	% within 2. Status Responden :	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.941(b)	1	.086		
Continuity Correction(a)	2.252	1	.133		
Likelihood Ratio	2.965	1	.085		
Fisher's Exact Test				.133	.066
Linear-by-Linear Association	2.912	1	.088		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Suhu Rumah (< 18 & >30 / 18-30)	2.111	.892	4.994
For cohort 2. Status Responden : = Kasus	1.490	.909	2.444
For cohort 2. Status Responden : = Kontrol	.706	.483	1.031
N of Valid Cases	100		

12. LANTAI

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
h kondisi lantai * 2. Status Responden :	100	100.0%	0	.0%	100	100.0%

kondisi lantai * 2. Status Responden : Crosstabulation

			2. Status Responden		Total
			Kasus	Kontrol	Kasus
h kondisi lantai	Tidak Kedap air	Count % within 2. Status Responden :	0 .0%	3 6.0%	3 3.0%
	Kedap air	Count % within 2. Status Responden :	50 100.0%	47 94.0%	97 97.0%
Total		Count % within 2. Status Responden :	50 100.0%	50 100.0%	100 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.093(b)	1	.079		
Continuity Correction(a)	1.375	1	.241		
Likelihood Ratio	4.252	1	.039		
Fisher's Exact Test				.242	.121
Linear-by-Linear Association	3.062	1	.080		
N of Valid Cases	100				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.50.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
For cohort 2. Status Responden = Kontrol	2.064	1.681	2.534
N of Valid Cases	100		