





PEMERINTAH KOTA ADMINISTRASI JAKARTA SELATAN

SUKU DINAS KESEHATAN

Jl. Radio I No. 8 Kebayoran Baru Telp. 7395287, 7395344, Fax 7251373
JAKARTA

Nomor : 1606/-1.777.22
Sifat : Biasa
Lamp :
Hal : Izin Pengambilan Data Penelitian
a.n. **Ari Luthfiana U**

27 April 2009

Kepada Yth.
Dekan FKMUI
Di
Jakarta

Menjawab Surat Saudara Nomor :1754/PT.02.H5.FKMUI/2009,
Perihal Izin Pengambilan Data Penelitian dengan judul „**Hubungan Faktor Individu, Psikologi dan Organisasi dengan Kinerja Jumentik di Puskesmas Kecamatan Pasar Minggu,**“ Kota Administrasi Jakarta Selatan, yang akan dilaksanakan pada bulan April 2009 sampai selesai, dengan ini menyatakan menyetujui / tidak keberatan

Demi kelancaran pelaksanaan kegiatan tersebut, agar yang bersangkutan menghubungi Kepala Puskesmas setempat

Atas perhatian dan kerjasamanya diucapkan terima kasih.



Dr. Togi Asman Sinaga, M.Kes
NIP: 140 222 102

Tembusan Yth. :
Ka. Puskesmas Kec. Ps. Minggu

Universitas Indonesia

KUESIONER PENELITIAN

HUBUNGAN FAKTOR INDIVIDU, PSIKOLOGI, DAN ORGANISASI
DENGAN KINERJA JUMANTIK DI KELURAHAN CILANDAK TIMUR

TAHUN 2008

Petunjuk pengisian :

Pilihlah salah satu jawaban yang dianggap tepat atau paling sesuai menurut bapak/Ibu/Sdr/I dengan melingkari salah satu jawaban yang tersedia

No. Kuesioner :

Nama Pewawancara :

Tanggal Wawancara :

I. Identitas Responden

1. Nama :
2. Umur :
3. Jenis Kelamin : a. Laki-laki b. Perempuan
4. Pendidikan : a. SD b. SMP c. SMA d. Perguruan tinggi

II. Masa Kerja

5. Sudah berapa lama anda bertugas sebagai Jumantik ? tahun

III. Pengetahuan

6. Di bawah ini, manakah nyamuk yang menyebabkan DBD ?
 - a. Aedes agepty
 - b. Aedes albopictus
7. Dimana nyamuk penyebab DBD berkembang biak ?
 - a. Air bersih
 - b. Air kotor
8. Kapan nyamuk penyebab DBD menyerang ?
 - a. Malam hari
 - b. Siang hari

9. Di bawah ini, manakah yang termasuk cara-cara pencegahan dan penanggulangan DBD ? (jawaban boleh lebih dari satu)
- a. Abatisasi
 - b. 3M
 - c. Fogging
 - d. Penggunaan selambu
 - e. Penggunaan obat anti nyamuk
10. Menurut anda, di antara cara-cara di atas manakah yang paling efektif ?
.....
11. Di bawah ini, manakah yang termasuk sasaran pengamatan Jumantik ? (jawaban boleh lebih dari satu)
- a. Rumah penduduk
 - b. Sekolah
 - c. Tempat ibadah
 - d. Pemakaman umum
 - e. Hotel
 - f. Restoran/rumah makan
 - g. pedagang ban
 - h. stasiun/terminal
 - i. kolam renang
 - j. sarana olahraga
12. Di bawah ini, manakah yang harus diperiksa di setiap sasaran pengamatan ? (jawaban boleh lebih dari satu)
- a. Bak mandi
 - b. Pot bunga
 - c. Barang bekas
 - d. Dispenser/kulkas

IV. Pelatihan

13. Selama anda bertugas sebagai Jumantik, pernahkan anda mengikuti pelatihan Jumantik ?
- a. Pernah
 - b. Tidak pernah (langsung ke no.17)
14. Jika pernah, kapan terakhir kali anda mengikuti pelatihan tersebut ?
..... bulan/tahun* yang lalu (*coret yang tidak perlu)
15. Menurut anda apakah pelatihan tersebut sesuai dengan tugas anda sebagai Jumantik ?
- a. Sangat sesuai
 - b. Sesuai
 - c. Kurang sesuai

16. Menurut anda, apakah pelatihan tersebut bermanfaat bagi anda sebagai Jumantik ?
- Sangat bermanfaat
 - Bermanfaat
 - Kurang bermanfaat

V. Motivasi

17. Apakah anda selalu berusaha menciptakan kreativitas dalam melaksanakan pekerjaan anda ?
- selalu
 - kadang – kadang
18. Apakah anda memiliki kemauan untuk mencapai tujuan dalam meanggulangi DBD ?
- ya
 - kurang
19. Apakah anda memiliki kemauan untuk mencapai produktivitas tinggi dalam melaksanakan pekerjaan anda ?
- ya
 - kurang
20. Apakah anda selalu berusaha untuk meningkatkan kualitas diri ?
- selalu
 - kadang – kadang
21. Apakah anda selalu berusaha mencari solusi terhadap masalah yang anda hadapi dalam menyelesaikan tugas anda ?
- selalu
 - kadang – kadang
22. Apakah anda selalu tepat waktu dalam menyelesaikan tugas anda ?
- selalu
 - kadang – kadang

VI. Sarana

23. Apakah seluruh alat yang dibutuhkan sebagai Jumantik telah disediakan oleh Puskesmas/kelurahan ?
- Ya
 - Tidak
24. Menurut anda, apakah ketersediaan alat adalah hal yang penting ?
- Sangat penting
 - Penting
 - Kurang penting

VII. Supervisi

25. Apakah anda pernah mendapat bimbingan dari petugas Puskesmas selama 1 tahun terakhir ?
- Ya
 - Tidak (langsung ke no.29)
26. Jika pernah, berapa kali dalam setahun terakhir ini ?
- Kurang dari 6 kali
 - Lebih dari/sama dengan 6 kali
27. Menurut anda, apakah bimbingan yang diberikan jelas ?
- Sangat jelas
 - Jelas
 - Kurang jelas
28. Menurut anda, apakah bimbingan yang diberikan bermanfaat ?
- Sangat bermanfaat
 - Bermanfaat
 - Kurang bermanfaat

VIII. Imbalan

29. Selama bekerja sebagai Jumantik, apakah anda pernah mendapat imbalan dari Puskesmas/Kelurahan ?
- ya
 - tidak (langsung ke no. 32)

30. Jika ya, dalam bentuk apa imbalan itu diberikan ?

- a. uang
- b. barang
- c. lain-lain

31. Menurut anda, pentingkah adanya imbalan ?

- a. sangat penting
- b. penting
- c. kurang penting

IX. Kinerja

32. Apakah anda selalu menyusun jadwal kerja ?

- a. Selalu
- b. Kadang-kadang

33. Apakah anda membuat peta wilayah kerja ?

- a. Selalu
- b. Kadang-kadang

34. Sebelum bertugas apakah anda melaporkan diri kepada ketua RT dan RW setempat ?

- a. Selalu
- b. Kadang-kadang

35. Apakah setiap berkunjung ke sasaran pengamatan, anda selalu mengamati keberadaan jentik ?

- a. Selalu
- b. Kadang-kadang

36. Apakah setiap berkunjung ke sasaran selalu memberikan pengertian tentang pentingnya PSN melalui 3M ?

- a. Selalu
- b. Kadang-kadang

37. Apakah anda selalu melakukan abatisasi secara selektif terhadap penampungan air bersih yang tidak dapat dikuras dan atau sulit dilakukan pengurasan ?
- Selalu
 - Kadang-kadang
38. Apakah anda selalu melakukan pencatatan hasil pengamatan pada formulir yang disediakan setelah melakukan pengamatan ?
- Selalu
 - Kadang-kadang
39. Apakah anda selalu melaporkan hasil pengamatan tersebut kepada koordinator tingkat kelurahan ?
- Selalu
 - Kadang-kadang
40. Apakah anda juga ikut serta membantu penggerakan masyarakat untuk melakukan PSN ?
- Selalu
 - Kadang-kadang

DAFTAR HADIR JUMANTIK
KELURAHAN CILANDAK TIMUR
TAHUN 2008

| NO | NAMA | ALAMAT | TANDA TANGAN |
|----|---------------------|----------|--------------|
| 1 | BU PONIJAN | RT01/01 | 1..... |
| 2 | BU AGUS PURBA | RT02/01 | 2..... |
| 3 | BU ENDIS | RT03/01 | 3..... |
| 4 | BU SAANI | RT04/01 | 4..... |
| 5 | BU ST RUMINA | RT05/01 | 5..... |
| 6 | BU SUHARTI | RT06/01 | 6..... |
| 7 | BU EVI | RT07/01 | 7..... |
| 8 | BU NGATIJO | RT08/01 | 8..... |
| 9 | BU SARPIAH | RT09/01 | 9..... |
| 10 | BU MURSITO | RT10/01 | 10..... |
| 11 | BU WIWIN | RT11/01 | 11..... |
| 12 | BU SUYATI | RT12/01 | 12..... |
| 13 | BU MARSITO | RT13/01 | 13..... |
| 14 | BU SUKAMTI | RT14/01 | 14..... |
| 15 | BU SOFYAN | RT015/01 | 15..... |
| 16 | BU ATUN (Sri Matun) | RT01/02 | 16..... |
| 17 | BU SARWATI | RT02/02 | 17..... |
| 18 | BU HASANAH | RT03/02 | 18..... |
| 19 | BU SRI UTAMI | RT04/02 | 19..... |
| 20 | BU HERMA HERAWATI | RT05/02 | 20..... |
| 21 | BU ZUBAIDAH | RT06/02 | 21..... |
| 22 | BU HARYANTI | RT07/02 | 22..... |
| 23 | BU SUMIATI | RT08/02 | 23..... |
| 24 | BU SUWIATI | RT09/02 | 24..... |
| 25 | BU LINDAWATI | RT10/02 | 25..... |
| 26 | BU SAHLA + Ibu Lies | RT011/02 | 26..... |
| 27 | BU ENI DAHANA | RT01/03 | 27..... |
| 28 | BU MUHAYA | RT02/03 | 28..... |
| 29 | BU WINARNI | RT03/03 | 29..... |
| 30 | BU MARYANA | RT04/03 | 30..... |
| 31 | BU SRI HARTATI | RT05/03 | 31..... |
| 32 | SAKURO | RT06/03 | 32..... |
| 33 | BU PUTRI | RT07/03 | 33..... |
| 34 | BU JURIPAH | RT08/03 | 34..... |
| 35 | BU DIAN | RT09/03 | 35..... |
| 36 | BU ATIN ✓ | RT010/03 | 36..... |
| 37 | BU DINAR | RT01/04 | 37..... |
| 38 | MARIANI | RT02/04 | 38..... |
| 39 | BU PRISKA | RT03/04 | 39..... |
| 40 | BU DAHLIA | RT04/04 | 40..... |
| 41 | BU AISYAH | RT05/04 | 41..... |
| 42 | BU SRI HARTATI | RT06/04 | 42..... |
| 43 | BU KOKOM | RT07/04 | 43..... |
| 44 | BU NUNUNG | RT08/04 | 44..... |
| 45 | BU SRIHARTATI | RT09/04 | 45..... |
| 46 | BU ASMAWAH | RT010/04 | 46..... |
| 47 | BU Hj NUTUMIMON | RT011/04 | 47..... |
| 48 | BU KAMIDI | Ri.01/05 | 48..... |
| 49 | NY RINI | Ri.02/05 | 49..... |
| 50 | NY MUJI UTOMO | Ri.03/05 | 50..... |

| NO | NAMA | ALAMAT | TANDA TANGAN |
|----|-------------------|-----------|--------------|
| 51 | NY.SARJONO | Ri.04/05 | 51..... |
| 52 | NY.TUKIMIN | Ri.05/05 | 52..... |
| 53 | NY.M.NUH | Ri.06/05 | 53..... |
| 54 | NY.SUNARYO | Ri.07/05 | 54..... |
| 55 | NY.SOLIYAH | Ri.08/05 | 55..... |
| 56 | NY.SUWANDI | Ri.09/05 | 56..... |
| 57 | NY.LASNAWI | Ri.010/05 | 57..... |
| 58 | NY.NING WULANTONO | Ri.011/05 | 58..... |
| 59 | NY.MIMIN | Ri.012/05 | 59..... |
| 60 | NY.ASEP MULYADI | Ri.013/05 | 60..... |
| 61 | NY.SARI WARNO | Ri.014/05 | 61..... |
| 62 | NY.UMANAN F. | Ri.015/05 | 62..... |
| 63 | NY.JUPRI | Ri.01/06 | 63..... |
| 64 | NY.WIWIN | Ri.02/06 | 64..... |
| 65 | NY.HASANAH | Ri.03/06 | 65..... |
| 66 | NY.SAFIMAN RAFLI | Ri.04/06 | 66..... |
| 67 | NY.MIKO | Ri.05/06 | 67..... |
| 68 | NY.HENI | Ri.01/07 | 68..... |
| 69 | NY.EVI | Ri.02/07 | 69..... |
| 70 | NY.HIKMAN | Ri.03/07 | 70..... |
| 71 | NY.EKO | Ri.04/07 | 71..... |
| 72 | NY.CISILIA MARYAM | Ri.05/07 | 72..... |
| 73 | | | 73..... |
| 74 | | | 74..... |
| 75 | | | 75..... |

Mengetahui
Kepala Puskesmas
Kel.Cilandak Timur

Dr.Miranda Yusuf
NIP : 140 241 697

Daftar Nama Responden Jumantik Kelurahan Cilandak Timur

| RT | RW | | | | | | |
|----|--------------|----------------|---------------------|-------------|-----------------|------------|---------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Ponijan | Atun | Eni Dahana | Dinar | Kamidi | Jufri | Heni |
| 2 | Cahyo | Sarwati | Muhaya | Nuraisah | Rini | Wiwin | Erwin |
| 3 | Endis | Hasanah | Daryuningsih | Priska | Mujitomo | Hasanah | Hikman |
| 4 | Sriwati | Sri Utami | Marhana | Dahlia | Sarjono | Imam Rafli | Suparti |
| 5 | Ruminah | Ema | Mulyani | Aisah | Tukimin | Jatmiko | Parjan |
| 6 | Maryani | Jubaedah | Sakuro | Nurfadlilah | Nuh | | |
| 7 | Evi | Sri Irianti | Sumiyati | Kokom | Sunarto | | |
| 8 | Ny. Ngatidjo | Sumiati | Daryuningsih | Tri Hartati | Harahap | | |
| 9 | Sunarti | Sumiati | Dian | Nunung | Suwandi | | |
| 10 | Agus | Linda | Bambang | Asmawah | Lasnawi | | |
| 11 | Wiwik | Sahla | | Mutamimah | Wulantono | | |
| 12 | Fella | Samsiah | | | Mimin | | |
| 13 | Ny. Mursito | | | | Asep | | |
| 14 | Sukamti | | | | Sari warno | | |
| 15 | Sofyan | | | | Umanan F | | |

Keterangan : **cetak tebal** tidak menjadi responden karena rangkap, tidak dapat ditemui, dan pindah tempat tinggal

Frequencies

Statistics

usia

| | | |
|---------|---------|-------|
| N | Valid | 67 |
| | Missing | 0 |
| Mean | | 42.63 |
| Median | | 42.00 |
| Mode | | 39 |
| Minimum | | 25 |
| Maximum | | 60 |

usia

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 25 | 1 | 1.5 | 1.5 | 1.5 |
| | 28 | 1 | 1.5 | 1.5 | 3.0 |
| | 29 | 3 | 4.5 | 4.5 | 7.5 |
| | 30 | 1 | 1.5 | 1.5 | 9.0 |
| | 32 | 1 | 1.5 | 1.5 | 10.4 |
| | 35 | 5 | 7.5 | 7.5 | 17.9 |
| | 36 | 1 | 1.5 | 1.5 | 19.4 |
| | 37 | 1 | 1.5 | 1.5 | 20.9 |
| | 38 | 3 | 4.5 | 4.5 | 25.4 |
| | 39 | 8 | 11.9 | 11.9 | 37.3 |
| | 40 | 5 | 7.5 | 7.5 | 44.8 |
| | 41 | 1 | 1.5 | 1.5 | 46.3 |
| | 42 | 5 | 7.5 | 7.5 | 53.7 |
| | 43 | 3 | 4.5 | 4.5 | 58.2 |
| | 44 | 1 | 1.5 | 1.5 | 59.7 |
| | 45 | 6 | 9.0 | 9.0 | 68.7 |
| | 46 | 1 | 1.5 | 1.5 | 70.1 |
| | 47 | 4 | 6.0 | 6.0 | 76.1 |
| | 48 | 2 | 3.0 | 3.0 | 79.1 |
| | 49 | 1 | 1.5 | 1.5 | 80.6 |
| | 50 | 2 | 3.0 | 3.0 | 83.6 |
| | 51 | 2 | 3.0 | 3.0 | 86.6 |
| | 52 | 1 | 1.5 | 1.5 | 88.1 |
| | 53 | 1 | 1.5 | 1.5 | 89.6 |
| | 54 | 1 | 1.5 | 1.5 | 91.0 |
| | 55 | 1 | 1.5 | 1.5 | 92.5 |
| | 56 | 1 | 1.5 | 1.5 | 94.0 |
| | 57 | 1 | 1.5 | 1.5 | 95.5 |
| | 58 | 1 | 1.5 | 1.5 | 97.0 |
| | 60 | 2 | 3.0 | 3.0 | 100.0 |
| | Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

usia2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

usia2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid > 35 th | 55 | 82.1 | 82.1 | 82.1 |
| <= 35 th | 12 | 17.9 | 17.9 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

pendidikan

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

pendidikan

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid SD | 2 | 3.0 | 3.0 | 3.0 |
| SMP | 15 | 22.4 | 22.4 | 25.4 |
| SMA | 48 | 71.6 | 71.6 | 97.0 |
| PT | 2 | 3.0 | 3.0 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

pendidikan2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

pendidikan2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------|-----------|---------|---------------|--------------------|
| Valid rendah | 17 | 25.4 | 25.4 | 25.4 |
| tinggi | 50 | 74.6 | 74.6 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

masa.kerja

| | | |
|---------|---------|------|
| N | Valid | 67 |
| | Missing | 0 |
| Mean | | 3.45 |
| Median | | 3.00 |
| Mode | | 2 |
| Minimum | | 1 |
| Maximum | | 11 |

masa.kerja

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1 | 7 | 10.4 | 10.4 | 10.4 |
| | 2 | 20 | 29.9 | 29.9 | 40.3 |
| | 3 | 16 | 23.9 | 23.9 | 64.2 |
| | 4 | 10 | 14.9 | 14.9 | 79.1 |
| | 5 | 6 | 9.0 | 9.0 | 88.1 |
| | 6 | 1 | 1.5 | 1.5 | 89.6 |
| | 7 | 3 | 4.5 | 4.5 | 94.0 |
| | 8 | 1 | 1.5 | 1.5 | 95.5 |
| | 10 | 2 | 3.0 | 3.0 | 98.5 |
| | 11 | 1 | 1.5 | 1.5 | 100.0 |
| | Total | | 67 | 100.0 | 100.0 |

Frequencies

Statistics

masa.kerja2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

masa.kerja2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | <= 3 th | 43 | 64.2 | 64.2 | 64.2 |
| | > 3 th | 24 | 35.8 | 35.8 | 100.0 |
| Total | | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

pengetahuan4

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

pengetahuan4

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------|-----------|---------|---------------|--------------------|
| Valid rendah | 11 | 16.4 | 16.4 | 16.4 |
| tinggi | 56 | 83.6 | 83.6 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

pelatihan

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

pelatihan

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------|-----------|---------|---------------|--------------------|
| Valid tdk pernah | 26 | 38.8 | 38.8 | 38.8 |
| pernah | 41 | 61.2 | 61.2 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

motivasi2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

motivasi2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------|-----------|---------|---------------|--------------------|
| Valid rendah | 3 | 4.5 | 4.5 | 4.5 |
| tinggi | 64 | 95.5 | 95.5 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

sarana

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

sarana

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------|-----------|---------|---------------|--------------------|
| Valid tdk tersedia | 12 | 17.9 | 17.9 | 17.9 |
| tersedia | 55 | 82.1 | 82.1 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

supervisi

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

supervisi

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------|-----------|---------|---------------|--------------------|
| Valid tdk pernah | 8 | 11.9 | 11.9 | 11.9 |
| pernah | 59 | 88.1 | 88.1 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

imbalan2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

imbalan2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid tdk ada | 2 | 3.0 | 3.0 | 3.0 |
| ada | 65 | 97.0 | 97.0 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |

Frequencies

Statistics

kinerja2

| | | |
|---|---------|----|
| N | Valid | 67 |
| | Missing | 0 |

kinerja2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------|-----------|---------|---------------|--------------------|
| Valid rendah | 2 | 3.0 | 3.0 | 3.0 |
| tinggi | 65 | 97.0 | 97.0 | 100.0 |
| Total | 67 | 100.0 | 100.0 | |



Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| usia2 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

usia2 * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|----------------|----------------|-------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| usia2 > 35 th | Count | 0 | 55 | 55 | |
| | % within usia2 | .0% | 100.0% | 100.0% | |
| usia2 <= 35 th | Count | 2 | 10 | 12 | |
| | % within usia2 | 16.7% | 83.3% | 100.0% | |
| Total | Count | 2 | 65 | 67 | |
| | % within usia2 | 3.0% | 97.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 9.449(b) | 1 | .002 | | |
| Continuity Correction(a) | 4.570 | 1 | .033 | | |
| Likelihood Ratio | 7.172 | 1 | .007 | | |
| Fisher's Exact Test | | | | .030 | .030 |
| Linear-by-Linear Association | 9.308 | 1 | .002 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .36.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | 1.200 | .932 | 1.546 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| pendidikan2 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

pendidikan2 * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|--------------------|----------------------|------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| pendidikan2 rendah | Count | 0 | 17 | 17 | |
| | % within pendidikan2 | .0% | 100.0% | 100.0% | |
| tinggi | Count | 2 | 48 | 50 | |
| | % within pendidikan2 | 4.0% | 96.0% | 100.0% | |
| Total | Count | 2 | 65 | 67 | |
| | % within pendidikan2 | 3.0% | 97.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|---------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | .701(b) | 1 | .402 | | |
| Continuity Correction(a) | .000 | 1 | .990 | | |
| Likelihood Ratio | 1.191 | 1 | .275 | | |
| Fisher's Exact Test | | | | 1.000 | .554 |
| Linear-by-Linear Association | .690 | 1 | .406 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .51.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | 1.042 | .984 | 1.102 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| masa.kerja2 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

masa.kerja2 * kinerja2 Crosstabulation

| | | kinerja2 | | Total | |
|-----------------|----------------------|----------------------|--------|--------|--------|
| | | rendah | tinggi | rendah | |
| masa.k erja2 | <= 3 th | Count | 2 | 41 | 43 |
| | | % within masa.kerja2 | 4.7% | 95.3% | 100.0% |
| > 3 th | Count | 0 | 24 | 24 | |
| | % within masa.kerja2 | .0% | 100.0% | 100.0% | |
| Total | Count | 2 | 65 | 67 | |
| | % within masa.kerja2 | 3.0% | 97.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|---------------------------------|----------|----|--------------------------|-------------------------|-------------------------|
| Pearson Chi-Square | 1.151(b) | 1 | .283 | | |
| Continuity Correction(a) | .105 | 1 | .746 | | |
| Likelihood Ratio | 1.808 | 1 | .179 | | |
| Fisher's Exact Test | | | | .533 | .408 |
| Linear-by-Linear Association | 1.133 | 1 | .287 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .72.

Risk Estimate

| | Value | 95% Confidence Interval | |
|---------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | .953 | .893 | 1.019 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|-------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| pengetahuan4 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

pengetahuan4 * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|---------------------|-----------------------|------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| pengetahuan4 rendah | Count | 0 | 11 | 11 | |
| | % within pengetahuan4 | .0% | 100.0% | 100.0% | |
| tinggi | Count | 2 | 54 | 56 | |
| | % within pengetahuan4 | 3.6% | 96.4% | 100.0% | |
| Total | Count | 2 | 65 | 67 | |
| | % within pengetahuan4 | 3.0% | 97.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|---------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | .405(b) | 1 | .525 | | |
| Continuity Correction(a) | .000 | 1 | 1.000 | | |
| Likelihood Ratio | .729 | 1 | .393 | | |
| Fisher's Exact Test | | | | 1.000 | .697 |
| Linear-by-Linear Association | .399 | 1 | .528 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .33.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | 1.037 | .986 | 1.091 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|----------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| pelatihan * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

pelatihan * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|-----------|------------|--------------------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| pelatihan | tdk pernah | Count | 2 | 24 | 26 |
| | | % within pelatihan | 7.7% | 92.3% | 100.0% |
| | pernah | Count | 0 | 41 | 41 |
| | | % within pelatihan | .0% | 100.0% | 100.0% |
| Total | | Count | 2 | 65 | 67 |
| | | % within pelatihan | 3.0% | 97.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 3.251(b) | 1 | .071 | | |
| Continuity Correction(a) | 1.137 | 1 | .286 | | |
| Likelihood Ratio | 3.884 | 1 | .049 | | |
| Fisher's Exact Test | | | | .147 | .147 |
| Linear-by-Linear Association | 3.202 | 1 | .074 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .78.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | .923 | .826 | 1.031 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|----------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| motivasi2 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

motivasi2 * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|-----------|--------|--------------------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| motivasi2 | rendah | Count | 1 | 2 | 3 |
| | | % within motivasi2 | 33.3% | 66.7% | 100.0% |
| | tinggi | Count | 1 | 63 | 64 |
| | | % within motivasi2 | 1.6% | 98.4% | 100.0% |
| Total | | Count | 2 | 65 | 67 |
| | | % within motivasi2 | 3.0% | 97.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 9.988(b) | 1 | .002 | | |
| Continuity Correction(a) | 2.030 | 1 | .154 | | |
| Likelihood Ratio | 3.865 | 1 | .049 | | |
| Fisher's Exact Test | | | | .088 | .088 |
| Linear-by-Linear Association | 9.839 | 1 | .002 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 3 cells (75.0%) have expected count less than 5. The minimum expected count is .09.

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|--------|-------------------------|---------|
| | | Lower | Upper |
| Odds Ratio for motivasi2 (rendah / tinggi) | 31.500 | 1.407 | 705.414 |
| For cohort kinerja2 = rendah | 21.333 | 1.719 | 264.723 |
| For cohort kinerja2 = tinggi | .677 | .304 | 1.508 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|-------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| sarana * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

sarana * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|--------|--------------|-----------------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| sarana | tdk tersedia | Count | 0 | 12 | 12 |
| | | % within sarana | .0% | 100.0% | 100.0% |
| | tersedia | Count | 2 | 53 | 55 |
| | | % within sarana | 3.6% | 96.4% | 100.0% |
| Total | | Count | 2 | 65 | 67 |
| | | % within sarana | 3.0% | 97.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|---------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | .450(b) | 1 | .502 | | |
| Continuity Correction(a) | .000 | 1 | 1.000 | | |
| Likelihood Ratio | .803 | 1 | .370 | | |
| Fisher's Exact Test | | | | 1.000 | .672 |
| Linear-by-Linear Association | .443 | 1 | .506 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .36.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | 1.038 | .986 | 1.092 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|----------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| supervisi * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

supervisi * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|-----------|------------|--------------------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| supervisi | tdk pernah | Count | 2 | 6 | 8 |
| | | % within supervisi | 25.0% | 75.0% | 100.0% |
| | pernah | Count | 0 | 59 | 59 |
| | | % within supervisi | .0% | 100.0% | 100.0% |
| Total | | Count | 2 | 65 | 67 |
| | | % within supervisi | 3.0% | 97.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|-----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 15.204(b) | 1 | .000 | | |
| Continuity Correction(a) | 7.797 | 1 | .005 | | |
| Likelihood Ratio | 8.989 | 1 | .003 | | |
| Fisher's Exact Test | | | | .013 | .013 |
| Linear-by-Linear Association | 14.977 | 1 | .000 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is .24.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | .750 | .503 | 1.119 |
| N of Valid Cases | 67 | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|----------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| imbangan2 * kinerja2 | 67 | 100.0% | 0 | .0% | 67 | 100.0% |

imbangan2 * kinerja2 Crosstabulation

| | | | kinerja2 | | Total |
|-----------|---------|-------------------|----------|--------|--------|
| | | | rendah | tinggi | rendah |
| imbangan2 | tdk ada | Count | 0 | 2 | 2 |
| | | % within imbalan2 | .0% | 100.0% | 100.0% |
| | ada | Count | 2 | 63 | 65 |
| | | % within imbalan2 | 3.1% | 96.9% | 100.0% |
| Total | | Count | 2 | 65 | 67 |
| | | % within imbalan2 | 3.0% | 97.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|---------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | .063(b) | 1 | .801 | | |
| Continuity Correction(a) | .000 | 1 | 1.000 | | |
| Likelihood Ratio | .123 | 1 | .726 | | |
| Fisher's Exact Test | | | | 1.000 | .941 |
| Linear-by-Linear Association | .062 | 1 | .803 | | |
| N of Valid Cases | 67 | | | | |

a Computed only for a 2x2 table

b 3 cells (75.0%) have expected count less than 5. The minimum expected count is .06.

Risk Estimate

| | Value | 95% Confidence Interval | |
|------------------------------|-------|-------------------------|-------|
| | Lower | Upper | Lower |
| For cohort kinerja2 = tinggi | 1.032 | .988 | 1.077 |
| N of Valid Cases | 67 | | |