

**RAHASIA**

Nomor Registrasi 

--	--	--	--	--	--	--	--	--	--

Alamat \_\_\_\_\_ Kota/Kab : \_\_\_\_\_ Seksualitas: 1. Laki-laki 2. Perempuan

Umur \_\_\_\_\_ Tahun \_\_\_\_\_ Pendidikan Terakhir \_\_\_\_\_

Status Perkawinan 1. Menikah 2. Tidak Menikah 3. Pernah Menikah Jumlah anak kandung \_\_\_\_\_ orang

Status kehamilan: 1. Trimester I 2. II 3. III 4. Tidak hamil 9. Tidak tahu Umur anak terkecil \_\_\_\_\_ tahun

Kelompok Risiko : 1. PS, [ 1. langsung 2. Tidak Langsung ] Lamanya ..... Bln/Thn 2. Waria 3. Penasun, Lamanya ..... Bln/Thn  
4. Gay 5. Pelanggan PS 6. Pasien TB 7. Pasangan Risti 8. Lainnya ..... (boleh diisi lebih dari satu)

Pekerjaan: 1. Tidak Bekerja 2. Bekerja, Jenis Pekerjaan : \_\_\_\_\_

<b>Tanggal Konseling Pre Tes HIV</b>	____ / ____ / ____		<b>Kunjungan Ke :</b>
<b>Status Pasien</b>	1. Baru 2. Lama		
<b>Alasan Testing HIV</b>	1. Ingin tahu saja 2. Mumpung gratis 3. Untuk bekerja 4. Ada gejala tertentu 5. Akan menikah 6. Merasa berisiko 7. Rujukan ..... 8. Tes ulang (window period) 9. Lainnya : .....		
<b>Mengetahui Adanya Tes Dari</b>	1. Brosur 2. koran 3. TV 4. Dokter 5. Teman 6. Petugas Outreach 7. Poster 8. Lay Konselor 9. Lainnya : .....		
<b>Pernah tes HIV sebelumnya</b>	1. Ya, <b>Dimana</b> .....	<b>Kapan</b> : ____ / ____ / ____	Hasil - 1. Negatif 2. Positif 9. tidak tahu
2. Tidak			
<b>Kajian Tingkat Risiko</b>			
<b>Hubungan seks vaginal berisiko</b>	1. Ya, kapan ..... hr/Bln/Thn 2. Tidak		
<b>Anal seks berisiko</b>	1. Ya, kapan ..... hr/Bln/Thn 2. Tidak		
<b>Bergantian peralatan suntik</b>	1. Ya, kapan ..... hr/Bln/Thn 2. Tidak		
<b>Transfusi darah</b>	1. Ya, kapan ..... hr/Bln/Thn 2. Tidak		
<b>Transmisi Ibu ke Anak</b>	1. Ya, kapan ..... hr/Bln/Thn 2. Tidak		
<b>Lainnya</b>			
<b>Tes Antibodi HIV</b>			
<b>Tanggal Tes HIV</b>	____ / ____ / ____		
<b>Jenis Tes HIV</b>	1. Rapid Tes 2. EIA 3. Kombinasi		
<b>Hasil Tes R1</b>	1. Non Reaktif 2. Reaktif	Nama Reagen :	
<b>Hasil Tes R2</b>	1. Non Reaktif 2. Reaktif	Nama Reagen :	
<b>Hasil Tes R3</b>	1. Non Reaktif 2. Reaktif	Nama Reagen :	
<b>Kesimpulan Hasil Tes HIV</b>	1. Negatif 2. Positif 3. Indeterminate		
<b>Konseling Pasca Testing</b>			
<b>Tanggal Konseling Pasca Tes</b>	____ / ____ / ____		
<b>Terima hasil</b>	1. Ya 2. Tidak		
<b>Tindak Lanjut</b> (boleh diisi lebih dari satu)	1: Rujuk ke MK 2: Rujuk ke RS 3 Rujuk ke Rehab 4: Rujuk ke LSM 5: Datang kembali karena masa jendela 6. Rujuk ke dokter		
<b>Nama Konselor</b>			
<b>Status Klinik</b>	1. Mobile VCT 2. Klinik Utama 3. Klinik Satelit		

Data Entry: 1  2  3

## LAMPIRAN

### Frequencies

#### Statistics

Pemanfaatan Layanan Tes HIV

N	Valid	7629
	Missing	0

#### Pemanfaatan Layanan Tes HIV

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak memanfaatkan layanan tes HIV	687	9.0	9.0	9.0
tidak lengkap	140	1.8	1.8	10.8
lengkap	6802	89.2	89.2	100.0
Total	7629	100.0	100.0	

### Frequencies

#### Statistics

Tempat Pelayanan Tes HIV

N	Valid	6942
	Missing	0

#### Tempat Pelayanan Tes HIV

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid KIOS	508	7.3	7.3	7.3
PKBI	1554	22.4	22.4	29.7
PPTI	2269	32.7	32.7	62.4
RSKO	236	3.4	3.4	65.8
RSUD BULELENG	353	5.1	5.1	70.9
SANGLAH	724	10.4	10.4	81.3
YKP	1298	18.7	18.7	100.0
Total	6942	100.0	100.0	

### Crosstabs

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kd_lembaga * Umur	7629	100.0%	0	.0%	7629	100.0%

**kd\_lembaga \* Umur Crosstabulation**

			Umur					Total
			< 20 thn	20-29 thn	30-39 thn	40-49 thn	> 50 thn	
kd_lembaga	KIOS	Count	32	363	100	9	4	508
		% within kd_lembaga	6.3%	71.5%	19.7%	1.8%	.8%	100.0%
	PKBI DKI JAKARTA	Count	143	865	387	123	39	1557
		% within kd_lembaga	9.2%	55.6%	24.9%	7.9%	2.5%	100.0%
	PPTI	Count	207	1016	591	301	154	2269
		% within kd_lembaga	9.1%	44.8%	26.0%	13.3%	6.8%	100.0%
	RSKO	Count	16	190	74	12	0	292
		% within kd_lembaga	5.5%	65.1%	25.3%	4.1%	.0%	100.0%
	RSUD BULELENG	Count	30	197	141	56	21	445
		% within kd_lembaga	6.7%	44.3%	31.7%	12.6%	4.7%	100.0%
	SANGLAH	Count	43	460	275	88	32	898
		% within kd_lembaga	4.8%	51.2%	30.6%	9.8%	3.6%	100.0%
	YKP	Count	155	977	458	58	12	1660
		% within kd_lembaga	9.3%	58.9%	27.6%	3.5%	.7%	100.0%
Total		Count	626	4068	2026	647	262	7629
		% within kd_lembaga	8.2%	53.3%	26.6%	8.5%	3.4%	100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kd_lembaga * sex	7629	100.0%	0	.0%	7629	100.0%

**kd\_lembaga \* sex Crosstabulation**

			sex		Total
			male	female	
kd_lembaga	KIOS	Count	428	80	508
		% within kd_lembaga	84.3%	15.7%	100.0%
	PKBI DKI JAKARTA	Count	641	916	1557
		% within kd_lembaga	41.2%	58.8%	100.0%
	PPTI	Count	1562	707	2269
		% within kd_lembaga	68.8%	31.2%	100.0%
	RSKO	Count	262	30	292
		% within kd_lembaga	89.7%	10.3%	100.0%
	RSUD BULELENG	Count	243	202	445
		% within kd_lembaga	54.6%	45.4%	100.0%
	SANGLAH	Count	657	241	898
		% within kd_lembaga	73.2%	26.8%	100.0%
	YKP	Count	493	1167	1660
		% within kd_lembaga	29.7%	70.3%	100.0%
Total		Count	4286	3343	7629
		% within kd_lembaga	56.2%	43.8%	100.0%

**Crosstabs**

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * marital status	6936	100.0%	0	.0%	6936	100.0%

### Tempat Pelayanan Tes HIV \* marital status Crosstabulation

			marital status			Total
			merried	un-merried	ever-merried	
Tempat Pelayanan Tes HIV	KIOS	Count	157	316	32	505
		% within Tempat Pelayanan Tes HIV	31.1%	62.6%	6.3%	100.0%
	PKBI	Count	381	967	206	1554
		% within Tempat Pelayanan Tes HIV	24.5%	62.2%	13.3%	100.0%
	PPTI	Count	1232	918	117	2267
		% within Tempat Pelayanan Tes HIV	54.3%	40.5%	5.2%	100.0%
	RSKO	Count	59	172	5	236
		% within Tempat Pelayanan Tes HIV	25.0%	72.9%	2.1%	100.0%
	RSUD BULELENG	Count	258	83	11	352
		% within Tempat Pelayanan Tes HIV	73.3%	23.6%	3.1%	100.0%
	SANGLAH	Count	340	374	10	724
		% within Tempat Pelayanan Tes HIV	47.0%	51.7%	1.4%	100.0%
	YKP	Count	195	547	556	1298
		% within Tempat Pelayanan Tes HIV	15.0%	42.1%	42.8%	100.0%
Total		Count	2622	3377	937	6936
		% within Tempat Pelayanan Tes HIV	37.8%	48.7%	13.5%	100.0%

**Tempat Pelayanan Tes HIV \* education Crosstabulation**

			education						Total
			none	primary school	junior high school	high school	university/ diploma	other	
Tempat Pelayanan Tes HIV	KIOS	Count	9	31	102	267	96	0	505
		% within Tempat Pelayanan Tes HIV	1.8%	6.1%	20.2%	52.9%	19.0%	.0%	100.0%
	PKBI	Count	25	362	451	564	143	3	1548
		% within Tempat Pelayanan Tes HIV	1.6%	23.4%	29.1%	36.4%	9.2%	.2%	100.0%
	PPTI	Count	79	534	541	1003	111	0	2268
		% within Tempat Pelayanan Tes HIV	3.5%	23.5%	23.9%	44.2%	4.9%	.0%	100.0%
	RSKO	Count	3	6	19	165	43	0	236
		% within Tempat Pelayanan Tes HIV	1.3%	2.5%	8.1%	69.9%	18.2%	.0%	100.0%
	RSUD BULELENC	Count	9	128	90	93	33	0	353
		% within Tempat Pelayanan Tes HIV	2.5%	36.3%	25.5%	26.3%	9.3%	.0%	100.0%
	SANGLAH	Count	21	74	58	313	258	0	724
		% within Tempat Pelayanan Tes HIV	2.9%	10.2%	8.0%	43.2%	35.6%	.0%	100.0%
	YKP	Count	6	364	366	458	104	0	1298
		% within Tempat Pelayanan Tes HIV	.5%	28.0%	28.2%	35.3%	8.0%	.0%	100.0%
Total		Count	152	1499	1627	2863	788	3	6932
		% within Tempat Pelayanan Tes HIV	2.2%	21.6%	23.5%	41.3%	11.4%	.0%	100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * occupation	6937	100.0%	0	.0%	6937	100.0%

**Tempat Pelayanan Tes HIV \* occupation Crosstabulation**

			occupation		Total
			Un-employed	Employed	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	211 41.9%	292 58.1%	503 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	401 25.8%	1153 74.2%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	1185 52.2%	1084 47.8%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	191 80.9%	45 19.1%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	35 9.9%	318 90.1%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	164 22.7%	560 77.3%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	262 20.2%	1036 79.8%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	2449 35.3%	4488 64.7%	6937 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * FSW	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* FSW Crosstabulation**

			FSW		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	507 99.8%	1 .2%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1199 77.2%	355 22.8%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	2239 98.7%	30 1.3%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	235 99.6%	1 .4%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	349 98.9%	4 1.1%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	714 98.6%	10 1.4%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	483 37.2%	815 62.8%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	5726 82.5%	1216 17.5%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Waria	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* Waria Crosstabulation**

			Waria		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	508 100.0%	0 .0%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1151 74.1%	403 25.9%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	2264 99.8%	5 .2%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	236 100.0%	0 .0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	350 99.2%	3 .8%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	717 99.0%	7 1.0%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1243 95.8%	55 4.2%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	6469 93.2%	473 6.8%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * IDUs	6942	100.0%	0	.0%	6942	100.0%



**Tempat Pelayanan Tes HIV \* IDUs Crosstabulation**

			IDUs		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	119 23.4%	389 76.6%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1487 95.7%	67 4.3%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	1848 81.4%	421 18.6%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	22 9.3%	214 90.7%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	352 99.7%	1 .3%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	698 96.4%	26 3.6%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1216 93.7%	82 6.3%	1298 100.0%
Total		Count % within Tempat Pelayanan Tes HIV	5742 82.7%	1200 17.3%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Guy/MSM	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* Guy/MSM Crosstabulation**

			Guy/MSM		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	505 99.4%	3 .6%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1354 87.1%	200 12.9%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	2259 99.6%	10 .4%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	236 100.0%	0 .0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	353 100.0%	0 .0%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	721 99.6%	3 .4%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1216 93.7%	82 6.3%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	6644 95.7%	298 4.3%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Client FSW	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* Client FSW Crosstabulation**

			Client FSW		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	473 93.1%	35 6.9%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1295 83.3%	259 16.7%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	2237 98.6%	32 1.4%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	236 100.0%	0 .0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	189 53.5%	164 46.5%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	617 85.2%	107 14.8%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1146 88.3%	152 11.7%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	6193 89.2%	749 10.8%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * TB patient	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* TB patient Crosstabulation**

			TB patient		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	507 99.8%	1 .2%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1553 99.9%	1 .1%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	794 35.0%	1475 65.0%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	236 100.0%	0 .0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	349 98.9%	4 1.1%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	586 80.9%	138 19.1%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1298 100.0%	0 .0%	1298 100.0%
Total		Count % within Tempat Pelayanan Tes HIV	5323 76.7%	1619 23.3%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * High risk Partner	6942	100.0%	0	.0%	6942	100.0%

**Tempat Pelayanan Tes HIV \* High risk Partner Crosstabulation**

			High risk Partner		Total
			No	Yes	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	448 88.2%	60 11.8%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1187 76.4%	367 23.6%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	2170 95.6%	99 4.4%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	217 91.9%	19 8.1%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	221 62.6%	132 37.4%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	665 91.9%	59 8.1%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1186 91.4%	112 8.6%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	6094 87.8%	848 12.2%	6942 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Vaginal sex	6686	96.3%	256	3.7%	6942	100.0%

Tempat Pelayanan Tes HIV \* Vaginal sex Crosstabulation

			Vaginal sex		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	233 55.0%	191 45.0%	424 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	651 47.1%	731 52.9%	1382 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	1709 75.3%	560 24.7%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	42 17.8%	194 82.2%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	303 85.8%	50 14.2%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	248 34.3%	476 65.7%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1134 87.4%	164 12.6%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	4320 64.6%	2366 35.4%	6686 100.0%

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Anal sex	6634	100.0%	0	.0%	6634	100.0%

Tempat Pelayanan Tes HIV \* Anal sex Crosstabulation

			Anal sex		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	9 2.8%	309 97.2%	318 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	616 42.9%	820 57.1%	1436 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	28 1.2%	2241 98.8%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	0 .0%	236 100.0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	4 1.1%	349 98.9%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	14 1.9%	710 98.1%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	235 18.1%	1063 81.9%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	906 13.7%	5728 86.3%	6634 100.0%

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * shering needle	6003	100.0%	0	.0%	6003	100.0%

**Tempat Pelayanan Tes HIV \* shering needle Crosstabulation**

			shering needle		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	273 64.4%	151 35.6%	424 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	60 4.9%	1154 95.1%	1214 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	419 23.9%	1335 76.1%	1754 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	211 89.4%	25 10.6%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	0 .0%	353 100.0%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	32 4.4%	692 95.6%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	87 6.7%	1211 93.3%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	1082 18.0%	4921 82.0%	6003 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * blood transfusion	3694	100.0%	0	.0%	3694	100.0%



**Tempat Pelayanan Tes HIV \* blood transfusion Crosstabulation**

			blood transfusion		Total
			yes	no	
Tempat Pelayanan Tes HIV	PKBI	Count % within Tempat Pelayanan Tes HIV	0 .0%	51 100.0%	51 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	12 1.2%	1020 98.8%	1032 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	0 .0%	236 100.0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	0 .0%	353 100.0%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	3 .4%	721 99.6%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	2 .2%	1296 99.8%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	17 .5%	3677 99.5%	3694 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * transmission mother to child	3694	100.0%	0	.0%	3694	100.0%

**Tempat Pelayanan Tes HIV \* transmition mother to child Crosstabulation**

			transmition mother to child		Total
			yes	no	
Tempat Pelayanan Tes HIV	PKBI	Count % within Tempat Pelayanan Tes HIV	0 .0%	51 100.0%	51 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	6 .6%	1026 99.4%	1032 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	1 .4%	235 99.6%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	4 1.1%	349 98.9%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	9 1.2%	715 98.8%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1 .1%	1297 99.9%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	21 .6%	3673 99.4%	3694 100.0%

**Tempat Pelayanan Tes HIV \* free Crosstabulation**

			free		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	4 .8%	504 99.2%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	0 .0%	1554 100.0%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	275 12.1%	1994 87.9%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	0 .0%	236 100.0%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	1 .3%	352 99.7%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	0 .0%	724 100.0%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	3 .2%	1295 99.8%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	283 4.1%	6659 95.9%	6942 100.0%

**Tempat Pelayanan Tes HIV \* working reason Crosstabulation**

			working reason		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	0 .0%	508 100.0%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	6 .4%	1548 99.6%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	64 2.8%	2205 97.2%	2269 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	24 10.2%	212 89.8%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	14 4.0%	339 96.0%	353 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	47 6.5%	677 93.5%	724 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	116 8.9%	1182 91.1%	1298 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	271 3.9%	6671 96.1%	6942 100.0%

**Tempat Pelayanan Tes HIV \* have syptoms Crosstabulation**

			have syptoms		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count	25	483	508
		% within Tempat Pelayanan Tes HIV	4.9%	95.1%	100.0%
	PKBI	Count	61	1493	1554
		% within Tempat Pelayanan Tes HIV	3.9%	96.1%	100.0%
	PPTI	Count	937	1332	2269
		% within Tempat Pelayanan Tes HIV	41.3%	58.7%	100.0%
	RSKO	Count	34	202	236
		% within Tempat Pelayanan Tes HIV	14.4%	85.6%	100.0%
	RSUD BULELENG	Count	139	214	353
		% within Tempat Pelayanan Tes HIV	39.4%	60.6%	100.0%
	SANGLAH	Count	258	466	724
		% within Tempat Pelayanan Tes HIV	35.6%	64.4%	100.0%
	YKP	Count	28	1270	1298
		% within Tempat Pelayanan Tes HIV	2.2%	97.8%	100.0%
Total		Count	1482	5460	6942
		% within Tempat Pelayanan Tes HIV	21.3%	78.7%	100.0%

Tempat Pelayanan Tes HIV \* for merrid Crosstabulation

			for merrid		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count	2	506	508
		% within Tempat Pelayanan Tes HIV	.4%	99.6%	100.0%
	PKBI	Count	4	1550	1554
		% within Tempat Pelayanan Tes HIV	.3%	99.7%	100.0%
	PPTI	Count	3	2266	2269
		% within Tempat Pelayanan Tes HIV	.1%	99.9%	100.0%
	RSKO	Count	0	236	236
		% within Tempat Pelayanan Tes HIV	.0%	100.0%	100.0%
	RSUD BULELENG	Count	1	352	353
		% within Tempat Pelayanan Tes HIV	.3%	99.7%	100.0%
	SANGLAH	Count	1	723	724
		% within Tempat Pelayanan Tes HIV	.1%	99.9%	100.0%
	YKP	Count	0	1298	1298
		% within Tempat Pelayanan Tes HIV	.0%	100.0%	100.0%
Total		Count	11	6931	6942
		% within Tempat Pelayanan Tes HIV	.2%	99.8%	100.0%

Tempat Pelayanan Tes HIV \* high risk Crosstabulation

			high risk		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count	105	403	508
		% within Tempat Pelayanan Tes HIV	20.7%	79.3%	100.0%
	PKBI	Count	399	1155	1554
		% within Tempat Pelayanan Tes HIV	25.7%	74.3%	100.0%
	PPTI	Count	493	1776	2269
		% within Tempat Pelayanan Tes HIV	21.7%	78.3%	100.0%
	RSKO	Count	154	82	236
		% within Tempat Pelayanan Tes HIV	65.3%	34.7%	100.0%
	RSUD BULELENG	Count	222	131	353
		% within Tempat Pelayanan Tes HIV	62.9%	37.1%	100.0%
	SANGLAH	Count	153	571	724
		% within Tempat Pelayanan Tes HIV	21.1%	78.9%	100.0%
	YKP	Count	1201	97	1298
		% within Tempat Pelayanan Tes HIV	92.5%	7.5%	100.0%
Total		Count	2727	4215	6942
		% within Tempat Pelayanan Tes HIV	39.3%	60.7%	100.0%

Tempat Pelayanan Tes HIV \* refered Crosstabulation

			refered		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count	1	507	508
		% within Tempat Pelayanan Tes HIV	.2%	99.8%	100.0%
	PKBI	Count	0	1554	1554
		% within Tempat Pelayanan Tes HIV	.0%	100.0%	100.0%
	PPTI	Count	0	2269	2269
		% within Tempat Pelayanan Tes HIV	.0%	100.0%	100.0%
	RSKO	Count	0	236	236
		% within Tempat Pelayanan Tes HIV	.0%	100.0%	100.0%
	RSUD BULELENG	Count	4	349	353
		% within Tempat Pelayanan Tes HIV	1.1%	98.9%	100.0%
	SANGLAH	Count	9	715	724
		% within Tempat Pelayanan Tes HIV	1.2%	98.8%	100.0%
	YKP	Count	1	1297	1298
		% within Tempat Pelayanan Tes HIV	.1%	99.9%	100.0%
Total		Count	15	6927	6942
		% within Tempat Pelayanan Tes HIV	.2%	99.8%	100.0%

**Tempat Pelayanan Tes HIV \* re test Crosstabulation**

			re test		Total
			yes	no	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	18 3.5%	490 96.5%	508 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	28 1.8%	1526 98.2%	1554 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	12 .5%	2256 99.5%	2268 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	5 2.1%	231 97.9%	236 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	1 .3%	351 99.7%	352 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	8 1.1%	715 98.9%	723 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	44 3.4%	1254 96.6%	1298 100.0%
Total		Count % within Tempat Pelayanan Tes HIV	116 1.7%	6823 98.3%	6939 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Informasi Tes HIV	6925	100.0%	0	.0%	6925	100.0%



**Tempat Pelayanan Tes HIV \* Informasi Tes HIV Crosstabulation**

			Informasi Tes HIV				
			media elektronik	media cetak	petugas kesehatan	orang terdekat	lain
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	0 .0%	0 .0%	409 80.7%	0 .0%	1
	PKBI	Count % within Tempat Pelayanan Tes HIV	0 .0%	0 .0%	1456 94.2%	4 .3%	1
	PPTI	Count % within Tempat Pelayanan Tes HIV	13 .6%	8 .4%	2216 97.8%	15 .7%	1
	RSKO	Count % within Tempat Pelayanan Tes HIV	0 .0%	1 .4%	231 98.7%	2 .9%	1
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	0 .0%	1 .3%	324 91.8%	27 7.6%	1
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	85 11.8%	112 15.5%	500 69.2%	26 3.6%	1
	YKP	Count % within Tempat Pelayanan Tes HIV	2 .2%	24 1.9%	1186 91.4%	85 6.6%	1
	Total	Count % within Tempat Pelayanan Tes HIV	100 1.4%	146 2.1%	6322 91.3%	159 2.3%	1

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Final result	6607	100.0%	0	.0%	6607	100.0%

**Tempat Pelayanan Tes HIV \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
Tempat Pelayanan Tes HIV	KIOS	Count % within Tempat Pelayanan Tes HIV	160 48.8%	168 51.2%	328 100.0%
	PKBI	Count % within Tempat Pelayanan Tes HIV	1246 85.2%	216 14.8%	1462 100.0%
	PPTI	Count % within Tempat Pelayanan Tes HIV	1792 79.8%	454 20.2%	2246 100.0%
	RSKO	Count % within Tempat Pelayanan Tes HIV	94 43.7%	121 56.3%	215 100.0%
	RSUD BULELENG	Count % within Tempat Pelayanan Tes HIV	235 67.5%	113 32.5%	348 100.0%
	SANGLAH	Count % within Tempat Pelayanan Tes HIV	526 73.8%	187 26.2%	713 100.0%
	YKP	Count % within Tempat Pelayanan Tes HIV	1181 91.2%	114 8.8%	1295 100.0%
	Total	Count % within Tempat Pelayanan Tes HIV	5234 79.2%	1373 20.8%	6607 100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tempat Pelayanan Tes HIV * Final result	6607	100.0%	0	.0%	6607	100.0%

**Tempat Pelayanan Tes HIV \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
Tempat Pelayanan Tes HIV	KIOS	Count	160	168	328
		% within Final result	3.1%	12.2%	5.0%
	PKBI	Count	1246	216	1462
		% within Final result	23.8%	15.7%	22.1%
	PPTI	Count	1792	454	2246
		% within Final result	34.2%	33.1%	34.0%
	RSKO	Count	94	121	215
		% within Final result	1.8%	8.8%	3.3%
	RSUD BULELENG	Count	235	113	348
		% within Final result	4.5%	8.2%	5.3%
	SANGLAH	Count	526	187	713
		% within Final result	10.0%	13.6%	10.8%
	YKP	Count	1181	114	1295
		% within Final result	22.6%	8.3%	19.6%
Total	Count	5234	1373	6607	
	% within Final result	100.0%	100.0%	100.0%	

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Umur * Final result	6607	100.0%	0	.0%	6607	100.0%

**Umur \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
Umur < 20 thn	Count	494	48	542	
	% within Final result	9.4%	3.5%	8.2%	
20-29 thn	Count	2704	800	3504	
	% within Final result	51.7%	58.3%	53.0%	
30-39 thn	Count	1310	427	1737	
	% within Final result	25.0%	31.1%	26.3%	
40-50 thn	Count	503	75	578	
	% within Final result	9.6%	5.5%	8.7%	
> 50 thn	Count	223	23	246	
	% within Final result	4.3%	1.7%	3.7%	
Total	Count	5234	1373	6607	
	% within Final result	100.0%	100.0%	100.0%	

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sex * Final result	6607	100.0%	0	.0%	6607	100.0%

**sex \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
sex	male	Count	2758	965	3723
		% within Final result	52.7%	70.3%	56.3%
	female	Count	2476	408	2884
		% within Final result	47.3%	29.7%	43.7%
Total		Count	5234	1373	6607
		% within Final result	100.0%	100.0%	100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
marrital status * Final result	6603	100.0%	0	.0%	6603	100.0%

**marrital status \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
marrital status	merried	Count	1996	523	2519
		% within Final result	38.2%	38.1%	38.1%
	un-merried	Count	2431	740	3171
		% within Final result	46.5%	53.9%	48.0%
	ever-merried	Count	804	109	913
		% within Final result	15.4%	7.9%	13.8%
Total		Count	5231	1372	6603
		% within Final result	100.0%	100.0%	100.0%

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
occupation * Final result	6604	100.0%	0	.0%	6604	100.0%

**occupation \* Final result Crosstabulation**

			Final result		Total
			negatif	positif	
occupation	Un-employed	Count	1663	658	2321
		% within Final result	31.8%	48.0%	35.1%
	Employed	Count	3570	713	4283
		% within Final result	68.2%	52.0%	64.9%
Total		Count	5233	1371	6604
		% within Final result	100.0%	100.0%	100.0%

**CaraPenularan\_5kat \* StatusHIV Crosstabulation**

			StatusHIV		Total
			negatif	positif	
CaraPenularan_5kat	1.00	Count	2994	435	3429
		% within StatusHIV	74.9%	35.6%	65.7%
	2.00	Count	691	167	858
		% within StatusHIV	17.3%	13.7%	16.4%
	3.00	Count	297	613	910
		% within StatusHIV	7.4%	50.1%	17.4%
	4.00	Count	4	0	4
		% within StatusHIV	.1%	.0%	.1%
	5.00	Count	12	8	20
		% within StatusHIV	.3%	.7%	.4%
Total	Count	3998	1223	5221	
	% within StatusHIV	100.0%	100.0%	100.0%	



## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

### Categorical Variables Codings

	Frequency	Parameter coding				
		(1)	(2)	(3)	(4)	(5)
KelompokBerisiko						
penjaja seks	1160	1.000	.000	.000	.000	.000
gay	733	.000	1.000	.000	.000	.000
penasun	1025	.000	.000	1.000	.000	.000
pelanggan PS	720	.000	.000	.000	1.000	.000
pasangan risti	572	.000	.000	.000	.000	1.000
lainnya	885	.000	.000	.000	.000	.000

## Block 0: Beginning Block

**Classification Table<sup>a,b</sup>**

Observed			Predicted		
			StatusHIV		Percentage Correct
			negatif	positif	
Step 0	StatusHIV	negatif	3795	0	100.0
		positif	1300	0	.0
Overall Percentage			74.5		

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.071	.032	1111.347	1	.000	.343

**Variables not in the Equation**

Step	Variables	Score	df	Sig.
0	KelompokBerisiko	1282.343	5	.000
	KelompokBerisiko(1)	261.422	1	.000
	KelompokBerisiko(2)	6.124	1	.013
	KelompokBerisiko(3)	1152.398	1	.000
	KelompokBerisiko(4)	1.167	1	.280
	KelompokBerisiko(5)	2.016	1	.156
Overall Statistics		1282.343	5	.000

**Block 1: Method = Enter**

### Model Summary

#### Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.
Step 1 Step	1228.152	5	.000
Block	1228.152	5	.000
Model	1228.152	5	.000

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4559.002 <sup>a</sup>	.214	.316

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

#### Classification Table<sup>a</sup>

Observed		Predicted			
		StatusHIV		Percentage Correct	
		negatif	positif		
Step 1	StatusHIV	negatif	3455	340	91.0
		positif	615	685	52.7
Overall Percentage					81.3

a. The cut value is .500

#### Variables in the Equation

Step	Variable	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
								Lower	Upper
Step 1	KelompokBerisiko			988.211	5	.000			
	KelompokBerisiko(1)	-.019	.170	.012	1	.911	.981	.702	1.370
	KelompokBerisiko(2)	1.243	.156	63.377	1	.000	3.465	2.552	4.705
	KelompokBerisiko(3)	3.219	.144	498.775	1	.000	25.001	18.848	33.162
	KelompokBerisiko(4)	1.360	.155	76.991	1	.000	3.895	2.875	5.277
	KelompokBerisiko(5)	1.314	.162	65.894	1	.000	3.723	2.710	5.113
	Constant	-2.518	.128	387.386	1	.000	.081		

a. Variable(s) entered on step 1: KelompokBerisiko.



# Logistic Regression

## Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

a. If weight is in effect, see classification table for the total number of cases.

## Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

## Categorical Variables Codings

	Frequency	Parameter coding					
		(1)	(2)	(3)	(4)	(5)	
KelompokBerisiko	penjaja seks	1160	1.000	.000	.000	.000	.000
	gay	733	.000	1.000	.000	.000	.000
	penasun	1025	.000	.000	1.000	.000	.000
	pelanggan PS	720	.000	.000	.000	1.000	.000
	pasangan risti	572	.000	.000	.000	.000	1.000
	lainnya	885	.000	.000	.000	.000	.000
Umur	< 20 thn	377	1.000	.000	.000	.000	.000
	20-29 thn	2952	.000	1.000	.000	.000	.000
	30-39 thn	1350	.000	.000	1.000	.000	.000
	40-50 thn	310	.000	.000	.000	1.000	.000
	> 50 thn	106	.000	.000	.000	.000	.000

## Block 0: Beginning Block

**Classification Table<sup>a,b</sup>**

Observed			Predicted		
			StatusHIV		Percentage Correct
			negatif	positif	
Step 0	StatusHIV	negatif	3795	0	100.0
		positif	1300	0	.0
Overall Percentage			74.5		

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.071	.032	1111.347	1	.000	.343

**Variables not in the Equation**

Step	Variables	Score	df	Sig.	
0	KelompokBerisiko	1282.343	5	.000	
	KelompokBerisiko(1)	261.422	1	.000	
	KelompokBerisiko(2)	6.124	1	.013	
	KelompokBerisiko(3)	1152.398	1	.000	
	KelompokBerisiko(4)	1.167	1	.280	
	KelompokBerisiko(5)	2.016	1	.156	
	Kat_umur1	54.299	4	.000	
	Kat_umur1(1)	42.646	1	.000	
	Kat_umur1(2)	1.195	1	.274	
	Kat_umur1(3)	14.640	1	.000	
	Kat_umur1(4)	1.843	1	.175	
	Overall Statistics		1303.685	9	.000

## Block 1: Method = Enter

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1258.885	9	.000
	Block	1258.885	9	.000
	Model	1258.885	9	.000

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4528.270 <sup>a</sup>	.219	.322

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

### Classification Table<sup>a</sup>

		Predicted			
		StatusHIV		Percentage Correct	
Observed		negatif	positif		
Step 1	StatusHIV	negatif	3455	340	91.0
		positif	615	685	52.7
Overall Percentage					81.3

a. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1			958.425	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	-.025	.171	.022	1	.882	.975	.697	1.364
KelompokBerisiko(2)	1.256	.157	64.240	1	.000	3.512	2.583	4.775
KelompokBerisiko(3)	3.224	.146	487.122	1	.000	25.127	18.871	33.456
KelompokBerisiko(4)	1.332	.155	73.387	1	.000	3.789	2.793	5.139
KelompokBerisiko(5)	1.305	.163	64.241	1	.000	3.687	2.680	5.073
Kat_umur1			29.832	4	.000			
Kat_umur1(1)	-.585	.317	3.407	1	.065	.557	.300	1.037
Kat_umur1(2)	-.141	.269	.274	1	.600	.869	.513	1.472
Kat_umur1(3)	.227	.273	.692	1	.405	1.255	.735	2.143
Kat_umur1(4)	.134	.303	.196	1	.658	1.143	.632	2.070
Constant	-2.472	.285	75.195	1	.000	.084		

a. Variable(s) entered on step 1: KelompokBerisiko, Kat\_umur1.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
	Total	5095	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

**Categorical Variables Codings**

	Frequency	Parameter coding				
		(1)	(2)	(3)	(4)	(5)
KelompokBerisiko						
penjaja seks	1160	1.000	.000	.000	.000	.000
gay	733	.000	1.000	.000	.000	.000
penasun	1025	.000	.000	1.000	.000	.000
pelanggan PS	720	.000	.000	.000	1.000	.000
pasangan risti	572	.000	.000	.000	.000	1.000
lainnya	885	.000	.000	.000	.000	.000

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

Observed	Predicted		
	StatusHIV		Percentage Correct
	negatif	positif	
Step 0 StatusHIV	negatif	positif	
	negatif	positif	
Overall Percentage			

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.071	.032	1111.347	1	.000	.343

**Variables not in the Equation**

Step	Variables	Score	df	Sig.
0	KelompokBerisiko	1282.343	5	.000
	KelompokBerisiko(1)	261.422	1	.000
	KelompokBerisiko(2)	6.124	1	.013
	KelompokBerisiko(3)	1152.398	1	.000
	KelompokBerisiko(4)	1.167	1	.280
	KelompokBerisiko(5)	2.016	1	.156
	JenisKelamin	199.031	1	.000
Overall Statistics		1305.344	6	.000

**Block 1: Method = Enter**

**Omnibus Tests of Model Coefficients**

	Chi-square	df	Sig.
Step 1 Step	1260.488	6	.000
Block	1260.488	6	.000
Model	1260.488	6	.000

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4526.667 <sup>a</sup>	.219	.323

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

Observed		Predicted			
		StatusHIV		Percentage Correct	
		negatif	positif		
Step 1	StatusHIV	negatif	3455	340	91.0
		positif	615	685	52.7
Overall Percentage					81.3

a. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1 <sup>a</sup>			812.027	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	-.425	.183	5.425	1	.020	.653	.457	.935
KelompokBerisiko(2)	1.142	.158	52.392	1	.000	3.133	2.300	4.269
KelompokBerisiko(3)	3.463	.154	504.700	1	.000	31.917	23.594	43.176
KelompokBerisiko(4)	1.622	.165	96.645	1	.000	5.064	3.665	6.998
KelompokBerisiko(5)	1.003	.170	34.742	1	.000	2.728	1.954	3.808
JenisKelamin	.684	.123	31.044	1	.000	1.982	1.558	2.521
Constant	-3.478	.222	245.903	1	.000	.031		

a. Variable(s) entered on step 1: KelompokBerisiko, JenisKelamin.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

**Categorical Variables Codings**

		Frequency	Parameter coding				
			(1)	(2)	(3)	(4)	(5)
KelompokBerisiko	penjaja seks	1160	1.000	.000	.000	.000	.000
	gay	733	.000	1.000	.000	.000	.000
	penasun	1025	.000	.000	1.000	.000	.000
	pelanggan PS	720	.000	.000	.000	1.000	.000
	pasangan risti	572	.000	.000	.000	.000	1.000
	lainnya	885	.000	.000	.000	.000	.000
marrital status	merried	1635	1.000	.000			
	un-merried	2622	.000	1.000			
	ever-merried	838	.000	.000			

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

Observed			Predicted		Percentage Correct
			StatusHIV		
			negatif	positif	
Step 0	StatusHIV	negatif	3795	0	100.0
		positif	1300	0	.0
Overall Percentage					74.5

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.071	.032	1111.347	1	.000	.343



**Variables not in the Equation**

Step	Variables	Score	df	Sig.
0	KelompokBerisiko	1282.343	5	.000
	KelompokBerisiko(1)	261.422	1	.000
	KelompokBerisiko(2)	6.124	1	.013
	KelompokBerisiko(3)	1152.398	1	.000
	KelompokBerisiko(4)	1.167	1	.280
	KelompokBerisiko(5)	2.016	1	.156
	status_perkawinan	100.390	2	.000
	status_perkawinan(1)	21.801	1	.000
	status_perkawinan(2)	8.745	1	.003
Overall Statistics		1299.960	7	.000

**Block 1: Method = Enter**

**Model Summary**

**Omnibus Tests of Model Coefficients**

	Chi-square	df	Sig.
Step 1 Step	1251.539	7	.000
Block	1251.539	7	.000
Model	1251.539	7	.000

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4535.615 <sup>a</sup>	.218	.321

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

Observed		Predicted		
		StatusHIV		Percentage Correct
		negatif	positif	
Step 1 StatusHIV	negatif	3455	340	91.0
	positif	615	685	52.7
Overall Percentage				81.3

a. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1 <sup>a</sup>			921.989	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	.102	.183	.314	1	.575	1.108	.775	1.584
KelompokBerisiko(2)	1.412	.161	76.711	1	.000	4.105	2.993	5.631
KelompokBerisiko(3)	3.288	.146	508.732	1	.000	26.786	20.130	35.645
KelompokBerisiko(4)	1.379	.155	78.685	1	.000	3.969	2.927	5.382
KelompokBerisiko(5)	1.210	.164	54.488	1	.000	3.353	2.432	4.623
status_perkawinan			23.291	2	.000			
status_perkawinan(1)	.445	.148	9.010	1	.003	1.561	1.167	2.088
status_perkawinan(2)	.034	.145	.057	1	.812	1.035	.780	1.374
Constant	-2.744	.186	217.193	1	.000	.064		

a. Variable(s) entered on step 1: KelompokBerisiko, status\_perkawinan.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

a. If weight is in effect, see classification table for the total number of cases.

**Categorical Variables Codings**

		Frequency	Parameter coding				
			(1)	(2)	(3)	(4)	(5)
education	none	82	.000	.000	.000	.000	.000
	primary school	1019	1.000	.000	.000	.000	.000
	junior high school	1202	.000	1.000	.000	.000	.000
	high school	2092	.000	.000	1.000	.000	.000
	university/diploma	697	.000	.000	.000	1.000	.000
	other	3	.000	.000	.000	.000	1.000
KelompokBerisiko	penjaja seks	1160	1.000	.000	.000	.000	.000
	gay	733	.000	1.000	.000	.000	.000
	penasun	1025	.000	.000	1.000	.000	.000
	pelanggan PS	720	.000	.000	.000	1.000	.000
	pasangan risti	572	.000	.000	.000	.000	1.000
	lainnya	885	.000	.000	.000	.000	.000

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

			Predicted		Percentage Correct
			StatusHIV		
Observed			negatif	positif	
Step 0	StatusHIV	negatif	3795	0	100.0
		positif	1300	0	.0
Overall Percentage					74.5

a. Constant is included in the model.

b. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.071	.032	1111.347	1	.000	.343

### Variables not in the Equation

Step	Variables	Score	df	Sig.
0	KelompokBerisiko	1282.343	5	.000
	KelompokBerisiko(1)	261.422	1	.000
	KelompokBerisiko(2)	6.124	1	.013
	KelompokBerisiko(3)	1152.398	1	.000
	KelompokBerisiko(4)	1.167	1	.280
	KelompokBerisiko(5)	2.016	1	.156
	Pendidikan	66.148	5	.000
	Pendidikan(1)	5.060	1	.024
	Pendidikan(2)	.042	1	.838
	Pendidikan(3)	42.863	1	.000
	Pendidikan(4)	41.446	1	.000
	Pendidikan(5)	1.028	1	.311
	Overall Statistics	1331.839	10	.000

### Block 1: Method = Enter

### Model Summary

#### Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.
Step 1 Step	1299.248	10	.000
Block	1299.248	10	.000
Model	1299.248	10	.000

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4487.906 <sup>a</sup>	.225	.332

a. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

**Classification Table<sup>a</sup>**

Observed			Predicted		
			StatusHIV		Percentage Correct
			negatif	positif	
Step 1	StatusHIV	negatif	3521	274	92.8
		positif	682	618	47.5
Overall Percentage					81.2

a. The cut value is .500

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
								Lower	Upper
Step 1	KelompokBerisiko			968.461	5	.000			
	KelompokBerisiko(1)	-.266	.176	2.281	1	.131	.766	.542	1.083
	KelompokBerisiko(2)	1.149	.159	51.909	1	.000	3.154	2.308	4.312
	KelompokBerisiko(3)	3.212	.148	473.527	1	.000	24.841	18.600	33.176
	KelompokBerisiko(4)	1.285	.158	66.392	1	.000	3.613	2.653	4.921
	KelompokBerisiko(5)	1.211	.165	54.086	1	.000	3.357	2.431	4.635
	Pendidikan			64.992	5	.000			
	Pendidikan(1)	-.332	.293	1.282	1	.257	.717	.404	1.275
	Pendidikan(2)	-.596	.292	4.175	1	.041	.551	.311	.976
	Pendidikan(3)	-.714	.287	6.214	1	.013	.490	.279	.858
	Pendidikan(4)	-1.472	.304	23.407	1	.000	.229	.126	.417
	Pendidikan(5)	-20.623	23203.551	.000	1	.999	.000	.000	.
	Constant	-1.750	.289	36.737	1	.000	.174		

a. Variable(s) entered on step 1: KelompokBerisiko, Pendidikan.

# Logistic Regression

## Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	4171	81.9
	Missing Cases	924	18.1
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

## Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

a. If weight is in effect, see classification table for the total number of cases.

## Categorical Variables Codings

		Frequency	Parameter coding				
			(1)	(2)	(3)	(4)	(5)
KelompokBerisiko	penjaja seks	1053	1.000	.000	.000	.000	.000
	gay	641	.000	1.000	.000	.000	.000
	penasun	917	.000	.000	1.000	.000	.000
	pelanggan PS	654	.000	.000	.000	1.000	.000
	pasangan risti	496	.000	.000	.000	.000	1.000
	lainnya	410	.000	.000	.000	.000	.000
CaraPenularan_5kat	hubungan seks vaginal berisiko	2392	.000	.000	.000	.000	.000
	anal seks berisiko	851	1.000	.000	.000	.000	.000
	bergantian peralatan suntik	908	.000	1.000	.000	.000	.000
	transfusi darah	2	.000	.000	1.000	.000	.000
	transmisi dari ibu ke anak	18	.000	.000	.000	1.000	.000

## Block 0: Beginning Block

**Classification Table<sup>a,b</sup>**

Observed			Predicted		
			StatusHIV		Percentage Correct
			negatif	positif	
Step 0	StatusHIV	negatif	3006	0	100.0
		positif	1165	0	.0
Overall Percentage					72.1

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-.948	.035	754.379	1	.000	.388

**Variables not in the Equation**

Step	Variables	Score	df	Sig.	
0	KelompokBerisiko	988.452	5	.000	
	KelompokBerisiko(1)	297.490	1	.000	
	KelompokBerisiko(2)	11.242	1	.001	
	KelompokBerisiko(3)	894.336	1	.000	
	KelompokBerisiko(4)	2.812	1	.094	
	KelompokBerisiko(5)	6.844	1	.009	
	CaraPenularan_5kat	899.853	4	.000	
	CaraPenularan_5kat(1)	37.695	1	.000	
	CaraPenularan_5kat(2)	893.264	1	.000	
	CaraPenularan_5kat(3)	.775	1	.379	
	CaraPenularan_5kat(4)	.262	1	.609	
	Overall Statistics		1010.247	9	.000

## Block 1: Method = Enter

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	992.830	9	.000
	Block	992.830	9	.000
	Model	992.830	9	.000

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	3948.136 <sup>a</sup>	.212	.305

a. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

### Classification Table<sup>a</sup>

		Predicted			
		StatusHIV		Percentage Correct	
Observed		negatif	positif		
Step 1	StatusHIV	negatif	2715	291	90.3
		positif	557	608	52.2
Overall Percentage					79.7

a. The cut value is .500



### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1			142.493	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	-.470	.198	5.607	1	.018	.625	.424	.922
KelompokBerisiko(2)	1.296	.248	27.358	1	.000	3.656	2.249	5.942
KelompokBerisiko(3)	1.694	.376	20.257	1	.000	5.442	2.602	11.379
KelompokBerisiko(4)	1.049	.184	32.374	1	.000	2.856	1.989	4.099
KelompokBerisiko(5)	.854	.191	19.896	1	.000	2.348	1.614	3.416
CaraPenularan_5kat			25.545	4	.000			
CaraPenularan_5kat(1)	-.517	.182	8.079	1	.004	.596	.418	.852
CaraPenularan_5kat(2)	1.100	.351	9.833	1	.002	3.004	1.510	5.973
CaraPenularan_5kat(3)	-19.153	28420.722	.000	1	.999	.000	.000	.
CaraPenularan_5kat(4)	1.305	.524	6.197	1	.013	3.688	1.320	10.305
Constant	-2.050	.159	165.657	1	.000	.129		

a. Variable(s) entered on step 1: KelompokBerisiko, CaraPenularan\_5kat.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	5095	100.0
	Missing Cases	0	.0
	Total	5095	100.0
Unselected Cases		0	.0
	Total	5095	100.0

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

a. If weight is in effect, see classification table for the total number of cases.

**Categorical Variables Codings**

	Frequency	Parameter coding					
		(1)	(2)	(3)	(4)	(5)	
KelompokBerisiko	penjaja seks	1160	1.000	.000	.000	.000	.000
	gay	733	.000	1.000	.000	.000	.000
	penasun	1025	.000	.000	1.000	.000	.000
	pelanggan PS	720	.000	.000	.000	1.000	.000
	pasangan risti	572	.000	.000	.000	.000	1.000
	lainnya	885	.000	.000	.000	.000	.000

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**

Observed	StatusHIV	Predicted		
		StatusHIV		Percentage Correct
		negatif	positif	
Step 0	negatif	3795	0	100.0
	positif	1300	0	.0
Overall Percentage				74.5

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.071	.032	1111.347	1	.000	.343

**Variables not in the Equation**

Step	Variables	Score	df	Sig.
0	KelompokBerisiko	1282.343	5	.000
	KelompokBerisiko(1)	261.422	1	.000
	KelompokBerisiko(2)	6.124	1	.013
	KelompokBerisiko(3)	1152.398	1	.000
	KelompokBerisiko(4)	1.167	1	.280
	KelompokBerisiko(5)	2.016	1	.156
	Pekerjaan	1.237	1	.266
Overall Statistics		1282.747	6	.000

**Block 1: Method = Enter**

**Omnibus Tests of Model Coefficients**

Step	Step	Chi-square	df	Sig.
Step 1	Step	1228.635	6	.000
	Block	1228.635	6	.000
	Model	1228.635	6	.000

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	4558.519 <sup>a</sup>	.214	.316

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

**Classification Table<sup>a</sup>**

Observed		Predicted		
		StatusHIV		Percentage Correct
		negatif	positif	
Step 1	StatusHIV negatif	3455	340	91.0
	positif	615	685	52.7
Overall Percentage				81.3

a. The cut value is .500

### Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1 <sup>a</sup>			985.536	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	-.020	.171	.014	1	.907	.980	.702	1.369
KelompokBerisiko(2)	1.244	.156	63.485	1	.000	3.470	2.555	4.712
KelompokBerisiko(3)	3.223	.144	498.540	1	.000	25.092	18.910	33.296
KelompokBerisiko(4)	1.361	.155	77.092	1	.000	3.900	2.878	5.284
KelompokBerisiko(5)	1.315	.162	65.965	1	.000	3.726	2.713	5.118
Pekerjaan	.010	.016	.446	1	.504	1.011	.980	1.042
Constant	-2.527	.129	385.299	1	.000	.080		

a. Variable(s) entered on step 1: KelompokBerisiko, Pekerjaan.

## Logistic Regression

### Case Processing Summary

Unweighted Cases <sup>a</sup>		N	Percent
Selected Cases	Included in Analysis	4171	81.9
	Missing Cases	924	18.1
	Total	5095	100.0
Unselected Cases		0	.0
Total		5095	100.0

a. If weight is in effect, see classification table for the total number of cases.

### Dependent Variable Encoding

Original Value	Internal Value
negatif	0
positif	1

**Categorical Variables Codings**

		Frequency	Parameter coding				
			(1)	(2)	(3)	(4)	(5)
KelompokBerisiko	penjaja seks	1053	1.000	.000	.000	.000	.000
	gay	641	.000	1.000	.000	.000	.000
	penasun	917	.000	.000	1.000	.000	.000
	pelanggan PS	654	.000	.000	.000	1.000	.000
	pasangan risti	496	.000	.000	.000	.000	1.000
	lainnya	410	.000	.000	.000	.000	.000
education	none	52	.000	.000	.000	.000	.000
	primary school	879	1.000	.000	.000	.000	.000
	junior high school	1054	.000	1.000	.000	.000	.000
	high school	1743	.000	.000	1.000	.000	.000
	university/diploma	441	.000	.000	.000	1.000	.000
	other	2	.000	.000	.000	.000	1.000
Umur	< 20 thn	286	1.000	.000	.000	.000	.000
	20-29 thn	2426	.000	1.000	.000	.000	.000
	30-39 thn	1124	.000	.000	1.000	.000	.000
	40-50 thn	251	.000	.000	.000	1.000	.000
	> 50 thn	84	.000	.000	.000	.000	.000
CaraPenularan_5kat	hubungan seks vaginal berisiko	2392	.000	.000	.000	.000	.000
	anal seks berisiko	851	1.000	.000	.000	.000	.000
	bergantian peralatan suntik	908	.000	1.000	.000	.000	.000
	transfusi darah	2	.000	.000	1.000	.000	.000
	transmisi dari ibu ke anak	18	.000	.000	.000	1.000	.000
marrital status	merried	1316	1.000	.000	.000	.000	.000
	un-merried	2093	.000	1.000	.000	.000	.000
	ever-merried	762	.000	.000	.000	.000	.000

**Block 0: Beginning Block**

**Classification Table<sup>a,b</sup>**


Observed			Predicted		
			StatusHIV		Percentage Correct
			negatif	positif	
Step 0	StatusHIV	negatif	3006	0	100.0
		positif	1165	0	.0
Overall Percentage					72.1

a. Constant is included in the model.

b. The cut value is .500

**Variables in the Equation**

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-.948	.035	754.379	1	.000	.388



**Variables not in the Equation**

Step	Variables	Score	df	Sig.	
0	KelompokBerisiko	988.452	5	.000	
	KelompokBerisiko(1)	297.490	1	.000	
	KelompokBerisiko(2)	11.242	1	.001	
	KelompokBerisiko(3)	894.336	1	.000	
	KelompokBerisiko(4)	2.812	1	.094	
	KelompokBerisiko(5)	6.844	1	.009	
	Kat_umur1	54.749	4	.000	
	Kat_umur1(1)	42.757	1	.000	
	Kat_umur1(2)	1.014	1	.314	
	Kat_umur1(3)	13.972	1	.000	
	Kat_umur1(4)	1.064	1	.302	
	JenisKelamin	239.597	1	.000	
	status_perkawinan	130.895	2	.000	
	status_perkawinan(1)	26.584	1	.000	
	status_perkawinan(2)	15.700	1	.000	
	Pendidikan	39.076	5	.000	
	Pendidikan(1)	9.031	1	.003	
	Pendidikan(2)	2.623	1	.105	
	Pendidikan(3)	35.511	1	.000	
	Pendidikan(4)	9.303	1	.002	
	Pendidikan(5)	.775	1	.379	
	CaraPenularan_5kat	899.853	4	.000	
	CaraPenularan_5kat(1)	37.695	1	.000	
	CaraPenularan_5kat(2)	893.264	1	.000	
	CaraPenularan_5kat(3)	.775	1	.379	
	CaraPenularan_5kat(4)	.262	1	.609	
	Overall Statistics		1099.535	21	.000

**Block 1: Method = Enter**

### Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1113.673	21	.000
	Block	1113.673	21	.000
	Model	1113.673	21	.000

### Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	3827.293 <sup>a</sup>	.234	.338

a. Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

### Classification Table<sup>a</sup>

		Predicted			
		StatusHIV		Percentage Correct	
Observed	negatif	positif			
Step 1	StatusHIV	negatif	2748	258	91.4
		positif	577	588	50.5
Overall Percentage					80.0

a. The cut value is .500



Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
							Lower	Upper
Step 1			121.311	5	.000			
KelompokBerisiko								
KelompokBerisiko(1)	-.702	.225	9.688	1	.002	.496	.319	.771
KelompokBerisiko(2)	1.202	.261	21.174	1	.000	3.328	1.994	5.554
KelompokBerisiko(3)	1.845	.395	21.810	1	.000	6.328	2.917	13.726
KelompokBerisiko(4)	1.276	.197	42.112	1	.000	3.581	2.436	5.265
KelompokBerisiko(5)	.528	.204	6.661	1	.010	1.695	1.135	2.530
Kat_umur1			33.443	4	.000			
Kat_umur1(1)	-.625	.378	2.737	1	.098	.535	.255	1.122
Kat_umur1(2)	.269	.313	.743	1	.389	1.309	.710	2.416
Kat_umur1(3)	.598	.313	3.644	1	.056	1.818	.984	3.358
Kat_umur1(4)	.445	.342	1.693	1	.193	1.561	.798	3.052
JenisKelamin	.595	.136	19.100	1	.000	1.814	1.389	2.369
status_perkawinan			13.699	2	.001			
status_perkawinan(1)	.575	.162	12.544	1	.000	1.778	1.293	2.445
status_perkawinan(2)	.351	.163	4.627	1	.031	1.421	1.032	1.957
Pendidikan			41.648	5	.000			
Pendidikan(1)	.448	.424	1.117	1	.291	1.565	.682	3.591
Pendidikan(2)	.288	.424	.461	1	.497	1.333	.581	3.059
Pendidikan(3)	.189	.420	.203	1	.652	1.209	.530	2.754
Pendidikan(4)	-.583	.435	1.796	1	.180	.558	.238	1.309
Pendidikan(5)	-19.243	28367.625	.000	1	.999	.000	.000	.
CaraPenularan_5kat			28.378	4	.000			
CaraPenularan_5kat(1)	-.365	.195	3.488	1	.062	.694	.474	1.018
CaraPenularan_5kat(2)	1.269	.369	11.803	1	.001	3.557	1.725	7.337
CaraPenularan_5kat(3)	-18.665	27743.236	.000	1	.999	.000	.000	.
CaraPenularan_5kat(4)	2.348	.679	11.957	1	.001	10.461	2.765	39.581
Constant	-3.854	.576	44.838	1	.000	.021		

a. Variable(s) entered on step 1: KelompokBerisiko, Kat\_umur1, JenisKelamin, status\_perkawinan, Pendidikan, CaraPenularan\_5kat.



DEPARTEMEN KESEHATAN REPUBLIK INDONESIA  
DIREKTORAT JENDERAL  
PENGENDALIAN PENYAKIT DAN PENYEHATAN LINGKUNGAN  
(DITJEN PP & PL)



Jl. Percetakan Negara No. 29  
Kotak Pos 223 Jakarta 10560

Telp. (021) 4247608  
Fax. (021) 4207807

16 Desember 2008

No : IR.02.03/III.2/1572/08  
Lamp : ---  
Hal : Perizinan Menggunakan Data AIDS

Kepada Yth.  
**Dr. Dian Ayubi, SKM, MQIH**  
Wakil Dekan FKM UI

Sehubungan dengan surat yang kami terima, No. 6452/PT.02.H5.FKMUI/I/2008, mengenai izin penelitian dan menggunakan data. Dengan ini kami menyatakan bahwa:

Nama : Evi Jayanti  
NPM : 1004000528  
Thn. Angkatan : 2004/2005  
Peminatan : Biostatistik & Informatika Kesehatan

Diizinkan untuk dapat melakukan penelitian dan menggunakan data yang kemudian dianalisis kembali dalam penyusunan skripsi dengan judul, "*Gambaran Pengguna Layanan Tes HIV di Kota Jakarta dan Bali Tahun 2007 (Analisis Data Sekunder Surveilans Pasif HIV Tahun 2006/2007)*".

Demikian surat perizinan kami buat, semoga data yang telah diberikan digunakan dengan sebaik-baiknya dan tidak untuk disalahgunakan.

