

## DAFTAR ACUAN

1. Chaubal, Mahesh. Overview on Drug Delivery with Emphasis on Polymeric Implants. [www.tripod.com](http://www.tripod.com). 11 Januari 2008, Pk. 12.40.
2. Berger, J, Reist M, Mayer JM, Felt O, Peppas NA & Gurny R. Structure and Interaction in Chitosan Hydrogels Formed by Complexation or aggregation for Biomedical Applications. *European Journal of Pharmaceutics and Biopharmaceutics*. **57**. 2004:35-52.
3. Berger, J, Reist M, Mayer JM, Felt O, Peppas NA & Gurny R. Structure and Interaction in Covalently and Ionically Crosslinked Chitosan Hydrogels for Biomedical Applications. *European Journal of Pharmaceutics and Biopharmaceutics*. **57**. 2004:19-34.
4. Anonim. Polyelectrolyte Complex. *IUPAC Compendium of Chemical Terminology*. 2007:1.
5. Surini, S, Akiyama H, Morishita M, Takayama K, & Nagai T. Polyion Complex of Chitosan and Sodium Hyaluronate as an Implant Device for Insulin Delivery. *S.T.P. Pharmasciences*. **13**(1). 2003:1-4.
6. Surini, S, Akiyama H, Morishita M, Nagai T & Takayama K. Release Phenomena of Insulin from an Implantable Device composed of Polyion Complex of Chitosan and Sodium Hyaluronate. *Journal of Controlled Release* **90**. 2003: 1-4.

7. Sa'diah, Siti. Preparasi dan Karakterisasi Kompleks Polielektrolit Kitosan-Karboksimetilselulosa Natrium sebagai Matriks Tablet Lepas Lambat. Depok: Tesis Magister Ilmu Kefarmasian UI. 2007.
8. Bhumkar, DR & Pokharkar VB. Studies on Effect of pH on Crosslinking of Chitosan with Sodium Tripolyphosphate: a Technical Note. *AAPS PharmSciTech* 7(2) article 50. 2006: E1-E11.
9. Chaubal, M. Using Chitosan as Excipients for Oral drug Delivery. <http://www.drugdelivery.com/cgi-bin/articless.cgi?idArticle=31>. 23 November 2007, Pk. 20.15.
10. Yunizal. *Teknologi Pengolahan Alginat*. Jakarta: Pusat Riset Pengolahan Produk dan Sosial Ekonomi Kelautan dan Perikanan. 2004: 8-9.
11. Kibbe, Arthur (ed.). *Handbook of Pharmaceutical Excipients*, third edition. London: Pharmaceutical Press. 2000: 465-466.
12. Patel, VM, Patel MM & Patel RP, Chitosan: A Unique Pharmaceutical Excipient. <http://www.drugdeliverytech.com/cgbin/articles/cgi?article=372>. 23 November 2007, Pk. 20.15.
13. Skjak-Brak, G, Anthonen T & Sandford P. *Chitin and Chitosan*. England: Elsevier Science Pub. 1989:516-523.
14. Illum, L. Chitosan and Its Use as a Pharmaceutical Excipient. *Pharmaceutical Research* 9. 1998: 1326-1330.

15. Tarwadi & Imam Paryanto. Proses Pembuatan Kitosan dari Kulit Udang dan Pemanfaatan untuk Bidang Kesehatan, *NEED: Lingkungan, Majalah Ilmiah* **1**. 2000:46-50.
16. Gennaro, AR. *Remington's Pharmaceutical Sciences, 20<sup>th</sup> edition*. Pennsylvania: Mark Publishing Company, 2000: 1244,1523.
17. Tapia, C, Escobar Z, Costa E, Sapag-Hagar J, Valenzuela F, Basualto C, Gai MN & Yazdani-Pedram M. Comparative Studies on Polyelectrolyte Complexes and Mixtures of Chitosan-Alginate and Chitosan-Carrageenan as Prolonged Diltiazem Clorhydrate Release Systems. *European Journal of Pharmaceutics and Biopharmaceutics* **57**.2004: 65-75.
18. Florence, Alexander T & Attwood D. *Physicochemical Principles of Pharmacy, 4<sup>th</sup> edition*. London: Pharmaceutical Press. 2006: 274-285.
19. Satish, CS, Satish KP & Shivakumar HG. Hydrogel as Controlled Drug Delivery System: Synthesis, Crosslinking, Water and Drug Transport Mechanism. *Indian Journal of Pharmaceutical Sciences* **68**(2). 2006:133-140.
20. Kienzle-Sterzer,AC. Transport Properties of a Cationic Polyelectrolyte in Dilute and Concentrated Solutions: Chitosan. Massachusetts: Doctor of Philosophy Massachusetts Institute of Technology. 1984:67-78.

21. Murata, Y, Hirai D, Kofuji K, Miyamoto E & Kawashima S. Properties of an Alginate Gel Bead Containing a Chitosan-Drug Salt. *Biol. Pharm. Bull* **27** (3). 2004: 440-442.
22. Albarghouti, M, Fara DA, Saleem M, El-Thaher T, Matalka K & Badwan A. Immobilization of Antibodies on Alginate-Chitosan Beads. *International Journal of Pharmaceutics* **206**(23-24). 2000: 23-34.
23. Piyakulawat, P, Praphairaksit N, Chantarasiri N & Muangsin N. Preparation and Evaluation of Chitosan/Carrageenan Beads for Controlled Release of Sodium Diclofenac. *AAPS PharmSciTech* **8**(4) article 97. 2007: E1-E11
24. Abdou, Hamed M. *Dissolution, Bioavailability, and Bioequivalence*. Pennsylvania: Mack Publishing Company. 1989:5.
25. Banakar, Umesh V. *Pharmaceutical Dissolution Testing*. New York: Marcel Dekker, Inc. 1992: 1-2.
26. Anonim. *The United States Pharmacopeia, 28<sup>th</sup> revision and The National Formulary, 23<sup>rd</sup> revision*. Rockville: United States Pharmacopeial Convention, Inc. 2005:2412-2413, 2854-2855.
27. Ganiswara, GG. *Farmakologi dan Terapi*, edisi IV. Jakarta: UI Press. 1995: 82-83, 322.
28. Anonim. *Farmakope Indonesia edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia. 1995: 113-114, 1212.
29. Moffat, AC (ed.). *Clarke's Isolation and Identification of Drugs*, 2<sup>nd</sup> edition. London: The Pharmaceutical Press. 1986:362-363.

30. Ribeiro,AJ, Silva C, Ferreira D & Veiga F. Chitosan-Reinforced alginate microspheres Obtained through The Emulsification/Internal Gelation Technique. *European Journal of Pharmaceutical Sciences* 25. 2005: 31-40
31. Sakiyama,t., Chia-Hong Chu, Fujii T, & Yano T. Preparation of a Polyelectrolyte Complex Gel From Chitosan and  $\kappa$ -Carrageenan and Its pH-Sensitive Swelling. *Journal of Applied Polymer Sciences vol.50*. 1993: 2021-2025
32. Pourjavadi, A & Mahdavinia GR, Superabsorbency, pH-Sensitivity and Swelling Kinetics of Partially Hydrolyzed Chitosan-g-poly(Acrylamide) Hydrogels. *Turk J. Chem.* **30**(2006):595-608.

