

DAFTAR LAMPIRAN

Lampiran 1. Analisis Bivariat (Faktor Sosial Ekonomi Dengan Kejadian Tuberkulosis Paru)

➤ Pendidikan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	238.221	1	.000
	Block	238.221	1	.000
	Model	238.221	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37410.930(a)	.001	.007

a Estimation terminated at iteration number 8 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	didik_dikotomy	.728	.051	200.268	1	.000	2.072	1.873	2.291
	Constant	4.401	.018	56730.535	1	.000	81.526		

a Variable(s) entered on step 1: didik_dikotomy.

➤ Pendapatan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	90.553	1	.000
	Block	90.553	1	.000
	Model	90.553	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37558.598(a)	.000	.003

a Estimation terminated at iteration number 8 because parameter estimates changed by less than .001

Lampiran 1. Analisis Bivariat (lanjutan)

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) pendapatan	.000	.000		76.285	1	.000	1.000		1.000	1.000	
Constant	4.257	.034		15373.577	1	.000	70.604				

a Variable(s) entered on step 1: pendapatan.

➤ Status pekerjaan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1.357	1	.244
	Block	1.357	1	.244
	Model	1.357	1	.244

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37647.794(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) status_kerja	.042	.036		1.352	1	.245	1.043		.972	1.119	
Constant	4.514	.022		43805.006	1	.000	91.320				

a Variable(s) entered on step 1: status_kerja.

➤ Status perkawinan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	.666	1	.414
	Block	.666	1	.414
	Model	.666	1	.414

Lampiran 1. Analisis Bivariat (lanjutan)

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37648.485(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	status_kawin	-.032	.039	.663	1	.416	.968	.896	1.046
	Constant	4.553	.034	17993.323	1	.000	94.950		

a Variable(s) entered on step 1: status_kawin.

➤ Status sosek dalam masyarakat dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	109.582	1	.000
	Block	109.582	1	.000
	Model	109.582	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37539.570(a)	.000	.003

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	yankes_gratis	.433	.040	117.985	1	.000	1.541	1.426	1.666
	Constant	4.189	.034	14746.185	1	.000	65.971		

a Variable(s) entered on step 1: yankes_gratis.

Lampiran 2. Analisis Bivariat
(Faktor Lingkungan Fisik Rumah Dengan Kejadian Tuberkulosis Paru)

➤ **Kepadatan Hunian dengan kejadian tb paru**

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	2.655	1	.103
	Block	2.655	1	.103
	Model	2.655	1	.103

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37646.497(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	kepadatan_hunian	-.061	.037	2.635	1	.105	.941	.875	1.013
	Constant	4.571	.031	21653.949	1	.000	96.660		

a Variable(s) entered on step 1: kepadatan_hunian.

➤ **Sanitasi dengan kejadian tb paru**

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	67.178	1	.000
	Block	67.178	1	.000
	Model	67.178	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37581.974(a)	.000	.002

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Lampiran 2. Analisis Bivariat (lanjutan)

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) sanitasi	.343	.043		62.891	1		.000	1.410	1.295	1.535	
Constant	4.452	.019		53505.804	1		.000	85.799			

a Variable(s) entered on step 1: sanitasi.

➤ Kondisi Perumahan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	2.511	1	.113
	Block	2.511	1	.113
	Model	2.511	1	.113

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37646.640(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) kondisi_rumah	.065	.041		2.540	1		.111	1.067	.985	1.156	
Constant	4.479	.036		15713.210	1		.000	88.181			

a Variable(s) entered on step 1: kondisi_rumah.

Lampiran 3. Analisis Bivariat
(Faktor Pelayanan Kesehatan Dengan Kejadian Tuberkulosis Paru)

- Akses menuju sarana pelayanan kesehatan dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	30.931	1	.000
	Block	30.931	1	.000
	Model	30.931	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37618.221(a)	.000	.001

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a)	yankes	.556	.092	36.337	1	.000	1.745	1.456	2.091		
	Constant	3.989	.091	1937.063	1	.000	53.992				

a Variable(s) entered on step 1: yankes.

Lampiran 4. Analisis Bivariat
(Faktor Respon Individu Dengan Kejadian Tuberkulosis Paru)

➤ Jenis Kelamin dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	2.723	1	.099
	Block	2.723	1	.099
	Model	2.723	1	.099

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37646.429(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	jenis_kelamin	.059	.036	2.710	1	.100	1.061	.989	1.137
	Constant	4.507	.022	43024.828	1	.000	90.692		

a Variable(s) entered on step 1: jenis_kelamin.

➤ Kelompok Usia dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	2.768	1	.096
	Block	2.768	1	.096
	Model	2.768	1	.096

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37646.383(a)	.000	.000

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Lampiran 4. Analisis Bivariat (lanjutan)

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) umur1	.136	.083		2.658		1	.103	1.146		.973 1.349	
Constant	4.523	.018		65757.220		1	.000	92.126			

a Variable(s) entered on step 1: umur1.

➤ Perilaku Merokok dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	390.270	1	.000
	Block	390.270	1	.000
	Model	390.270	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37258.881(a)	.001	.011

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

	B	S.E.		Wald		df	Sig.	Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper			Lower	Upper	Lower	Upper
Step 1(a) rokok1	.690	.035		399.564		1	.000	1.993		1.863 2.133	
Constant	4.119	.025		27763.996		1	.000	61.501			

a Variable(s) entered on step 1: rokok1.

➤ Perilaku Minum Alkohol dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	74.406	1	.000
	Block	74.406	1	.000
	Model	74.406	1	.000

Lampiran 4. Analisis Bivariat (lanjutan)

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37574.746(a)	.000	.002

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	alkohol	.583	.063	86.792	1	.000	1.791	1.584	2.024
	Constant	3.985	.060	4426.755	1	.000	53.764		

a Variable(s) entered on step 1: alkohol.

➤ Diabetes Mellitus dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	91.635	1	.000
	Block	91.635	1	.000
	Model	91.635	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37557.517(a)	.000	.003

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	diabet	1.217	.108	128.176	1	.000	3.379	2.736	4.171
	Constant	3.331	.106	985.819	1	.000	27.978		

Lampiran 4. Analisis Bivariat (lanjutan)

➤ Status Gizi dengan kejadian tb paru

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	272.465	1	.000
	Block	272.465	1	.000
	Model	272.465	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	37376.687(a)	.001	.008

a Estimation terminated at iteration number 7 because parameter estimates changed by less than .001.

Variables in the Equation

		B		S.E.		Wald		df		Sig.		Exp(B)		95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper		
Step 1(a)	imt_1	.629	.037	295.042	1	.000	1.876	1.746	2.016						
	Constant	4.069	.030	18447.102	1	.000	58.521								

a Variable(s) entered on step 1: imt_1.

**Lampiran 5. Analisis Multivariat
Faktor Yang Berhubungan Dengan Kejadian Tuberkulosis Paru**

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	1209.574	10	.000
	Block	1209.574	10	.000
	Model	1209.574	10	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	36439.578(a)	.004	.034

a Estimation terminated at iteration number 8 because parameter estimates changed by less than .001.

Classification Table(a)

Observed			Predicted		Percentage Correct
			tb_gab		
			.00	1.00	.00
Step 1	tb_gab	.00	0	3401	.0
		1.00	0	315358	100.0
Overall Percentage					98.9

a The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)	
		Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper
Step 1(a)	didik_dikotomy	.604	.054	125.653	1	.000	1.830	1.646	2.033
	Pendapatan	.000	.000	7.501	1	.006	1.000	1.000	1.000
	yankes_gratis	.359	.040	79.702	1	.000	1.432	1.323	1.549
	sanitasi	.165	.045	13.690	1	.000	1.180	1.081	1.288
	kondisi_rumah	.070	.041	2.919	1	.048	1.072	.990	1.162
	yankes	.376	.093	16.241	1	.000	1.456	1.213	1.748
	rokok1	.755	.036	433.011	1	.000	2.127	1.981	2.284
	diabet	1.380	.109	160.361	1	.000	3.975	3.211	4.922
	alkohol	.239	.065	13.385	1	.000	1.270	1.117	1.444
	imt_1	.661	.038	309.883	1	.000	1.936	1.799	2.084
	Constant	1.087	.161	45.687	1	.000	2.966		

a Variable(s) entered on step 1: didik_dikotomy, Pendapatan, yankes_gratis, sanitasi, kondisi_rumah, yankes, rokok1, diabet, alkohol, imt_1.

Lampiran 6. Analisis Attributable Risk

Faktor Resiko	TB Paru	Non TB Paru	Total	Insiden per 1000 angk kerja	AR
➤ Miskin	853	56.273	57.126	14,93	8,72
➤ Tdk Miskin	2.548	259.085	261.633	9,74	
➤ Sanitasi buruk	2.731	234.317	237.048	11,52	23,15
➤ Sanitasi baik	670	81.041	81.711	8,20	
➤ Perumahan buruk	792	69.839	70.631	11,21	1,50
➤ Perumahan baik	2.609	245.519	248.128	10,51	
➤ Akses pelayanan buruk	124	6.695	6.819	18,18	1,49
➤ Akses pelayanan baik	3.277	308.663	311.940	10,51	
➤ Merokok	1.663	102.276	103.939	16,00	24,18
➤ Tdk merokok	1.738	213.082	214.820	8,09	
➤ Minum Alkohol	284	15.269	15.553	18,26	3,66
➤ Tdk minum alkohol	3.117	300.089	303.206	10,28	
➤ Diabetes	92	2574	2.666	34,51	1,78
➤ Tdk diabetes	3.309	312.784	316.093	10,47	
➤ Gizi buruk	1.133	66304	67.437	16,80	15,46
➤ Gizi baik	2.268	249.054	251.322	9,02	
➤ Pendidikan rendah	2.965	241.724	244.689	12,12	44,79
➤ Pendidikan tinggi	436	73.634	74.070	5,89	