

LAMPIRAN

1. Analisis Univariat-Distribusi Frekuensi Karakteristik

Kejadian Pneumonia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kasus pneumonia	15	13.4	13.4	13.4
	Bukan kasus pneumonia	97	86.6	86.6	100.0
	Total	112	100.0	100.0	

Jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	61	54.5	54.5	54.5
	Perempuan	51	45.5	45.5	100.0
	Total	112	100.0	100.0	

Umur Balita

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 12 Bulan	9	8.0	8.0	8.0
	12-59 Bulan	103	92.0	92.0	100.0
	Total	112	100.0	100.0	

Status Gizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Gizi kurang	39	34.8	34.8	34.8
	Gizi baik	73	65.2	65.2	100.0
	Total	112	100.0	100.0	

Status Imunisasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak lengkap	29	25.9	31.2	31.2
	Lengkap	64	57.1	68.8	100.0
	Total	93	83.0	100.0	
Missing	System	19	17.0		
Total		112	100.0		

Riwayat BBLR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BBLR	8	7.1	10.1	10.1
	Normal	71	63.4	89.9	100.0
	Total	79	70.5	100.0	
Missing	System	33	29.5		
Total		112	100.0		

Tingkat Pendidikan Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	40	35.7	51.3	51.3
	Tinggi	38	33.9	48.7	100.0
	Total	78	69.6	100.0	
Missing	System	34	30.4		
Total		112	100.0		

Pendidikan Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD/ sederajat	11	9.8	14.1	14.1
	SMP/ sederajat	29	25.9	37.2	51.3
	SMA/ sederajat	30	26.8	38.5	89.7
	Akademi/ Perguruan tinggi	8	7.1	10.3	100.0
	Total	78	69.6	100.0	
Missing	System	34	30.4		
Total		112	100.0		

Status Pekerjaan Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bekerja	16	14.3	19.0	19.0
	Tidak bekerja	68	60.7	81.0	100.0
	Total	84	75.0	100.0	
Missing	System	28	25.0		
Total		112	100.0		

Lama Hari Rawat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	> 5 hari	40	35.7	35.7	35.7
	<= 5 hari	72	64.3	64.3	100.0
	Total	112	100.0	100.0	

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
LOS_days	112	1	24	5.54	4.215
Valid N (listwise)	112				



2. Analisis Bivariat-Hubungan Karakteristik dengan Kejadian Pneumonia

Jenis kelamin * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Jenis kelamin	Laki-laki	Count	9	52	61
		% within Jenis kelamin	14.8%	85.2%	100.0%
	Perempuan	Count	6	45	51
		% within Jenis kelamin	11.8%	88.2%	100.0%
Total		Count	15	97	112
		% within Jenis kelamin	13.4%	86.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.214 ^b	1	.644		
Continuity Correction ^a	.034	1	.854		
Likelihood Ratio	.216	1	.642		
Fisher's Exact Test				.783	.430
N of Valid Cases	112				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.83.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis kelamin (Laki-laki / Perempuan)	1.298	.429	3.929
For cohort Kejadian Pneumonia = Kasus pneumonia	1.254	.478	3.288
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	.966	.836	1.117
N of Valid Cases	112		

Umur Balita * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Umur Balita	< 12 Bulan	Count	1	8	9
		% within Umur Balita	11.1%	88.9%	100.0%
	12-59 Bulan	Count	14	89	103
		% within Umur Balita	13.6%	86.4%	100.0%
Total		Count	15	97	112
		% within Umur Balita	13.4%	86.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.044 ^b	1	.834		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.046	1	.830		
Fisher's Exact Test				1.000	.655
Linear-by-Linear Association	.044	1	.835		
N of Valid Cases	112				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.21.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Umur Balita (< 12 Bulan / 12-59 Bulan)	.795	.092	6.848
For cohort Kejadian Pneumonia = Kasus pneumonia	.817	.121	5.526
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	1.029	.807	1.312
N of Valid Cases	112		

Status Gizi * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Status Gizi	Gizi kurang	Count	4	35	39
		% within Status Gizi	10.3%	89.7%	100.0%
	Gizi baik	Count	11	62	73
		% within Status Gizi	15.1%	84.9%	100.0%
Total		Count	15	97	112
		% within Status Gizi	13.4%	86.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.507 ^b	1	.476		
Continuity Correction ^a	.177	1	.674		
Likelihood Ratio	.527	1	.468		
Fisher's Exact Test				.570	.344
Linear-by-Linear Association	.503	1	.478		
N of Valid Cases	112				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.22.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Gizi kurang / Gizi baik)	.644	.191	2.176
For cohort Kejadian Pneumonia = Kasus pneumonia	.681	.232	1.997
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	1.057	.915	1.220
N of Valid Cases	112		

Status Imunisasi * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Status Imunisasi	Tidak lengkap	Count	4	25	29
		% within Status Imunisasi	13.8%	86.2%	100.0%
	Lengkap	Count	8	56	64
		% within Status Imunisasi	12.5%	87.5%	100.0%
Total		Count	12	81	93
		% within Status Imunisasi	12.9%	87.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.030 ^b	1	.863	1.000	.551
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.029	1	.864		
Fisher's Exact Test					
Linear-by-Linear Association	.029	1	.864		
N of Valid Cases	93				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.74.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Imunisasi (Tidak lengkap / Lengkap)	1.120	.308	4.067
For cohort Kejadian Pneumonia = Kasus pneumonia	1.103	.361	3.372
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	.985	.829	1.171
N of Valid Cases	93		

Riwayat BBLR * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Riwayat BBLR	BBLR	Count	1	7	8
		% within Riwayat BBLR	12.5%	87.5%	100.0%
	Normal	Count	11	60	71
		% within Riwayat BBLR	15.5%	84.5%	100.0%
Total		Count	12	67	79
		% within Riwayat BBLR	15.2%	84.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.050 ^b	1	.823		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.052	1	.819		
Fisher's Exact Test				1.000	.650
Linear-by-Linear Association	.049	1	.824		
N of Valid Cases	79				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.22.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat BBLR (BBLR / Normal)	.779	.087	6.974
For cohort Kejadian Pneumonia = Kasus pneumonia	.807	.119	5.460
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	1.035	.782	1.370
N of Valid Cases	79		

Tingkat Pendidikan Ibu * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Tingkat Pendidikan Ibu	Rendah	Count	6	34	40
		% within Tingkat Pendidikan Ibu	15.0%	85.0%	100.0%
	Tinggi	Count	6	32	38
		% within Tingkat Pendidikan Ibu	15.8%	84.2%	100.0%
Total		Count	12	66	78
		% within Tingkat Pendidikan Ibu	15.4%	84.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.009 ^b	1	.923	1.000	.585
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.009	1	.923		
Fisher's Exact Test					
Linear-by-Linear Association	.009	1	.924		
N of Valid Cases	78				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.85.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tingkat Pendidikan Ibu (Rendah / Tinggi)	.941	.275	3.221
For cohort Kejadian Pneumonia = Kasus pneumonia	.950	.335	2.690
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	1.009	.835	1.220
N of Valid Cases	78		

Status Pekerjaan Ibu * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Status Pekerjaan Ibu	Bekerja	Count % within Status Pekerjaan Ibu	3 18.8%	13 81.3%	16 100.0%
	Tidak bekerja	Count % within Status Pekerjaan Ibu	9 13.2%	59 86.8%	68 100.0%
Total		Count % within Status Pekerjaan Ibu	12 14.3%	72 85.7%	84 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.322 ^b	1	.571		
Continuity Correction ^a	.029	1	.865		
Likelihood Ratio	.303	1	.582		
Fisher's Exact Test				.691	.410
Linear-by-Linear Association	.318	1	.573		
N of Valid Cases	84				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.29.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Pekerjaan Ibu (Bekerja / Tidak bekerja)	1.513	.359	6.373
For cohort Kejadian Pneumonia = Kasus pneumonia	1.417	.432	4.646
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	.936	.727	1.206
N of Valid Cases	84		

Lama Hari Rawat * Kejadian Pneumonia

Crosstab

			Kejadian Pneumonia		Total
			Kasus pneumonia	Bukan kasus pneumonia	
Lama Hari Rawat	> 5 hari	Count	5	35	40
		% within Lama Hari Rawat	12.5%	87.5%	100.0%
	<= 5 hari	Count	10	62	72
		% within Lama Hari Rawat	13.9%	86.1%	100.0%
Total		Count	15	97	112
		% within Lama Hari Rawat	13.4%	86.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.043 ^b	1	.836	1.000	.541
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.043	1	.835		
Fisher's Exact Test					
Linear-by-Linear Association	.042	1	.837		
N of Valid Cases	112				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.36.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Lama Hari Rawat (> 5 hari / <= 5 hari)	.886	.280	2.799
For cohort Kejadian Pneumonia = Kasus pneumonia	.900	.331	2.450
For cohort Kejadian Pneumonia = Bukan kasus pneumonia	1.016	.875	1.180
N of Valid Cases	112		