

Perihal : Pengisian Kuesioner

Kode :

Kepada Yth,
Bpk/Sdr. Narapidana
Lapas Klas I Cipinang
Di
Tempat

Bersama ini dimohon dengan hormat bantuan Bapak/Sdr. Untuk mengisi kuesioner terlampir dalam rangka penelitian ilmiah tentang **Pola Adaptasi Narapidana Laki-laki dalam Pemenuhan Kebutuhan Seksual di Lembaga Pemasyarakatan**. Untuk itu kepada Bapak/Sdr. dapat memilih salah satu jawaban dari alternatif jawaban yang tersedia.

Adapun jawaban dimaksud :

- Ya
- Tidak

Semua alternatif jawaban yang tersedia adalah benar, namun demikian Bapak/Sdr. dapat memilih salah satu jawaban yang dianggap paling benar sesuai dengan data pribadi, keyakinan dan pengalaman selama menjalani pidana di Lembaga Pemasyarakatan Klas I Cipinang. Atas jawaban yang dipilih mohon untuk memberikan tanda silang (X) pada nomor yang menjadi pilihan

Penelitian ini bersifat ilmiah independen dan semua data yang diberikan hanya akan digunakan semata-mata untuk keperluan penulisan tesis ini. Oleh karena itu kerahasiaan ini kuesioner sangat dijamin dan dijaga erat oleh peneliti.

Setelah kuesioner ini diisi dengan lengkap tanpa terlewatkan, maka segera akan diambil langsung oleh peneliti ke ruang Bapak/Sdr. atau bisa juga diberikan langsung kepada peneliti.

Atas bantuan Bapak/Sdr. Peneliti mengucapkan terima kasih sebanyak-banyaknya.

Wassalam

Lis Susanti

Karakteristik Responden

Berilah tanda silang (X) pada nomor jawaban yang sesuai dengan data pribadi Bapak/Sdr. :

- A. Usia/Umur Bapak/Sdr :
- a. Dibawah 25 tahun
 - b. 26 tahun s/d 30 tahun
 - c. 31 tahun s/d 35 tahun
 - d. 36 tahun s/d 40 tahun
 - e. Diatas 41 tahun
- B. Status Perkawinan bapak/sdr :
- a. Menikah
 - b. Cerai Hidup
 - c. Cerai Mati
 - d. Tidak Menikah
- C. Pekerjaan Bapak/Sdr :
- a. Karyawan Swasta
 - b. Wiraswasta
 - c. Pegawai Negeri Sipil (PNS)
 - d. TNI/POLRI
 - e. Pengangguran
- D. Pendidikan Tertinggi Bapak/Sdr :
- a. Tidak Tamat SD
 - b. Tamat SD
 - c. Tidak tamat SMP
 - d. Tamat SMP
 - e. Tidak tamat SMA
 - f. Tamat SMA
 - g. Tidak tamat Diploma
 - h. Tamat Diploma
 - i. Tidak Tamat Sarjana
 - j. Tamat Satjana

| <i>No</i> | <i>Pertanyaan</i> | <i>Ya</i> | <i>Tidak</i> |
|-----------|--|-----------|--------------|
| 1 | Hubungan seksual yang normal adalah hubungan seks dengan dengan pasangan yang sah (istri) | | |
| 2 | Hubungan seksual dengan pasangan yang sah (istri) bertujuan untuk menjaga harmonisasi dengan pasangan atau untuk mendapat keturunan serta sebagai penegasan kejantanan seorang laki-laki | | |
| 3 | Pada saat masuk lapas, saya diberikan penjelasan tentang hak dan kewajiban saya di lapas | | |
| 4 | Selama berada di lapas, saya senantiasa mengikuti berbagai program pembinaan yang di sediakan | | |
| 5 | Saya memahami aturan tentang Remisi, Assimilasi, PB, CB dan CMB | | |
| 6 | Saya memahami aturan tentang Cuti Mengunjungi Keluarga (CMK) | | |
| 7 | CMK adalah hak yang diberikan kepada narapidana diantaranya dalam rangka memenuhi kebutuhan seksual narapidana | | |
| 8 | Terdapat aturan yang jelas tentang pemenuhan kebutuhan seksual bagi narapidana | | |
| 9 | Apabila saya berkelakuan baik maka secara otomatis hak CMK dapat saya peroleh | | |
| 10 | Waktu berkunjung dilakukan sesuai aturan yang berlaku di lapas | | |
| 11 | Saya dan istri leluasa melakukan kontak seksual, seperti berciuman, di ruang Kunjungan | | |
| 12 | Saya dan istri leluasa meraba bagian intim masing-masing dengan menggunakan media celana bolong di ruang kunjungan | | |
| 13 | Saya dan istri dapat melakukan hubungan badan di suatu tempat di dalam lapas | | |
| 14 | Bila diperlukan saya dapat memperpanjang jam kunjungan dengan istri untuk melakukan hubungan seksual | | |
| 15 | Diluar jam berkunjung, istri saya dapat leluasa membesuk saya di dalam lapas | | |
| 16 | Diluar jam berkunjung, saya juga dapat leluasa melakukan hubungan seksual dengan wanita bukan istri (wanita panggilan) di ruangan khusus | | |

| | | | |
|----|---|--|--|
| 17 | Saya pernah menyalahgunakan ijin berobat ke luar untuk pulang ke rumah dan berhubungan seksual dengan istri | | |
| 18 | Saya menggunakan ijin berobat keluar karena proses ini jauh lebih cepat dan mudah. | | |
| 19 | Saya lebih memilih cara membaca buku/majalah porno untuk menyalurkan hasrat seksual | | |
| 20 | Saya lebih memilih cara menonton film porno untuk menyalurkan hasrat seksual | | |
| 21 | Saya lebih memilih cara masturbasi/onani untuk menyalurkan hasrat seksual | | |
| 22 | Saya lebih senang memajang dan memandang gambar-gambar wanita telanjang sebagai pelampiasan hasrat seksual | | |
| 23 | Saya pernah melampiaskan hasrat seksual melalui media binatang | | |
| 24 | Saya lebih senang mengalihkan perhatian saya untuk tekun beribadah daripada memikirkan tentang hasrat seksual | | |
| 25 | Saya lebih senang mengalihkan perhatian saya untuk rajin berolahraga daripada memikirkan tentang hasrat seksual | | |
| 26 | Di lapas saya mengetahui adanya hubungan sesama jenis antar narapidana | | |
| 27 | Di lapas saya mengetahui adanya istilah “anak-anakan, abang-abangan” untuk menyebut pasangan sesama jenis narapidana | | |
| 28 | Perilaku hubungan sesama jenis terjadi pada narapidana yang sudah menikah maupun yang belum menikah | | |
| 29 | Aturan saat ini yang mengatur tentang CMK sebaiknya ditiadakan karena rumit dan biayanya mahal | | |
| 30 | Saya lebih senang kalau narapidana selama di lapas secara resmi disediakan ruangan khusus untuk melakukan hubungan seks dengan istri | | |
| 31 | Saya lebih senang jika narapidana diberikan program kunjungan ke rumah untuk berhubungan seksual dengan istri dengan persyaratan yang lebih mudah | | |

Periksa kembali jawaban anda, jangan ada yang terlewatkan – TERIMA KASIH...!

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 51.727 ^a | 40 | .101 |
| Likelihood Ratio | 55.714 | 40 | .050 |
| Linear-by-Linear Association | .001 | 1 | .975 |
| N of Valid Cases | 100 | | |

a. 50 cells (90.9%) have expected count less than 5. The minimum expected count is .07.

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .719 | .101 |
| | Cramer's V | .360 | .101 |
| N of Valid Cases | | 100 | |

Directional Measures

| | | | Value |
|---------------------|-----|-------------------|-------|
| Nominal by Interval | Eta | Usia Dependent | .224 |
| | | Konform Dependent | .135 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 51.727 ^a | 40 | .101 |
| Likelihood Ratio | 55.714 | 40 | .050 |
| Linear-by-Linear Association | .001 | 1 | .975 |
| N of Valid Cases | 100 | | |

a. 50 cells (90.9%) have expected count less than 5. The minimum expected count is .07.

Directional Measures

| | | | Value |
|---------------------|-----|-------------------|-------|
| Nominal by Interval | Eta | Status Dependent | .224 |
| | | Konform Dependent | .135 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .719 | .101 |
| | Cramer's V | .360 | .101 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 72.911 ^a | 80 | .700 |
| Likelihood Ratio | 73.588 | 80 | .680 |
| Linear-by-Linear Association | 3.739 | 1 | .053 |
| N of Valid Cases | | 100 | |

a. 96 cells (97.0%) have expected count less than 5. The minimum expected count is .03.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Pendidikan Dependent | .374 |
| | | Konform Dependent | .283 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .854 | .700 |
| | Cramer's V | .302 | .700 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 20.599 ^a | 28 | .842 |
| Likelihood Ratio | 24.300 | 28 | .666 |
| Linear-by-Linear Association | 2.353 | 1 | .125 |
| N of Valid Cases | | 100 | |

a. 35 cells (87.5%) have expected count less than 5. The minimum expected count is .01.

Directional Measures

| | | | Value |
|---------------------|-----|---------------------|-------|
| Nominal by Interval | Eta | Pekerjaan Dependent | .308 |
| | | Innovasi Dependent | .220 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .503 | .966 |
| | Cramer's V | .252 | .966 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 25.320 ^a | 40 | .966 |
| Likelihood Ratio | 29.021 | 40 | .901 |
| Linear-by-Linear Association | .974 | 1 | .324 |
| N of Valid Cases | 100 | | |

a. 52 cells (94.5%) have expected count less than 5. The minimum expected count is .01.

Directional Measures

| | | | Value |
|---------------------|-----|---------------------|-------|
| Nominal by Interval | Eta | Pekerjaan Dependent | .294 |
| | | Konform Dependent | .200 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 20.340 ^a | 28 | .852 |
| Likelihood Ratio | 21.360 | 28 | .810 |
| Linear-by-Linear Association | .418 | 1 | .518 |
| N of Valid Cases | 100 | | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 20.340 ^a | 28 | .852 |
| Likelihood Ratio | 21.360 | 28 | .810 |
| Linear-by-Linear Association | .418 | 1 | .518 |
| N of Valid Cases | 100 | | |

a. 33 cells (82.5%) have expected count less than 5. The minimum expected count is .07.

Directional Measures

| | | | Value |
|---------------------|-----|--------------------|-------|
| Nominal by Interval | Eta | Usia Dependent | .246 |
| | | Innovasi Dependent | .172 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .451 | .852 |
| | Cramer's V | .225 | .852 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 20.340 ^a | 28 | .852 |
| Likelihood Ratio | 21.360 | 28 | .810 |
| Linear-by-Linear Association | .418 | 1 | .518 |
| N of Valid Cases | 100 | | |

a. 33 cells (82.5%) have expected count less than 5. The minimum expected count is .07.

Directional Measures

| | | | Value |
|---------------------|-----|--------------------|-------|
| Nominal by Interval | Eta | Status Dependent | .246 |
| | | Innovasi Dependent | .172 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .451 | .852 |
| | Cramer's V | .225 | .852 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 49.172 ^a | 56 | .729 |
| Likelihood Ratio | 50.635 | 56 | .677 |
| Linear-by-Linear Association | .001 | 1 | .971 |
| N of Valid Cases | | 100 | |

a. 68 cells (94.4%) have expected count less than 5. The minimum expected count is .03.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Pendidikan Dependent | .317 |
| | | Innovasi Dependent | .255 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .701 | .729 |
| | Cramer's V | .265 | .729 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 20.599 ^a | 28 | .842 |
| Likelihood Ratio | 24.300 | 28 | .666 |
| Linear-by-Linear Association | 2.353 | 1 | .125 |
| N of Valid Cases | | 100 | |

a. 35 cells (87.5%) have expected count less than 5. The minimum expected count is .01.

Directional Measures

| | | | Value |
|--|--|--|-------|
| | | | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|---------------------|-----------------------|
| Pearson Chi-Square | 20.599 ^a | 28 | .842 |
| Likelihood Ratio | 24.300 | 28 | .666 |
| Linear-by-Linear Association | 2.353 | 1 | .125 |
| N of Valid Cases | 100 | | |
| Nominal by Interval | Eta | Pekerjaan Dependent | .308 |
| | | Innovasi Dependent | .220 |

Symmetric Measures

| | Value | Approx. Sig. |
|--------------------|------------|--------------|
| Nominal by Nominal | Phi | .842 |
| | Cramer's V | .842 |
| N of Valid Cases | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 20.148 ^a | 20 | .449 |
| Likelihood Ratio | 23.797 | 20 | .251 |
| Linear-by-Linear Association | .542 | 1 | .462 |
| N of Valid Cases | 100 | | |

a. 25 cells (83.3%) have expected count less than 5. The minimum expected count is .14.

Directional Measures

| | Value |
|---------------------|----------------------|
| Nominal by Interval | Eta |
| | Usia Dependent |
| | Ritualisme Dependent |
| | .243 |
| | .137 |

Symmetric Measures

| | Value | Approx. Sig. |
|--------------------|------------|--------------|
| Nominal by Nominal | Phi | .449 |
| | Cramer's V | .449 |
| N of Valid Cases | 100 | |

Chi-Square Tests

| | Value | Df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 20.148 ^a | 20 | .449 |
| Likelihood Ratio | 23.797 | 20 | .251 |
| Linear-by-Linear Association | .542 | 1 | .462 |
| N of Valid Cases | 100 | | |

a. 25 cells (83.3%) have expected count less than 5. The minimum expected count is .14.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Status Dependent | .243 |
| | | Ritualisme Dependent | .137 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .449 | .449 |
| | Cramer's V | .224 | .449 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 31.801 ^a | 40 | .819 |
| Likelihood Ratio | 36.488 | 40 | .629 |
| Linear-by-Linear Association | 2.477 | 1 | .116 |
| N of Valid Cases | 100 | | |

a. 49 cells (90.7%) have expected count less than 5. The minimum expected count is .06.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Pendidikan Dependent | .206 |
| | | Ritualisme Dependent | .356 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .564 | .819 |
| | Cramer's V | .252 | .819 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 10.347 ^a | 20 | .961 |
| Likelihood Ratio | 12.997 | 20 | .877 |
| Linear-by-Linear Association | .949 | 1 | .330 |
| N of Valid Cases | | 100 | |

a. 25 cells (83.3%) have expected count less than 5. The minimum expected count is .02.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Pekerjaan Dependent | .127 |
| | | Ritualisme Dependent | .204 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .322 | .961 |
| | Cramer's V | .161 | .961 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|-----|-----------------------|
| Pearson Chi-Square | 6.504 ^a | 8 | .591 |
| Likelihood Ratio | 8.198 | 8 | .414 |
| Linear-by-Linear Association | .183 | 1 | .669 |
| N of Valid Cases | | 100 | |

a. 9 cells (60.0%) have expected count less than 5. The minimum expected count is .49.

Directional Measures

| | | | Value |
|---------------------|-----|-----------------------|-------|
| Nominal by Interval | Eta | Usia Dependent | .050 |
| | | Retreatisme Dependent | .189 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .255 | .591 |
| | Cramer's V | .180 | .591 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|-----|-----------------------|
| Pearson Chi-Square | 6.504 ^a | 8 | .591 |
| Likelihood Ratio | 8.198 | 8 | .414 |
| Linear-by-Linear Association | .183 | 1 | .669 |
| N of Valid Cases | | 100 | |

a. 9 cells (60.0%) have expected count less than 5. The minimum expected count is .49.

Directional Measures

| | | | Value |
|---------------------|-----|-----------------------|-------|
| Nominal by Interval | Eta | Status Dependent | .050 |
| | | Retreatisme Dependent | .189 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .255 | .591 |
| | Cramer's V | .180 | .591 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 23.440 ^a | 16 | .102 |
| Likelihood Ratio | 27.696 | 16 | .034 |
| Linear-by-Linear Association | 1.851 | 1 | .174 |
| N of Valid Cases | | 100 | |

a. 22 cells (81.5%) have expected count less than 5. The minimum expected count is .21.

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 23.440 ^a | 16 | .102 |
| Likelihood Ratio | 27.696 | 16 | .034 |
| Linear-by-Linear Association | 1.851 | 1 | .174 |
| N of Valid Cases | 100 | | |

Directional Measures

| | | | Value |
|---------------------|-----|-----------------------|-------|
| Nominal by Interval | Eta | Pendidikan Dependent | .153 |
| | | Retreatisme Dependent | .407 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .484 | .102 |
| | Cramer's V | .342 | .102 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 4.691 ^a | 8 | .790 |
| Likelihood Ratio | 6.576 | 8 | .583 |
| Linear-by-Linear Association | .215 | 1 | .643 |
| N of Valid Cases | 100 | | |

a. 9 cells (60.0%) have expected count less than 5. The minimum expected count is .07.

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 4.691 ^a | 8 | .790 |
| Likelihood Ratio | 6.576 | 8 | .583 |
| Linear-by-Linear Association | .215 | 1 | .643 |
| N of Valid Cases | 100 | | |

Directional Measures

| | | | Value |
|---------------------|-----|-----------------------|-------|
| Nominal by Interval | Eta | Pekerjaan Dependent | .047 |
| | | Retreatisme Dependent | .208 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .217 | .790 |
| | Cramer's V | .153 | .790 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 11.437 ^a | 12 | .492 |
| Likelihood Ratio | 13.114 | 12 | .361 |
| Linear-by-Linear Association | .506 | 1 | .477 |
| N of Valid Cases | 100 | | |

a. 11 cells (55.0%) have expected count less than 5. The minimum expected count is .77.

Directional Measures

| | | | Value |
|---------------------|-----|---------------------|-------|
| Nominal by Interval | Eta | Usia Dependent | .086 |
| | | Rebellion Dependent | .148 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .338 | .492 |
| | Cramer's V | .195 | .492 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 11.437 ^a | 12 | .492 |
| Likelihood Ratio | 13.114 | 12 | .361 |
| Linear-by-Linear Association | .506 | 1 | .477 |
| N of Valid Cases | 100 | | |

a. 11 cells (55.0%) have expected count less than 5. The minimum expected count is .77.

Directional Measures

| | | | Value |
|---------------------|-----|---------------------|-------|
| Nominal by Interval | Eta | Status Dependent | .086 |
| | | Rebellion Dependent | .148 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .338 | .492 |
| | Cramer's V | .195 | .492 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|-----|-----------------------|
| Pearson Chi-Square | 15.567 ^a | 24 | .903 |
| Likelihood Ratio | 20.898 | 24 | .645 |
| Linear-by-Linear Association | 1.912 | 1 | .167 |
| N of Valid Cases | | 100 | |

a. 32 cells (88.9%) have expected count less than 5. The minimum expected count is .33.

Directional Measures

| | | | Value |
|---------------------|-----|----------------------|-------|
| Nominal by Interval | Eta | Pendidikan Dependent | .177 |
| | | Rebellion Dependent | .314 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .395 | .903 |
| | Cramer's V | .228 | .903 |
| N of Valid Cases | | 100 | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|-----|-----------------------|
| Pearson Chi-Square | 9.278 ^a | 12 | .679 |
| Likelihood Ratio | 10.421 | 12 | .579 |
| Linear-by-Linear Association | .011 | 1 | .918 |
| N of Valid Cases | | 100 | |

a. 14 cells (70.0%) have expected count less than 5. The minimum expected count is .11.

Directional Measures

| | | Value |
|--|---------------------|-------|
| | Pekerjaan Dependent | .153 |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 15.567 ^a | 24 | .903 |
| Likelihood Ratio | 20.898 | 24 | .645 |
| Linear-by-Linear Association | 1.912 | 1 | .167 |
| N of Valid Cases | 100 | | |
| Rebellion Dependent | | | .161 |

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|------------|-------|--------------|
| Nominal by Nominal | Phi | .305 | .679 |
| | Cramer's V | .176 | .679 |
| N of Valid Cases | | 100 | |

