

DAFTAR PUSTAKA

- AOAC. 1984. Official Methods of Analysis. 15th Ed. Association of Official Analytical Chemistry, Inc. Arlington. Virginia.
- Aranaz Imaculada, Marian Mengibar, Ruth Harris, Ines Panos, Beatriz Miralles, Nuris Acosta, Gemma Galed, and Angeles Heras. 2009. Functional Characterization of Chitin and Chitosan. *Journal of Current Chemical Biology*. 3(2): 203-230
- Aslak Einbu. 2007. Characterisation of Chitin and a Study of its Acid-Catalysed Hydrolysis, Thesis for the degree of philosophiae doctor, Norwegian University of Science and Technology, Dept. of Biotechnology, Norwegian.
- Aye, K.N., and W.F Stevens. 2004. Improved Chitin Production by Pretreatment of Shrimp Shells. *J. Chem., Technol., and Biotechnol.* (79): 421 – 425.
- Bhaskar, N.P.V., Suresh, P.Z. Sakhare and N.M. Sachindra. 2007. Shrimp biowaste fermentation with *Pediococcus acidolactici* CFR2182: Optimization of fermentation conditions by response surface methodology and effect of optimized conditions on deproteinization/demineralization and carotenoid recovery. *Journal of Enzyme and Microbial Technology*. 40(5): 1427-1434
- Beaney, P., J Lizardi-Mendoza, and M Healy. 2005. Comparison of Chitins Produced by Chemical and Bioprocessing Methods. *J. Chem. Technol. Biotechnol.* (80): 145 – 150.
- Brock, T.D., M.T. Madigan, J.M. Martinko, and J. Parker. 1994. Biology of Microorganism. 7th ed. Prentice Hall, Inc., New Jersey: 909 hlm.
- Bustos, R.O and M.G. Healy. 1994. Microbial Extraction of Chitin From Prawn Shell Waste. *Proceeding From the 6 th International Conference on Chitin and Chitosan*, Held in Gdynia, Poland, 16 – 19 Agustus.
- Choorit, W., Walailak., P and Supranee, M. 2008. Use of response surface method for the determination of demineralization efficiency in fermented shrimp shells. *Journal of Bioresoure Technology*. 99(14): 6168-6173
- Departemen Kelautan dan Perikanan. 2008. Pusat Data Statistik dan Informasi. <http://www.dkp.go.id> (diakses tanggal 11 Juli 2008)
- Emmawati, A. 2005. Produksi Kitosan dengan Kombinasi Metode Kimia dan Enzimatis Menggunakan NaOH dan Kitin Deasetilase. Tesis Sekolah Pascasarjana, IPB. hal 84

- Fleming. A.B., M. Tangney, P.L. Jorgensen, B. Diderichsen, and F.G. Priest. 1995. Extracellular Enzyme Synthesis in a Sporulation-Deficient Strain of *Bacillus licheniformis*. *J. Appl and Environmental Microbiology* (61): 3775 – 3780.
- Frazier, W.B., and D.C Westhoff. 1988. Food Microbiology. McGraw-Hill, Inc. New York. 539 pp
- Gagne N and Simpson. 1993. Use of Proteolytic Enymes to Facilitate Recovery of Chitin from Shrimp Waste. *J. Food Biotechnol.* (7): 253 – 263.
- Healy, M., A Green, and A Healy. 2003. Bioprocessing of Marine Crustacean Shell Waste. *Journal of Acta Biotechnol.* (23): 151 – 260.
- Henny Krissetiana, 2004, Kitin dan Kitosan dari Limbah Udang, Dept. Teknologi Hasil Pertanian, Institut Pertanian (Intan), Yogyakarta.
- Hipolito, C.N., Matsunaka, T., Kobayashi, G., Sonomoto, K., and Ishizaki, A. 2002. Synchronized Fresh Cell Bioreactor System for Continuous L-(+)-Lactic Acid Production Using *Lactococcus lactis* IO-1 in Hydrolysed Sago Starch. *Journal of Bioscience and Bioengineering*. 93(3): 281-287.
- Jung, W.J., Kuk, J.H., Kim, K.Y., and Park, R.D., 2005, Demineralization of red crab shell waste by lactic acid fermentation. *Appl. Microbiol. Biotechnol. (Environmental Biotechnology)*, (67): 851-654.
- Jung W.J., Jo G.H., Kuk J.H., Kim K.Y., and Park R.D. 2005. Extraction of Chitin from Red Crab Shell Waste by Cofermentation with *Lactobacillus paracasei* subsp KCTC-3074 and *Serratia marcescens* FS-3. *App Microbiol Biotechnol* (3): 253 – 255.
- Jung, W.J., G.H. Jo, J.H. Kuk, Y.J. Kim, K.T. Oh and R.D. Park. 2007. Production of chitin from red crab shell waste by successive fermentation with *Lactobacillus paracasei* KCTC-3074 and *Serratia marcescens* FS-3. *Journal of Carbohydrate Polymers*.68(4): 746-750
- Junianto, 2008. Peningkatan skala produksi kitin dari kulit udang secara biologis, Disertasi, Program Pascasarjana, Jurusan Teknologi Industri Pertanian, Fakultas Pertanian, IPB.
- Karna, B.K.L., Emata, O.C. and Barraquio, V.L. 2007. Lactic Acid and Probiotic Bacteria from Fermented and Probiotic Dairy Products. Science Diliman. 19(2): 23-34
- Khanaafari, A., Marandi, R., and Sanatei Sh., 2008, Recovery of chitin and cnitosan from shrimp waste by chemical and microbial methods, *J. Environ. Health. Sci. Eng.*, (5): 19-24.

- Kristbergsson, K., Einarsson, MJ., Hauksson, S., Gíslason, J., Martin G. Peter, M.G., 2003, Recent developments in deacetylation of chitin and possible applications in food formulations, University of Iceland and The Icelandic fisheries laboratories.
- Lee, B.B., Tham, H.J., and Chan, E.S. 2007. Fed-Batch Fermentation of Lactic Acid Bacteria to Improve Biomass Production: A Theoretical Approach. *Journal of Applied Sciences*. 7(15): 2211-2215.
- Lerthsutthiwong, P., How, Ng C., Chandrkrachang, S., and Stevens, W.F. 2002. Effect of Chemical Treatment on the Characteristics of Shrimp Chitosan. *Journal of Metals, Materials and Minerals*. 12(1):11-18.
- Ling, L.S., Mohamad, R., Rahim, R.A., Wan, H.Y., and Arif, A.B. 2006. Improved Production of Live Cells of *Lactobacillus rhamnosus* by Continuous Cultivation using Glucose-yeast Extract Medium. *The Journal of Microbiology*. 44(4): 439-446.
- Lowry. O.H, N.J. Rosebrough, A.L. Farr, and R.J. Randall. 1954. Protein Measurement with the Folin Phenol Reagent. *J. Bio.Chem.* (193): 265 – 275.
- Mahmoud, N.S., Ghaly, A.E., and Arab, F., 2007, Unconventional approach for demineralization of deproteinized crustacean shells for chitin production, *American Journal of Biochemistry and Biotechnology*, 3(1): 1-9.
- Mizani, A.M., and Aminlari, B.M. 2007. A New Process for Deproteinization of chitin from Shrimp Head Waste. A New Process for Deproteinization of Chitin from Shrimp Head Waste. *Proceedings of European Congress of Chemical Engineering (ECCE-6)* Copenhagen, 16-20 September.
- Pacheco, N., Mónica, G.G., Jessica, Y.R.H., Belem, F.A., Miquel, G.E., and Shirai, K. 2009. Effect of temperature on chitin and astaxanthin recoveries from shrimp waste using lactic acid bacteria. *Journal of Bioresoure Technology*. 100(11): 2849-2854
- Paul, W., and Sharma,C.P., 2004, Chitosan and Alginate Wound Dressings: A Short Review, *Journal Trends Biomater. Artif. Organs*. 18(1): 18-23.
- Rao, M.S., J. Munoz and W.F. Stevens. 2000. Critical Factors in Chitin Production by Fermentation of Shrimp Biowaste. *J. Appl Microbiol Biotechnol.* (54): 808 – 813.
- Rao, M.S., and W.F. Stevens. 2005. Chitin Production by *Lactobacillus* Fermentation of Shrimp Biowaste in a Drum Reactor and Its Chemical Conversion to Chitosan. *J. Chemical Technology and Biotechnology*. (80): 1080 – 1087.

- Rao, M.S., and W.F. Stevens. 2006. Fermentation of Shrimp Biowaste under Different Salt Concentration with Amylolytic and Non-Amylolytic *Lactobacillus Strains* for Chitin Production. *J. of Food Technol., and Biotechnol.* (44): 83 – 87.
- Rinaudo Marguerite. 2006. Chitin and chitosan: Properties and applications. *Prog. Polym. Sci.* (31): 603–632
- Sharpe, M.E. 1981. The Genus *Lactobacillus*, in M.P. Starr, H. Stolp, H.G. Truper, A. Blows, and H.G. 1981. The Prokaryotes : A Handbook on Habitats, Isolation and Identification of Bacteria, Springer-Verlag, Berlin. 1653-1674.
- Shuler, M.L., and Kargi, F. 2002. Bioprocess Engineering: Basic Concepts. Second Ed. Pearson Education International. Prentice-Hall, Inc., USA.
- Sini, Theruvathil K., Sethumadhavan Santhosh, and Paruthapara T. Mathew. 2007. Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation. *J. of Carbohydrate Research.* 342(16): 2423-2429
- Stanbury, P.F. and Whitaker. 1984. Principle of Fermentation Technology. Pergamon Press Ltd., Oxford. 506 pp
- Stevens,W.F, Cheypratub, P., Haiqing, S., Lertsutthiwong, P., How, N.C., and Chandrkrachang, S. 1998. Alternatives in Shrimp Biowaste Processing, In Flegel, T.W. (ed) Andvance in Shrimp Biotechnology, *Proceeding Shrimp Biotechnology 5th Asian Fisheries Forum*, Thailand.
- Synowiecki, J and Al-khateeb N. 2003. Production, properties, and some new applications of chitin and its derivatives. Critical Reviews in Food Science and Nutrition. *ProQuest Medical Library.* 43(2): 145-171
- Taek Oh Kyung., Young-Ju Kim., Van Nam Nguyen., Woo-Jin Jung and Ro-Dong Park. 2007. Demineralization of crab shell waste by *Pseudomonas aeruginosa* F722. *Journal of Process Biochemistry.* 42(7): 1069-1074
- Teknologi-dkp.go.id, 2006, Industri Kitin: Dari Limbah Menjadi Bernilai Tambah, <http://ikanmania.wordpress.com/2007/12/30/industri-kitin-dari-limbah-menjadi-bernilai-tambah/>. Diakses: September 2008.
- Thomas Freier, 2008, Chitosan in Tissue Engineering Applications, <http://www.medical-chitosan.de/cms/en/news/chitin--chitosan-news/applications-in-tissue-engineering.html>. Diakses: Oktober 2008.
- Toan, NV., Ng-How, C., Aye KY., and Trang TS. 2006. Production of High-Quality Chitin and Chitosan from Preconditioned Shrimp Shells. *J. Chemical Technology and Biotechnology.* (81): 1113 – 1118

Universitas Indonesia

- Waldeck, J., G. Daun, B. Bisping, and F. Meihardt. 2006. Isolation and Molecular Characterization of Chitenase-Deficient *Bacillus licheniformis* Strains Capable of Deproteinization of Shrimp Shell Waste to Obtain Highly Viscous Chitin. *J. Appl. Environ. Microbiol.* (72): 7879 – 7885.
- Yang, J-K., I-L. Shih, Y-M. Tseng, and S-L. Wang. 2000. Production and Purification of Protease from a *Bacillus subtilis* that Deproteinize Crustacean Waste. *Enzyme and Microbial Technology* (26): 406 – 413.

