

## DAFTAR ACUAN

- [1] Ashby, M.F. (2002). *Material Selection in Mechanical Design*, Butterworth-Heinemann.
- [2] Ashby, M.F. (2005). *Material Selection in Mechanical Design*, Butterworth-Heinemann.
- [3] Simancik, F. Degischer, & H.P. Worz, H. (1995). *Foamed Aluminium - Light Structural and Insulation Material*, In: Euromat '95, Venice/Padua, Italy, 25. - 28 September, Associazione Italiana di Metallurgia, Milano.
- [4] Banhart, J. & Baumeister, M. Weber (1996). *Damping Properties of Aluminium Foams*, Material Science and Engineering A205 p 221-228.
- [5] Vesenjak, Matej. Ochsner, Andreas, & Ren, Zoran. (2005). *Influence of Pore Gas in Closed-Cell Cellular Structures under Dynamic Loading*, LS-DYNA Anwenderforum, Bamberg.
- [6] Banhart, John. (2000). *Manufacture, Characterisation and Application of Cellular Metals and Metal Foams*, Progress in Materials Science 46 (2001) 559–632, [www.elsevier.com/locate/pmatsci](http://www.elsevier.com/locate/pmatsci)
- [7] Catillon, Stephanie. Louis, Catherine. & Rouget, Robert (2004). *Development of New Cu<sup>0</sup>-Zn<sup>II</sup>/Al<sub>2</sub>O<sub>3</sub> Catalyst Supported on Copper Metallic Foam for The Production of Hydrogen by Methanol Steam Reforming*, Topics in Catalysis Vols.30/31, July 2004. Universite Pierre et Marie Curie, Paris, France.
- [8] [www.shelterecology.com](http://www.shelterecology.com) diakses November 2009.
- [9] Harjanto, Sri & Ika, Iman Firmansyah (2008). *Copper Foam Manufacturing by The Process of Powder Metallurgy and Dissolution of Carbonates*, Departemen Metalurgi & Material, Fakultas Teknik, Univesitas Indonesia, Depok.
- [10] Zhao, Y.Y., *et all* (2004). *Lost Carbonate Sintering Process for Manufacturing Metal Foams*, Departement of Engineering, The University of Liverpool. Scripta materialia 52, pages 295-298, Elsevier.
- [11] Castrodeza, Enrique M. & Mapelli, Carlo (2008). *Processing of Brass Open-cell Foam by Silica-gel Beads Replication*, Journal of Materials Processing Technology.
- [12] ASM International Handbook (1998). *Powder Metal Technologies and Applications*, vol. 7.

- [13] <http://www.reade.com/products/4-alloys-metal-inorganic-powder-sheet-a-wire/69-brass-metal-a-powder-cu-zn>. Diakses 10 September 2009.
- [14] Banhart, John (2000). *Manufacturing Routes for Metallic Foams*, JOM, 52 (12) , pp. 22-27.
- [15] [www.m-pore.de](http://www.m-pore.de) Diakses sejak Oktober 2009.
- [16] [www.ergaerospace.com/foamproperties/introduction.htm](http://www.ergaerospace.com/foamproperties/introduction.htm) Diakses sejak November 2009.
- [17] Syarif, Zain (). *Porosity & Sorption Behaviour*, Powerpoint, University Malik Abdul Aziz.
- [18] Degischer, Hans-Peter & Kriszt, Brigitte (2000). *Handbook of Cellular Metals; Production, Processing, Applications*, Wiley-VCH Verlag GmbH & Co KGaA.
- [19] Wadley, Haydn N.G. (2002). *Celullar Metals Manufacturing*, Advanced Engineering Materials, Wiley-VCH, Verlag GmbH & Co. KGaA, Weinheim.
- [20] Zhao, Y.Y. & Sun, D.X. (2001). *A Novel Sintering-Dissolution Process for Manufacturing Al Foams*, Materials Science & Engineering, Departement of Engineering, The University of Liverpool. Scripta materialia 44, pages 105-110.
- [21] Stiller C, Buchkremer HP, Joos R, Stover D, Nelles H. (1998). Proc. PM World Congress. European Powder Metallurgy Association. vol. 5, p. 189.
- [22] Bram M, Stiller C, Buchkremer HP, Stover D, Bauer H. (2000). *Advanced Engineering Materials*;2:196.
- [23] Wheeler KR, Karagianes MT, Sump K.R. *Conf. Titanium Alloys in Surgical Implants*. Philadelphia, USA: American Societyfor Testing and Materials, 1983. p. 241.
- [24] Zhevnovatyi AI, Shenberg GF. (1965). *Soviet Powder Met Metal Ceramic* ;2:95.
- [25] Knuwer M, Weber M . Proc. (1998). *Powder Metallurgy World Congress*, Granada, Spain, 18–22 October, vol. 2:233.
- [26] TuchinskiyL, Loutfy R. (1997). *Metal foams*. In: Banhart J, Ashby MF, Fleck NA, editors. Proc. Fraunhofer USA Symposium on Metal Foams, Stanton, USA, 7–8 October. Bremen: MIT Press–Verlag, p. 23.
- [27] TuchinskiyL, Loutfy R. (1999). *Metal foams and porous metal structures*. In: Banhart J, Ashby MF, Fleck NA, editors. Int. Conf.,

- Bremen, Germany, 14–16 June. Bremen: MIT Press–Verlag, p. 189.
- [28] Jackel M. (1983). German Patent DE, 3,210,770.
- [29] Andersen O, Waag U, Schneider L, Stephani G, Kieback B. (2000). *Advanced Engineering Materials*;2:192.
- [30] Uslu C, Lee KJ, Sanders TH, Cochran JK (1997). In: Ward-Close CM, Froes FH, Chellman DJ, Cho SS, editors. *Proc. Conf. Synthesis of light-weight metallic materials II*, Orlando, USA, 9–13 February.
- [31] Nagel AL, Uslu C, Lee KJ, Cochran JK, Sanders TH (1997). In: Ward-Close CM, Froes FH, Chellman DJ, Cho SS, editors. *Proc. Conf. Synthesis of light-weight metallic materials II*, Orlando, USA, 9–13 February.
- [32] Sypeck DJ, Parrish PA, Wadley HNG. (1998). *Porous and cellular materials for structural applications*. In: Schwartz DS, Shih DS, Evans AG, WadleyHNG, editors. *MRS Symp. Proc.*, vol. 521, p. 205.
- [33] Clark JL, Hurysz KM, Lee KJ, Cochran JK, Sanders TH. (1999). *Metal foams and porous metal structures*. In: Banhart J, AshbyMF, Fleck NA, editors. *Int. Conf.*, Bremen, Germany, 14–16 June. Bremen: MIT Press–Verlag, p. 171.
- [34] Smarsly W, Track W. (1990). German Patent 3,902,032, 1990.
- [35] Amagi Y, Shiiki Z, Nakao M, Urawa S, Bunrin H. (1972). German Patent Application 2,218,455.
- [36] Nadler JH, Hurysz KM, Clark JL, Cochran JK, Lee KJ, Sanders TH. (1999). *Metal foams and porous metal structures*. In: Banhart J, AshbyMF, Fleck NA, editors. *Int. Conf.*, Bremen, Germany, 14–16 June. Bremen: MIT Press–Verlag, p. 179.
- [37] [www.metafoam.com](http://www.metafoam.com) Diakses sejak September 2009.
- [38] Ashby, M.F., *et al.* (2000). *Metal Foam : A Design Guide*, Butterworth-Heinemann.
- [39] Pfeifer, Michael. (2009). *Materials Enabled Designs, The Materials Engineering Perspective to Product Design & Manufacturing*, Butterworth-Heinemann, Copyright ©by Elsevier Inc. All rights reserved.
- [40] ASM International Handbook (1990). *Properties & Selection: Nonferrous Alloys & Special-Purpose Materials*, vol. 2.
- [41] <http://www.copper.org/resources/properties/microstructure/brasses.html> diakses sejak Oktober 2009.

- [42] <http://en.wikipedia.org/wiki/File:DSC01389.JPG>
- [43] Harjanto, Sri & Khalid Mawardi (2009). *Pengaruh Temperatur Sinter & Ukuran Partikel Garam Karbonat terhadap Struktur Pori Tembaga Busa dengan Metoda Sintering & Pelarutan Garam Karbonat*, Departemen Metalurgi & Material, Fakultas Teknik, Univesitas Indonesia, Depok.
- [44] Harjanto, Sri & Irwan (2009). *Copper Foam Manufacturing by The Process of Powder Metallurgy and Dissolution of Silica-Gel*, Departemen Metalurgi & Material, Fakultas Teknik, Univesitas Indonesia, Depok.
- [45] Castrodeza, Enrique M., et al. (2009). "Processing of Shape Memory CuZnAl Open-cell Foam by Molten Metal Infiltration", *Journal of Materials Engineering and Performance*, Springer New York, ISSN 1059-9495 (Print) 1544-1024 (Online), Volume 18, Numbers 5-6 / August, 2009, Pages 484-489.
- [46] German, Randall M. (1984). *Powder Metallurgy Science*, Metal Powder Industries Federation.
- [47] Kang, Suk-Joong L. (2005). *Sintering Densification, Grain Growth, and Microstructure*, Elsevier.
- [48] Goodhew, P.J. & Humphreys, F.J. (2001). *Electron Microscopy and Analysis*, 3<sup>rd</sup> edition, Taylor & Francis, London.
- [49] Sibilial, John P. (1996). *A Guide to Materials Characterization and Chemical Analysis*, 2<sup>nd</sup> edition, Wiley-VCH.
- [50] <http://www.staff.ncl.ac.uk/a.j.fletcher/adsorption.htm>
- [51] Feng, Yi., et all. (2002). "The Microstructure and Electrical Conductivity of Al Alloy Foams", *Materials Chemistry and Physics* 78, p 196–201.
- [52] Babscan, N. et all. (2003). *Thermal and Electrical Conductivity Measurements on Aluminum Foams*, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, Mat.wiss. u. Werkstofftech. 34, 391–394.

## DAFTAR PUSTAKA

- ASM International Handbook (1992). *Alloy Phase Diagrams*, vol. 3.
- ASM International Handbook (1992). *Metallography & Microstructures*, vol. 9.
- ASM International Handbook (1992). *Materials Characterization*, 3<sup>rd</sup> printing, vol. 10.
- ASM International Handbook (1992). *Nondestructive Evaluation and Quality Control*, 2<sup>nd</sup> printing, vol. 17.
- Brandes, E. A. & Brook, G. B. (1999). *Smithells Metals Reference Book*, 7<sup>th</sup> Edition, Butterworth-Heinemann.
- Brewin, Peter R., *et al.* (2008). *Modelling of Powder Die Compaction*, Springer.
- C. R. Hammond. (2006). *The Elements, in Handbook of Chemistry and Physics*, 81th edition. CRC press.
- Chandrawan, David. & Myrna, Ariati. (1999). *Metalurgi Serbuk, Teori & Aplikasi, Jilid 1*, Perpustakaan Metalurgi UI.
- Echlin, Patrick (2009). *Handbook of Sample Preparation for Scanning Electron Microscopy and X-Ray Microanalysis*, © Springer Science + Business Media, LLC.
- Garratt-Reed, A.J. & Bell, D.C. (2003). *Energy-Dispersive X-Ray Analysis in the Electron Microscope*, © BIOS Scientific Publishers Limited. This edition published in the Taylor & Francis e-Library, 2005.
- Higgins, Raymond A. (2006). *Materials for Engineer & Technicians*, 4<sup>th</sup> edition, Elsevier.
- Neikov, Oleg D. *et all* (2009). *Handbook of Non-Ferrous Metal Powders, Technologies & Applications*, 1<sup>st</sup> edition, Copyright © Elsevier Ltd. All rights reserved.
- Singh, U.K. & Dwivedi, Manish (2009). *Manufacturing Processes*, Copyright © New Age International (P) Ltd., Publishers.
- Upadhyaya, G.S. (2002). *Powder Metallurgy Technology*, Cambridge International Science Publishing.
- Yu, Hao, *et al.* (2007). *Effect of the metal foam materials on the performance of methanol steam micro-reformer for fuel cells*, Applied Catalysis.
- Zlateva, Ganka & Martinova, Zlatanka. (2008). *Microstructure of METALS &*

*ALLOYS, An Atlas of Transmission Electron Microscopy Images*, CRC Press.  
ASM International (2000). *Mechanical Testing and Evaluation*, Handbook vol.  
8.

