

DAFTAR PUSTAKA

- Bartlett JG, Gallant JE. (2005) . *Medical management of HIV infection* . Baltimore: Johns Hopkins University Division of Infectious Diseases;. Available online at hopkinsaids.edu/mmhiv/order.html
- Bratawidjaja, Karen G dan Rengganis Iris. (2009). *Imunologi dasar*. Edisi ke 8. Jakarta : FKUI.
- Baxter, Katen. (2008). *Stockley's drug interaction*, Great Britain: PhP Pharmaceutical Press.
- Burnet Indonesia (Macfarlane Burnet Institute for Medical Research and Public Health Limited). (2005). *Buku pegangan konselor HIV, edisi 2*. Diunduh dari www.burnet.internationalhealth.edu.au
- Cherry, C.L., dkk. (2006). Antiretroviral use and other risks for HIV-associated neuropathies in an international cohort. *Neurology*, 66,867-873.
- Crowe, Suzanne M., dkk. (1991). Predictive value of CD4 lymphocyte numbers for the development of opportunistic infection and malignancies in HIV-infected person, *Journal of Acquired Immuno Deficiency Syndrom*. 4:770-776. New York : Raven Press Ltd.
- Departemen Kesehatan Republik Indonesia. (2004). *Pedoman nasional terapi antiretroviral*. Jakarta . Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI. (2006). *Pedoman pelayanan kefarmasian untuk orang dengan HIV/AIDS*. Jakarta . Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI. (2007). *Pedoman nasional terapi antiretroviral*. Edisi kedua. Jakarta . Departemen Kesehatan Republik Indonesia.
- de Maat, Monique, dkk. (2003). Drug interactions between antiretroviral drugs and comedicated agents. *Clinic Pharmacokinetic*. 42 (3), 23-262. Actls International united.
- Ditjen PPM&PL Depkes RI. (2009). Statistik kasus HIV di Indonesia, dilaporkan s/d September 2009. Jakarta. Departemen Kesehatan Republik Indonesia.
- Dipiro, J.T. (2005). *Pharmacotherapy*. A Pathophysiologic approach. Sixth Edition. USA : McGraw-Hill Companies Inc.
- Dore, Gregory dan Sasadeusz, Joe. (2006). Koinfeksi HIV dan Hepatitis Virus. Australia. Australasian society for HIV Medicine Inc.
- Evan David. (2007). Pretreatment CD4 count predictor CD4 gains on treatment. UK-CHIC Study. Madrid. 11th European AIDS Conference.

Evering MD, Teresa H., & Markowitz Md, Martin. (2008). HIV-1 integrase inhibitor. from The PRN notebook. New York. Vol.13. *Physicians' Research Network*.

Greenbaum, Adena H., dkk. (2008). Effect of age and HAART Regimen on clinical respon in an Urban cohort of HIV infected individual. *AIDS NIH Public Access Author Manuscript*. 12:22(17).

Hughes R., Sabin C. dan Steem J. (2007). Long-term trend in CD4 count in patients HAART : UK-CHIC Study. Madrid 11th European AIDS Conference.

Jawetz, Melnick dan Adelberg. (2001). *Medical Microbiology*. twenty second Edition. USA : Mc. Graw-Hill Companies Inc.

Karp, G. (1999). *Cell and Molecular Biology*. Canada : John Willey & Sons, Inc.

Katzung, Bertram G. (2001). *Basic and Clinical Pharmacology*. Eight Edition. USA : Mc. Graw-Hill Companies Inc.

Knobel, dkk . (2008). Risk of side effect associated with the use of nevirapin in treatment naïve patient with respect of gender and CD4 cell count. *HIV Medicine*. 9. 14-18.

Kebba, Anthony. (2004). Therapeutic respon to AZT+3TC+EFV in advanced antiretroviral naïve HIV type 1-infected Ugandan patients. *Journal AIDS research and Human Retroviruses*. 18(16): 1181-187.

Lee, Anne. (2006). *Adverse drug reaction*. 2th Ed. Great Britain : Pharmaceutical Press. p.342.

Li, Taisheng. (2008). Three generic nevirapin based ARV treatment in chinese HIV/AIDS patient : multicentric obcervation cohort. China. *PLoS ONE* 3(12).

McEvoy, Gerald K. (2004). *AHFS Drug Information*. Amer Soc Health-System Pharmacists.

Minzi, OMS. (2009). HIV patients presenting common adverse drug event caused by Highly Active Antiretroviral Therapy (HAART) in Tanzania. *Tanzania Journal of Health Research*. 11:1

Price, Sylvia A. & Wilson Lorraine M. (1992). *Phathophysiology*. Clinical Concepts of Disease processes. four edition. Mrsby Year Book. Inc.

Robbins GK., Daniels B. dan Zheng H. (2007). Predictors of antiretroviral treatment failure in an urban HIV Clinic. *J.Acquir.Immune.Defic.Syndrom*. 44(1). 30-37.

Rahmadini, Yuliani. (2006). Perbandingan kenaikan jumlah CD4 rata-rata beberapa kombinasi antiretroviral pada pasien HIV/AIDS. Analisis data rekam medik RS kanker Darmas Jakarta. Depok : Farmasi UI.

Read, Jenifer S. dan Committe on Pediatric AIDS. (2007). *Pediatrics*. Diagnosis of HIV-infected in children younger than 18 month in the United State. USA : American Academy of Pediatrics.

Richman DD. dkk. (1987, Juli 23). The toxicity of azidothymidine (AZT) in the treatment of patient with AIDS and AIDS-related complex. *Nederland English Journal Medicine*. 317 (4), 192

Santoso, Singgih. (1998). Aplikasi excel dalam statistik bisnis. Jakarta : Elex Media Komputindo, Gramedia.

Sanne, Ian M. dkk. (2009). Long term outcome of antiretroviral therapy in larger HIV/AIDS care clinic in Urban South Africa : a prospective cohort study. *Journal of The International AIDSSociety*. 12: 38. California : Licensee Biomed Central Ltd.

Segeral, Oliver. (2009). Simplified assessment of ARV adherence and prediction of virological efficacy in HIV-infected patients in Cambodia. *AIDS Research and Treatment*.

Tan Ruimin, dkk. (2008). Clinical outcome of HIV-infected antiretroviral-naïve patient with discordant immunologic and virologic respon to highly active antiretroviral therapy. *J.Acquir.Immune.Defic.Syndrom*. 47(5). 553-557 (2008).

Tsibris MD, Athe. (2007). Up date on CCR5 inhibitor : Scientific rationale clinical evidence and anticipated uses. New York: from The PRN notebook. Vol.12. *Physicians' Research Network*.

Uyanto, Stanislaus S. (2009). *Pedoman analisis data dengan SPSS*. Edisi ketiga. Jakarta : Graha Ilmu.

WHO. (2008). Guideline antiretroviral therapy for HIV infection in adults and adolescents.

WHO. (2009). Rapid advice : Antiretroviral therapy for HIV infection in adults and adolescents.

Wibowo, Candra. (2002). *Penatalaksanaan baku dan menyeluruh pada HIV/AIDS*. dalam Cermin Dunia Kedokteran. No. 135 tahun 2002.

Wood E, dkk. (2003). Effect of medication adherence on survival of HIV-infected adults who strat HAART when CD4 cell count is 0.200 to $0.350 \times 10^6/L$. *Annals of Internal Medicine*. 139:810-816.