






LAMPIRAN 1 : Pengeluaran RSUD dan Dinas Kesehatan





(lanjutan)




Lampiran 2 : Pendidikan




Lampiran 3 : Pengeluaran rata-rata per kapita



Lampiran 4 : Persentase penduduk tinggal di pedesaan



Lampiran 5 : Angka kematian bayi



Lampiran 6 : Tabel output hasil regresi

Redundant Fixed Effects Tests

Pool: POOL01

Test cross-section fixed effects

Effects Test	Statistic	d.f.	Prob.
Cross-section F	186.617269	(24,71)	0.0000
Cross-section Chi-square	416.016185	24	0.0000

Cross-section fixed effects test equation:

Dependent Variable: LOG(IMR?)

Method: Panel Least Squares

Date: 07/13/10 Time: 17:00

Sample: 2005 2008

Included observations: 4

Cross-sections included: 25

Total pool (balanced) observations: 100

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	7.994677	0.794739	10.05950	0.0000
LOG(PPK?)	0.012623	0.014603	0.864402	0.3895
LOG(EXP?)	-0.216375	0.049312	-4.387849	0.0000
LOG(SD?)	-0.411796	0.093413	-4.408314	0.0000
DESA?	0.002207	0.000604	3.650840	0.0004
R-squared	0.749928	Mean dependent var		3.681187
Adjusted R-squared	0.739399	S.D. dependent var		0.193029
S.E. of regression	0.098540	Akaike info criterion		-1.748006
Sum squared resid	0.922459	Schwarz criterion		-1.617747
Log likelihood	92.40029	F-statistic		71.22263
Durbin-Watson stat	0.107081	Prob(F-statistic)		0.000000

(Lanjutan)

Correlated Random Effects - Hausman Test

Pool: POOL01

Test cross-section random effects

Test Summary	Chi-Sq. Statistic	Chi-Sq. d.f.	Prob.
Cross-section random	25.723941	4	0.0000

Cross-section random effects test comparisons:

Variable	Fixed	Random	Var(Diff.)	Prob.
LOG(PPK?)	-0.021277	-0.015924	0.000007	0.0471
LOG(EXP?)	-0.068922	-0.065981	0.000029	0.5835
LOG(SD?)	-0.031853	-0.081571	0.000115	0.0000
DESA?	0.000958	0.002081	0.000000	0.0001

Cross-section random effects test equation:

Dependent Variable: LOG(IMR?)

Method: Panel Least Squares

Date: 07/13/10 Time: 17:02

Sample: 2005 2008

Included observations: 4

Cross-sections included: 25

Total pool (balanced) observations: 100

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	4.889627	0.240125	20.36283	0.0000
LOG(PPK?)	-0.021277	0.008908	-2.388423	0.0196
LOG(EXP?)	-0.068922	0.017440	-3.951870	0.0002
LOG(SD?)	-0.031853	0.036698	-0.867979	0.3883
DESA?	0.000958	0.000511	1.875517	0.0648

Effects Specification

Cross-section fixed (dummy variables)

R-squared	0.996098	Mean dependent var	3.681187
Adjusted R-squared	0.994559	S.D. dependent var	0.193029
S.E. of regression	0.014239	Akaike info criterion	-5.428168
Sum squared resid	0.014395	Schwarz criterion	-4.672668
Log likelihood	300.4084	F-statistic	647.2505
Durbin-Watson stat	1.243533	Prob(F-statistic)	0.000000

(Lanjutan)

Dependent Variable: LOG(IMR?)
Method: Pooled EGLS (Cross-section weights)
Date: 07/13/10 Time: 17:03
Sample: 2005 2008
Included observations: 4
Cross-sections included: 25
Total pool (balanced) observations: 100
Linear estimation after one-step weighting matrix
White cross-section standard errors & covariance (d.f. corrected)

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	4.576191	0.177037	25.84874	0.0000
LOG(PPK?)	-0.026182	0.002071	-12.64125	0.0000
LOG(EXP?)	-0.044099	0.012547	-3.514627	0.0008
LOG(SD?)	-0.027058	0.027087	-0.998955	0.3212
DESA?	0.001628	0.000403	4.037812	0.0001
Fixed Effects (Cross)				
_BOGOR--C	0.013963			
_SUKABUMI--C	0.013924			
_CIANJUR--C	0.076315			
_BANDUNG--C	0.063831			
_GARUT--C	0.203422			
_TASIKMALAYA--C	0.005393			
_CIAMIS--C	0.141959			
_KUNINGAN--C	-0.007388			
_CIREBON--C	0.250603			
_MAJALENGKA--C	0.048414			
_SUMEDANG--C	-0.053619			
_INDRAMAYU--C	0.151994			
_SUBANG--C	-0.058613			
_PURWAKARTA--C	-0.002646			
_KARAWANG--C	0.138765			
_BEKASI--C	0.109991			
_KBOGOR--C	-0.351609			
_KSUKABUMI--C	-0.120086			
_KBANDUNG--C	-0.044588			
_KCIREBON--C	-0.113480			
_KBEKASI--C	-0.170012			
_KDEPOK--C	-0.290545			
_KCIMAHI--C	-0.146565			
_KTASIKMALAYA--C	0.057572			
_KBANJAR--C	0.083007			


Effects Specification

(lanjutan)

Cross-section fixed (dummy variables)

Weighted Statistics			
R-squared	0.998286	Mean dependent var	4.874691
Adjusted R-squared	0.997610	S.D. dependent var	1.962817
S.E. of regression	0.013763	Sum squared resid	0.013448
F-statistic	1476.786	Durbin-Watson stat	1.625203
Prob(F-statistic)	0.000000		

Unweighted Statistics			
R-squared	0.998089	Mean dependent var	3.681187
Sum squared resid	0.014990	Durbin-Watson stat	1.272509



(Lanjutan)

Redundant Fixed Effects Tests

Pool: MODEL2

Test cross-section fixed effects

Effects Test	Statistic	d.f.	Prob.
Cross-section F	226.618665	(24,71)	0.0000
Cross-section Chi-square	435.161243	24	0.0000

Cross-section fixed effects test equation:

Dependent Variable: LOG(IMR?)

Method: Panel Least Squares

Date: 07/13/10 Time: 17:04

Sample: 2005 2008

Included observations: 4

Cross-sections included: 25

Total pool (balanced) observations: 100

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	6.031961	0.703378	8.575706	0.0000
LOG(PPK?)	0.011263	0.015625	0.720846	0.4728
LOG(EXP?)	-0.156283	0.056989	-2.742318	0.0073
LOG(SMP?)	-0.155344	0.069471	-2.236106	0.0277
DESA?	0.001953	0.000873	2.236239	0.0277

R-squared	0.713835	Mean dependent var	3.681187
Adjusted R-squared	0.701786	S.D. dependent var	0.193029
S.E. of regression	0.105411	Akaike info criterion	-1.613186
Sum squared resid	1.055597	Schwarz criterion	-1.482928
Log likelihood	85.65931	F-statistic	59.24407
Durbin-Watson stat	0.064929	Prob(F-statistic)	0.000000

(Lanjutan)

Correlated Random Effects - Hausman Test

Pool: MODEL2

Test cross-section random effects

Test Summary	Chi-Sq. Statistic	Chi-Sq. d.f.	Prob.
Cross-section random	18.554116	4	0.0010

Cross-section random effects test comparisons:

Variable	Fixed	Random	Var(Diff.)	Prob.
LOG(PPK?)	-0.017823	-0.014240	0.000006	0.1394
LOG(EXP?)	-0.068873	-0.063175	0.000024	0.2422
LOG(SMP?)	-0.038613	-0.051177	0.000011	0.0001
DESA?	0.000693	0.001506	0.000000	0.0006

Cross-section random effects test equation:

Dependent Variable: LOG(IMR?)

Method: Panel Least Squares

Date: 07/13/10 Time: 17:05

Sample: 2005 2008

Included observations: 4

Cross-sections included: 25

Total pool (balanced) observations: 100

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	4.863871	0.177133	27.45882	0.0000
LOG(PPK?)	-0.017823	0.008779	-2.030321	0.0461
LOG(EXP?)	-0.068873	0.016823	-4.094022	0.0001
LOG(SMP?)	-0.038613	0.017383	-2.221286	0.0295
DESA?	0.000693	0.000498	1.390790	0.1686

Effects Specification

Cross-section fixed (dummy variables)

R-squared	0.996312	Mean dependent var	3.681187
Adjusted R-squared	0.994858	S.D. dependent var	0.193029
S.E. of regression	0.013841	Akaike info criterion	-5.484799
Sum squared resid	0.013602	Schwarz criterion	-4.729299
Log likelihood	303.2399	F-statistic	685.1104
Durbin-Watson stat	1.262088	Prob(F-statistic)	0.000000

(Lanjutan)

Dependent Variable: LOG(IMR?)
Method: Pooled EGLS (Cross-section weights)
Date: 07/13/10 Time: 17:06
Sample: 2005 2008
Included observations: 4
Cross-sections included: 25
Total pool (balanced) observations: 100
Linear estimation after one-step weighting matrix
White cross-section standard errors & covariance (d.f. corrected)

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	4.528157	0.120326	37.63242	0.0000
LOG(PPK?)	-0.025377	0.001743	-14.55750	0.0000
LOG(EXP?)	-0.039870	0.010146	-3.929844	0.0002
LOG(SMP?)	-0.033949	0.007243	-4.687008	0.0000
DESA?	0.001396	0.000207	6.752125	0.0000
Fixed Effects (Cross)				
_BOGOR--C	0.013805			
_SUKABUMI--C	0.011069			
_CIANJUR--C	0.062846			
_BANDUNG--C	0.066074			
_GARUT--C	0.202360			
_TASIKMALAYA--C	-0.000901			
_CIAMIS--C	0.139515			
_KUNINGAN--C	-0.009167			
_CIREBON--C	0.246965			
_MAJALENGKA--C	0.041429			
_SUMEDANG--C	-0.051807			
_INDRAMAYU--C	0.153377			
_SUBANG--C	-0.053350			
_PURWAKARTA--C	0.001246			
_KARAWANG--C	0.142210			
_BEKASI--C	0.115042			
_KBOGOR--C	-0.351120			
_KSUKABUMI--C	-0.122702			
_KBANDUNG--C	-0.041099			
_KCIREBON--C	-0.111496			
_KBEKASI--C	-0.164069			
_KDEPOK--C	-0.285397			
_KCIMAHI--C	-0.142173			
_KTASIKMALAYA--C	0.056701			
_KBANJAR--C	0.080643			

Effects Specification

(lanjutan)

Cross-section fixed (dummy variables)

Weighted Statistics			
R-squared	0.998244	Mean dependent var	4.805566
Adjusted R-squared	0.997551	S.D. dependent var	1.837173
S.E. of regression	0.013246	Sum squared resid	0.012457
F-statistic	1441.420	Durbin-Watson stat	1.637059
Prob(F-statistic)	0.000000		

Unweighted Statistics			
R-squared	0.997982	Mean dependent var	3.681187
Sum squared resid	0.014311	Durbin-Watson stat	1.265956

