

Lampiran 1 15 End user

```

<?xml version="1.0" ?>
<!DOCTYPE config SYSTEM "dtd-VNEControlCfg.dtd">
<config>
    <devices>
        <switch name="switch-1">
            <interface bridge="br0" name="eth0"/>
            <interface bridge="br0" name="eth1"/>
            <interface bridge="br0" name="eth2"/>
            <interface bridge="br0" name="eth3"/>
            <interface bridge="br0" name="eth4"/>
            <interface bridge="br0" name="eth5"/>
            <interface bridge="br0" name="eth6"/>
            <interface bridge="br0" name="eth7"/>
            <interface bridge="br0" name="eth8"/>
            <interface bridge="br0" name="eth9"/>
            <interface bridge="br0" name="eth10"/>
            <interface bridge="br0" name="eth11"/>
            <interface bridge="br0" name="eth12"/>
            <interface bridge="br0" name="eth13"/>
            <interface bridge="br0" name="eth14"/>
            <interface bridge="br0" name="eth15"/>
            <interface bridge="br0" name="eth16"/>
            <interface bridge="br0" name="eth17"/>
            <interface bridge="br0" name="eth18"/>
            <interface bridge="br0" name="eth19"/>
            <interface bridge="br0" name="eth20"/>
            <interface bridge="br0" name="eth21"/>
            <interface bridge="br0" name="eth22"/>
            <interface bridge="br0" name="eth23"/>
            <interface bridge="br0" name="eth24"/>
            <interface bridge="br0" name="eth25"/>
            <interface bridge="br0" name="eth26"/>
            <interface bridge="br0" name="eth27"/>
        </switch>
        <host name="ES-1">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.2"/>
            </interface>
        </host>
        <host name="ES-2">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.9"/>
            </interface>
        </host>
    </devices>
</config>

```

```

<host name="ES-3">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.11"/>
    </interface>
</host>
<host name="ES-4">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.13"/>
    </interface>
</host>
<host name="vlsr-1">
    <dragon narb="192.168.1.10" role="vlsr"/>
    <interface name="eth1"/>
    <interface name="eth2"/>
    <interface name="eth3"/>
    <interface name="eth4"/>
    <interface name="eth5"/>
    <interface name="eth6"/>
    <interface name="eth7"/>
    <interface name="eth8"/>
    <interface name="eth9"/>
    <interface name="eth10"/>
    <interface name="eth11"/>
    <interface name="eth12"/>
    <interface name="eth13"/>
    <interface name="eth14"/>
    <interface name="eth15"/>
    <interface name="eth16"/>
    <interface name="eth17"/>
    <interface name="eth18"/>
    <interface name="eth19"/>

    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.4"/>
    </interface>
</host>

<host name="vlsr-2">
    <dragon narb="192.168.1.10" narbintra="gre1"
role="vlsr"/>
    <interface name="eth1"/>
    <interface name="eth2"/>
    <interface name="eth3"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.6"/>
    </interface>
</host>
<host name="vlsr-3">
    <dragon narb="192.168.1.10" role="vlsr"/>
    <interface name="eth1"/>
    <interface name="eth2"/>

```

```

        <interface name="eth3"/>
        <interface name="eth4"/>
        <interface name="eth5"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.3"/>
        </interface>
    </host>
    <host name="vlsr-4">
        <dragon narb="192.168.1.10" role="vlsr"/>
        <interface name="eth1"/>
        <interface name="eth2"/>
        <interface name="eth3"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.8"/>
        </interface>
    </host>
    <host name="ES-5">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.12"/>
        </interface>
    </host>
    <host name="ES-6">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.14"/>
        </interface>
    </host>
    <host name="ES-7">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.15"/>
        </interface>
    </host>
    <host name="ES-8">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.16"/>
        </interface>
    </host>
    <host name="ES-9">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.17"/>
        </interface>
    </host>
    <host name="ES-10">

```

```

<dragon narb="192.168.1.10" role="p2p-csa"/>
<interface name="eth1"/>
<interface loopback="True" name="eth0">
    <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.18"/>
    </interface>
</host>

<host name="ES-11">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.19"/>
        </interface>
    </host>
    <host name="ES-12">
        <dragon narb="192.168.1.10" role="p2p-csa"/>
        <interface name="eth1"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.20"/>
            </interface>
        </host>
        <host name="ES-13">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.21"/>
                </interface>
            </host>
            <host name="ES-14">
                <dragon narb="192.168.1.10" role="p2p-csa"/>
                <interface name="eth1"/>
                <interface loopback="True" name="eth0">
                    <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.22"/>
                    </interface>
                </host>
                <host name="ES-15">
                    <dragon narb="192.168.1.10" role="p2p-csa"/>
                    <interface name="eth1"/>
                    <interface loopback="True" name="eth0">
                        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.23"/>
                        </interface>
                    </host>
                    <host name="narb-1">
                        <dragon narbdomain="192.168.0.0"
narbintra="gre1" role="narb"/>
                        <interface loopback="True" name="eth0">
                            <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.10"/>
                            </interface>
                        </host>
                    </devices>
                    <connections>

```

```

<connection>
    <device interface="eth4" name="switch-1"/>
    <device interface="eth0" name="ES-1"/>
</connection>
<connection>
    <device interface="eth0" name="switch-1"/>
    <device interface="eth0" name="ES-2"/>
</connection>
<connection>
    <device interface="eth6" name="switch-1"/>
    <device interface="eth0" name="ES-3"/>
</connection>
<connection>
    <device interface="eth8" name="switch-1"/>
    <device interface="eth0" name="ES-4"/>
</connection>
<connection>
    <device interface="eth2" name="switch-1"/>
    <device interface="eth0" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth3" name="switch-1"/>
    <device interface="eth0" name="vlsr-2"/>
</connection>
<connection>
    <device interface="eth7" name="switch-1"/>
    <device interface="eth0" name="vlsr-3"/>
</connection>
<connection>
    <device interface="eth1" name="switch-1"/>
    <device interface="eth0" name="vlsr-4"/>
</connection>
<connection>
    <device interface="eth9" name="switch-1"/>
    <device interface="eth0" name="ES-5"/>
</connection>
<connection>
    <device interface="eth10" name="switch-1"/>
    <device interface="eth0" name="ES-6"/>
</connection>
<connection>
    <device interface="eth11" name="switch-1"/>
    <device interface="eth0" name="ES-7"/>
</connection>
<connection>
    <device interface="eth12" name="switch-1"/>
    <device interface="eth0" name="ES-8"/>
</connection>
<connection>
    <device interface="eth13" name="switch-1"/>
    <device interface="eth0" name="ES-9"/>
</connection>
<connection>
    <device interface="eth14" name="switch-1"/>
    <device interface="eth0" name="ES-10"/>
</connection>
<connection>
    <device interface="eth15" name="switch-1"/>
    <device interface="eth0" name="ES-11"/>

```

```

    </connection>
<connection>
    <device interface="eth16" name="switch-1"/>
    <device interface="eth0" name="ES-12"/>
</connection>
<connection>
    <device interface="eth17" name="switch-1"/>
    <device interface="eth0" name="ES-13"/>
</connection>
<connection>
    <device interface="eth18" name="switch-1"/>
    <device interface="eth0" name="ES-14"/>
</connection>
<connection>
    <device interface="eth19" name="switch-1"/>
    <device interface="eth0" name="ES-15"/>
</connection>

<connection>
    <device interface="eth5" name="switch-1"/>
    <device interface="eth0" name="narb-1"/>
</connection>

<gretunnel mask="10.1.6.0/30" name="gre1">
    <device interface="eth0" name="vlsr-2"/>
    <device interface="eth0" name="narb-1"/>
</gretunnel>
<connection>
    <device interface="eth1" name="ES-1"/>
    <device interface="eth1" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="vlsr-2"/>
    <device interface="eth2" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-2"/>
    <device interface="eth5" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-3"/>
    <device interface="eth1" name="vlsr-3"/>
</connection>
<connection>
    <device interface="eth1" name="ES-4"/>
    <device interface="eth7" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth3" name="vlsr-2"/>
    <device interface="eth2" name="vlsr-3"/>
</connection>
<connection>
    <device interface="eth3" name="vlsr-3"/>
    <device interface="eth3" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth4" name="vlsr-1"/>
    <device interface="eth1" name="vlsr-4"/>
</connection>

```

```

<connection>
    <device interface="eth4" name="vlsr-3"/>
    <device interface="eth2" name="vlsr-4"/>
</connection>

<connection>
    <device interface="eth1" name="ES-5"/>
    <device interface="eth8" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-6"/>
    <device interface="eth9" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-7"/>
    <device interface="eth10" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth2" name="ES-8"/>
    <device interface="eth11" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-9"/>
    <device interface="eth12" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-10"/>
    <device interface="eth13" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-11"/>
    <device interface="eth14" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-12"/>
    <device interface="eth15" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-13"/>
    <device interface="eth16" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-14"/>
    <device interface="eth17" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-15"/>
    <device interface="eth18" name="vlsr-1"/>
</connection>

<gretunnel mask="10.1.1.0/30" name="gre2">
temask="11.1.1.0/30">
    <device interface="eth0" name="ES-1"
switchport="eth1"/>
    <device interface="eth0" name="vlsr-1"
switchport="eth1"/>
</gretunnel>

```

```

        <gretunnel mask="10.1.7.0/30" name="gre7"
temask="11.1.7.0/30">
            <device interface="eth0" name="ES-2"
switchport="eth2"/>
            <device interface="eth0" name="vlsr-1"
switchport="eth5"/>
        </gretunnel>
        <gretunnel mask="10.1.8.0/30" name="gre8"
temask="11.1.8.0/30">
            <device interface="eth0" name="vlsr-3"
switchport="eth3"/>
            <device interface="eth0" name="vlsr-1"
switchport="eth3"/>
        </gretunnel>
        <gretunnel mask="10.1.9.0/30" name="gre9"
temask="11.1.9.0/30">
            <device interface="eth0" name="vlsr-3"
switchport="eth4"/>
            <device interface="eth0" name="vlsr-4"
switchport="eth2"/>
        </gretunnel>
        <gretunnel mask="10.1.10.0/30" name="gre10"
temask="11.1.10.0/30">
            <device interface="eth0" name="ES-4"
switchport="eth1"/>
            <device interface="eth0" name="vlsr-1"
switchport="eth7"/>
        </gretunnel>
        <gretunnel mask="10.1.2.0/30" name="gre3"
temask="11.1.2.0/30">
            <device interface="eth0" name="ES-5"
switchport="eth2"/>
            <device interface="eth0" name="vlsr-1"
switchport="eth1"/>
        </gretunnel>
        <gretunnel mask="10.1.5.0/30" name="gre4"
temask="11.1.5.0/30">
            <device interface="eth0" name="vlsr-3"
switchport="eth1"/>
            <device interface="eth0" name="ES-3"
switchport="eth1"/>
        </gretunnel>
        <gretunnel mask="10.1.4.0/30" name="gre5"
temask="11.1.4.0/30">
            <device interface="eth0" name="vlsr-2"
switchport="eth3"/>
            <device interface="eth0" name="vlsr-4"
switchport="eth2"/>
        </gretunnel>
        <gretunnel mask="10.1.3.0/30" name="gre6"
temask="11.1.3.0/30">
            <device interface="eth0" name="vlsr-1"
switchport="eth4"/>
            <device interface="eth0" name="vlsr-4"
switchport="eth1"/>
        </gretunnel>
        <gretunnel mask="10.1.11.0/30" name="gre11"
temask="11.1.11.0/30">

```

```

        <device interface="eth0" name="ES-5"
switchport="eth1"/>
        <device interface="eth0" name="vlsr-1"
switchport="eth8"/>
        </gretunnel>
        <gretunnel mask="10.1.12.0/30" name="gre12"
temask="11.1.12.0/30">
            <device interface="eth0" name="ES-6"
switchport="eth1"/>
            <device interface="eth0" name="vlsr-1"
switchport="eth9"/>
            </gretunnel>
            <gretunnel mask="10.1.13.0/30" name="gre13"
temask="11.1.13.0/30">
                <device interface="eth0" name="ES-7"
switchport="eth1"/>
                <device interface="eth0" name="vlsr-1"
switchport="eth10"/>
                </gretunnel>
                <gretunnel mask="10.1.14.0/30" name="gre14"
temask="11.1.14.0/30">
                    <device interface="eth0" name="ES-8"
switchport="eth1"/>
                    <device interface="eth0" name="vlsr-1"
switchport="eth11"/>
                    </gretunnel>
                    <gretunnel mask="10.1.15.0/30" name="gre15"
temask="11.1.15.0/30">
                        <device interface="eth0" name="ES-9"
switchport="eth1"/>
                        <device interface="eth0" name="vlsr-1"
switchport="eth12"/>
                        </gretunnel>
                        <gretunnel mask="10.1.16.0/30" name="gre16"
temask="11.1.16.0/30">
                            <device interface="eth0" name="ES-10"
switchport="eth1"/>
                            <device interface="eth0" name="vlsr-1"
switchport="eth13"/>
                            </gretunnel>
                            <gretunnel mask="10.1.17.0/30" name="gre17"
temask="11.1.17.0/30">
                                <device interface="eth0" name="ES-11"
switchport="eth1"/>
                                <device interface="eth0" name="vlsr-1"
switchport="eth14"/>
                                </gretunnel>
                                <gretunnel mask="10.1.18.0/30" name="gre18"
temask="11.1.18.0/30">
                                    <device interface="eth0" name="ES-12"
switchport="eth1"/>
                                    <device interface="eth0" name="vlsr-1"
switchport="eth15"/>
                                    </gretunnel>
                                    <gretunnel mask="10.1.19.0/30" name="gre19"
temask="11.1.19.0/30">
                                        <device interface="eth0" name="ES-13"
switchport="eth1"/>

```

```
        <device interface="eth0" name="vlsr-1"
switchport="eth16"/>
    </gretunnel>
    <gretunnel mask="10.1.20.0/30" name="gre20"
temask="11.1.20.0/30">
        <device interface="eth0" name="ES-14"
switchport="eth17"/>
        <device interface="eth0" name="vlsr-1"
switchport="eth1"/>
    </gretunnel>
    <gretunnel mask="10.1.21.0/30" name="gre21"
temask="11.1.21.0/30">
        <device interface="eth0" name="ES-15"
switchport="eth18"/>
        <device interface="eth0" name="vlsr-1"
switchport="eth1"/>
    </gretunnel>

</connections>
</config>
```



Lampiran 2 16 end user

```

<?xml version="1.0" ?>
<!DOCTYPE config SYSTEM "dtd-VNEControlCfg.dtd">
<config>
    <devices>
        <switch name="switch-1">
            <interface bridge="br0" name="eth0"/>
            <interface bridge="br0" name="eth1"/>
            <interface bridge="br0" name="eth2"/>
            <interface bridge="br0" name="eth3"/>
            <interface bridge="br0" name="eth4"/>
            <interface bridge="br0" name="eth5"/>
            <interface bridge="br0" name="eth6"/>
            <interface bridge="br0" name="eth7"/>
            <interface bridge="br0" name="eth8"/>
            <interface bridge="br0" name="eth9"/>
            <interface bridge="br0" name="eth10"/>
            <interface bridge="br0" name="eth11"/>
            <interface bridge="br0" name="eth12"/>
            <interface bridge="br0" name="eth13"/>
            <interface bridge="br0" name="eth14"/>
            <interface bridge="br0" name="eth15"/>
            <interface bridge="br0" name="eth16"/>
            <interface bridge="br0" name="eth17"/>
            <interface bridge="br0" name="eth18"/>
            <interface bridge="br0" name="eth19"/>
            <interface bridge="br0" name="eth20"/>
        </switch>
        <host name="ES-1">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.2"/>
            </interface>
        </host>
        <host name="ES-2">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.9"/>
            </interface>
        </host>
        <host name="ES-3">
            <dragon narb="192.168.1.10" role="p2p-csa"/>
            <interface name="eth1"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.11"/>
            </interface>
        </host>
        <host name="ES-4">
    
```

```
<dragon narb="192.168.1.10" role="p2p-csa"/>
<interface name="eth1"/>
<interface loopback="True" name="eth0">
    <ipv4 netmask="255.255.0.0">
broadcast="192.168.255.255" addr="192.168.1.13"/>
    </interface>
</host>
<host name="vlsr-1">
    <dragon narb="192.168.1.10" role="vlsr"/>
    <interface name="eth1"/>
    <interface name="eth2"/>
    <interface name="eth3"/>
    <interface name="eth4"/>
    <interface name="eth5"/>
    <interface name="eth6"/>
    <interface name="eth7"/>
    <interface name="eth8"/>
    <interface name="eth9"/>
    <interface name="eth10"/>
    <interface name="eth11"/>
    <interface name="eth12"/>
    <interface name="eth13"/>
    <interface name="eth14"/>
    <interface name="eth15"/>
    <interface name="eth16"/>
    <interface name="eth17"/>
    <interface name="eth18"/>
    <interface name="eth19"/>

    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0">
broadcast="192.168.255.255" addr="192.168.1.4"/>
        </interface>
    </host>

    <host name="vlsr-2">
        <dragon narb="192.168.1.10" narbintra="gre1" role="vlsr"/>
        <interface name="eth1"/>
        <interface name="eth2"/>
        <interface name="eth3"/>
        <interface loopback="True" name="eth0">
            <ipv4 netmask="255.255.0.0">
broadcast="192.168.255.255" addr="192.168.1.6"/>
            </interface>
        </host>
        <host name="vlsr-3">
            <dragon narb="192.168.1.10" role="vlsr"/>
            <interface name="eth1"/>
            <interface name="eth2"/>
            <interface name="eth3"/>
            <interface name="eth4"/>
            <interface name="eth5"/>
            <interface loopback="True" name="eth0">
                <ipv4 netmask="255.255.0.0">
broadcast="192.168.255.255" addr="192.168.1.3"/>
                </interface>
            </host>
```

```

<host name="vlsr-4">
    <dragon narb="192.168.1.10" role="vlsr"/>
    <interface name="eth1"/>
    <interface name="eth2"/>
    <interface name="eth3"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.8"/>
    </interface>
</host>
<host name="ES-5">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.12"/>
    </interface>
</host>
<host name="ES-6">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.14"/>
    </interface>
</host>
<host name="ES-7">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.15"/>
    </interface>
</host>
<host name="ES-8">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.16"/>
    </interface>
</host>
<host name="ES-9">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.17"/>
    </interface>
</host>
<host name="ES-10">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.18"/>
    </interface>

```

```

</host>

<host name="ES-11">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.19"/>
    </interface>
</host>
<host name="ES-12">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.20"/>
    </interface>
</host>
<host name="ES-13">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.21"/>
    </interface>
</host>
<host name="ES-14">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.22"/>
    </interface>
</host>
<host name="ES-15">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.23"/>
    </interface>
</host>
<host name="ES-16">
    <dragon narb="192.168.1.10" role="p2p-csa"/>
    <interface name="eth1"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.24"/>
    </interface>
</host>

<host name="narb-1">
    <dragon narbdomain="192.168.0.0" narbintra="gre1"
role="narb"/>
    <interface loopback="True" name="eth0">
        <ipv4 netmask="255.255.0.0"
broadcast="192.168.255.255" addr="192.168.1.10"/>

```

```

        </interface>
    </host>

</devices>
<connections>
    <connection>
        <device interface="eth4" name="switch-1"/>
        <device interface="eth0" name="ES-1"/>
    </connection>
    <connection>
        <device interface="eth0" name="switch-1"/>
        <device interface="eth0" name="ES-2"/>
    </connection>
    <connection>
        <device interface="eth6" name="switch-1"/>
        <device interface="eth0" name="ES-3"/>
    </connection>
    <connection>
        <device interface="eth8" name="switch-1"/>
        <device interface="eth0" name="ES-4"/>
    </connection>
    <connection>
        <device interface="eth2" name="switch-1"/>
        <device interface="eth0" name="vlsr-1"/>
    </connection>
    <connection>
        <device interface="eth3" name="switch-1"/>
        <device interface="eth0" name="vlsr-2"/>
    </connection>
    <connection>
        <device interface="eth7" name="switch-1"/>
        <device interface="eth0" name="vlsr-3"/>
    </connection>
    <connection>
        <device interface="eth1" name="switch-1"/>
        <device interface="eth0" name="vlsr-4"/>
    </connection>
    <connection>
        <device interface="eth9" name="switch-1"/>
        <device interface="eth0" name="ES-5"/>
    </connection>
    <connection>
        <device interface="eth10" name="switch-1"/>
        <device interface="eth0" name="ES-6"/>
    </connection>
    <connection>
        <device interface="eth11" name="switch-1"/>
        <device interface="eth0" name="ES-7"/>
    </connection>
    <connection>
        <device interface="eth12" name="switch-1"/>
        <device interface="eth0" name="ES-8"/>
    </connection>
    <connection>
        <device interface="eth13" name="switch-1"/>
        <device interface="eth0" name="ES-9"/>
    </connection>

```

```

<connection>
    <device interface="eth14" name="switch-1"/>
    <device interface="eth0" name="ES-10"/>
</connection>
<connection>
    <device interface="eth15" name="switch-1"/>
    <device interface="eth0" name="ES-11"/>
</connection>
<connection>
    <device interface="eth16" name="switch-1"/>
    <device interface="eth0" name="ES-12"/>
</connection>
<connection>
    <device interface="eth17" name="switch-1"/>
    <device interface="eth0" name="ES-13"/>
</connection>
<connection>
    <device interface="eth18" name="switch-1"/>
    <device interface="eth0" name="ES-14"/>
</connection>
<connection>
    <device interface="eth19" name="switch-1"/>
    <device interface="eth0" name="ES-15"/>
</connection>
<connection>
    <device interface="eth20" name="switch-1"/>
    <device interface="eth0" name="ES-16"/>
</connection>

<connection>
    <device interface="eth5" name="switch-1"/>
    <device interface="eth0" name="narb-1"/>
</connection>

<gretunnel mask="10.1.6.0/30" name="gre1">
    <device interface="eth0" name="vlsr-2"/>
    <device interface="eth0" name="narb-1"/>
</gretunnel>
<connection>
    <device interface="eth1" name="ES-1"/>
    <device interface="eth1" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="vlsr-2"/>
    <device interface="eth2" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-2"/>
    <device interface="eth5" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-3"/>
    <device interface="eth1" name="vlsr-3"/>
</connection>
<connection>
    <device interface="eth1" name="ES-4"/>
    <device interface="eth7" name="vlsr-1"/>

```

```
</connection>
<connection>
    <device interface="eth3" name="vlsr-2"/>
    <device interface="eth2" name="vlsr-3"/>
</connection>
<connection>
    <device interface="eth3" name="vlsr-3"/>
    <device interface="eth3" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth4" name="vlsr-1"/>
    <device interface="eth1" name="vlsr-4"/>
</connection>
<connection>
    <device interface="eth4" name="vlsr-3"/>
    <device interface="eth2" name="vlsr-4"/>
</connection>

<connection>
    <device interface="eth1" name="ES-5"/>
    <device interface="eth8" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-6"/>
    <device interface="eth9" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-7"/>
    <device interface="eth10" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth2" name="ES-8"/>
    <device interface="eth11" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-9"/>
    <device interface="eth12" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-10"/>
    <device interface="eth13" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-11"/>
    <device interface="eth14" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-12"/>
    <device interface="eth15" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-13"/>
    <device interface="eth16" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-14"/>
    <device interface="eth17" name="vlsr-1"/>
```

```

    </connection>
<connection>
    <device interface="eth1" name="ES-15"/>
    <device interface="eth18" name="vlsr-1"/>
</connection>
<connection>
    <device interface="eth1" name="ES-16"/>
    <device interface="eth19" name="vlsr-1"/>
</connection>

<gretunnel mask="10.1.1.0/30" name="gre2" temask="11.1.1.0/30">
    <device interface="eth0" name="ES-1" switchport="eth1"/>
    <device interface="eth0" name="vlsr-1" switchport="eth1"/>
</gretunnel>
<gretunnel mask="10.1.7.0/30" name="gre7" temask="11.1.7.0/30">
    <device interface="eth0" name="ES-2" switchport="eth2"/>
    <device interface="eth0" name="vlsr-1" switchport="eth5"/>
</gretunnel>
<gretunnel mask="10.1.8.0/30" name="gre8" temask="11.1.8.0/30">
    <device interface="eth0" name="vlsr-3" switchport="eth3"/>
    <device interface="eth0" name="vlsr-1" switchport="eth3"/>
</gretunnel>
<gretunnel mask="10.1.9.0/30" name="gre9" temask="11.1.9.0/30">
    <device interface="eth0" name="vlsr-3" switchport="eth4"/>
    <device interface="eth0" name="vlsr-4" switchport="eth2"/>
</gretunnel>
<gretunnel mask="10.1.10.0/30" name="gre10"
temask="11.1.10.0/30">
    <device interface="eth0" name="ES-4" switchport="eth1"/>
    <device interface="eth0" name="vlsr-1" switchport="eth7"/>
</gretunnel>
<gretunnel mask="10.1.2.0/30" name="gre3" temask="11.1.2.0/30">
    <device interface="eth0" name="ES-5" switchport="eth2"/>
    <device interface="eth0" name="vlsr-1" switchport="eth1"/>
</gretunnel>
<gretunnel mask="10.1.5.0/30" name="gre4" temask="11.1.5.0/30">
    <device interface="eth0" name="vlsr-3" switchport="eth1"/>
    <device interface="eth0" name="ES-3" switchport="eth1"/>
</gretunnel>
<gretunnel mask="10.1.4.0/30" name="gre5" temask="11.1.4.0/30">
    <device interface="eth0" name="vlsr-2" switchport="eth3"/>
    <device interface="eth0" name="vlsr-4" switchport="eth2"/>
</gretunnel>
<gretunnel mask="10.1.3.0/30" name="gre6" temask="11.1.3.0/30">
    <device interface="eth0" name="vlsr-1" switchport="eth4"/>
    <device interface="eth0" name="vlsr-4" switchport="eth1"/>
</gretunnel>
<gretunnel mask="10.1.11.0/30" name="gre11"
temask="11.1.11.0/30">
    <device interface="eth0" name="ES-5" switchport="eth1"/>
    <device interface="eth0" name="vlsr-1" switchport="eth8"/>
</gretunnel>
<gretunnel mask="10.1.12.0/30" name="gre12"
temask="11.1.12.0/30">
    <device interface="eth0" name="ES-6" switchport="eth1"/>
    <device interface="eth0" name="vlsr-1" switchport="eth9"/>
</gretunnel>

```

```

        <gretunnel mask="10.1.13.0/30" name="gre13"
temask="11.1.13.0/30">
            <device interface="eth0" name="ES-7" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth10"/>
        </gretunnel>
        <gretunnel mask="10.1.14.0/30" name="gre14"
temask="11.1.14.0/30">
            <device interface="eth0" name="ES-8" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth11"/>
        </gretunnel>
        <gretunnel mask="10.1.15.0/30" name="gre15"
temask="11.1.15.0/30">
            <device interface="eth0" name="ES-9" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth12"/>
        </gretunnel>
        <gretunnel mask="10.1.16.0/30" name="gre16"
temask="11.1.16.0/30">
            <device interface="eth0" name="ES-10" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth13"/>
        </gretunnel>
        <gretunnel mask="10.1.17.0/30" name="gre17"
temask="11.1.17.0/30">
            <device interface="eth0" name="ES-11" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth14"/>
        </gretunnel>
        <gretunnel mask="10.1.18.0/30" name="gre18"
temask="11.1.18.0/30">
            <device interface="eth0" name="ES-12" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth15"/>
        </gretunnel>
        <gretunnel mask="10.1.19.0/30" name="gre19"
temask="11.1.19.0/30">
            <device interface="eth0" name="ES-13" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth16"/>
        </gretunnel>
        <gretunnel mask="10.1.20.0/30" name="gre20"
temask="11.1.20.0/30">
            <device interface="eth0" name="ES-14" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth17"/>
        </gretunnel>
        <gretunnel mask="10.1.21.0/30" name="gre21"
temask="11.1.21.0/30">
            <device interface="eth0" name="ES-15" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth18"/>
        </gretunnel>
        <gretunnel mask="10.1.22.0/30" name="gre22"
temask="11.1.22.0/30">
            <device interface="eth0" name="ES-16" switchport="eth1"/>
            <device interface="eth0" name="vlsr-1" switchport="eth19"/>
        </gretunnel>

    </connections>
</config>

```