

## DAFTAR PUSTAKA

- [1]. Li Zhou and Yaping Zhou. (1998). Linerarization of adsorption Isotherms for High Pressure Application. *Chemical Engineering Science*, 53(14), 2531-2536.
- [2]. Dillon, A.C, et al. (1997). Storage of Hydrogen in Single-Walled Carbon Nanotubes. *Nature*, 386, 377-379.
- [3]. Liu, C, et al. (1999). Hydrogen Storage in Single-walled Carbon Nanotube at Room Temperature. *Science*, 286, 1127-1129.
- [4]. Zuttel, A, et al. (2004). Model for The Hydrogen Adsorption on Carbon Nanostructures. *Appl. Phys. A*, 78, 941-946.
- [5]. Viswanathan, B., Sankaran, M., and Scibioh, A. M. (2003). Carbon nanomaterials-are they appropriate candidates for hydrogen storage ?. *Bulletin of the Catalysis Society of India*, 2, 12-32.
- [6]. Conte, M et al. (2001). Hydrogen Economy for a Sustainable Development : state-of-the art and technological perspectives. *Journal of Power Sources*, 100, 171-187.
- [7]. Yan, Sun et al. (2007). Impact of Supercritical Adsorption Mechanism on Research of Hydrogen Carrier. *Chinese Science Bulletin*, 52 (8), 1146-1152.
- [8]. Poirier, E et al. (2004). Storage of Hydrogen on Single-walled Carbon Nanotube and Other Carbon Structures. *Appl. Phys. A*, 78, 961-967.
- [9]. Mc. Cabe, W. L., Smith, J. C., and Harriot, P. (1999). *Operasi Teknik Kimia*. Jakarta: Erlangga.
- [10]. Walas, S.M. (1990). *Chemical Process Equipment*. Massachusetts: Butterworth-Heinemann.
- [11]. Ding, L.P., and Bhatia, S.K. (2003). Analysis of Multicomponent Adsorption Kinetics on Activated Carbon. *AIChE Journal*, 49 (4), 883-895.
- [12]. Treybal, R.E. (1980). *Mass Transfer Operation* (3rd ed). Singapore: McGraw Hill.

- [13]. Bahl, B.S., Tuli, G.D., and Bahl, A.(1997). *Essential of Physical Chemistry*. New Delhi: S Chand and Company Ltd.
- [14]. Sundstrom, D.W., and Hebert, E.K. (1979). *Waste Water Treatment*. Prentice Hall Englewood Cliffs.
- [15]. Ruthven, D. M. (1993). *Adsorption, Encyclopedia of Chemical Technology* (Vol. 1, 4th.ed). Wiley Inter Science.
- [16]. Maron, S. H., and Lando, J. (1974). *Fundamentals of Physical Chemistry*. New York: Macmillan Publishing Co. Inc.
- [17]. Bond, G.C. (1987). *Heterogenous Catalysis, Principles and Application*. Oxford: Clarendon Press.
- [18]. Foo, K.Y and Hameed, B.H. (2010). Insight Into Modeling of Adsorption Isotherm System. *Chemical Engineering Journal*, 156, 2-10.
- [19]. Yang, T Ralph. (1987). *Gas Separation by Adsorption Process*. London: Imperial College Press.
- [20]. Donohue, M.D and Aranovich, G.L. (1999). A New Classification of Isotherm for Gibbs Adsorption of Gases on solid. *Fluid Phase Equilibria Journal*, 158 (1), 557-563.
- [21]. Gasem and Robinson. (2001). *Adsorption of Pure Methane, Nitrogen and Carbon Dioxide On Selected Tiffany Coal Samples*. Technical Report.
- [22]. Michio, Inagaki, Katsumi Kaneko, Takashi Nishizawa. (2004). Nanocarbons – Recent Research in Japan. *Carbon*, 42, 1401-1417.
- [23]. Petterson, Joakim, Ove Hjortsber. (1999). *Hydrogen Storage Alternatives – A Technological and Economics Assessment*. KFB Reports.
- [24]. Zuttel, A. (2004). Hydrogen Storage Methode. Review. *Naturwissenschaften*, 91, 157-172.
- [25]. Valcarcel, Miguel et al. (2005). Present and Future Applications of Carbon Nanotubes to Analytical Science. *Anal Bioanal Chem*, 382, 1783-1790.
- [26]. Zubizarreta ,L. Gomez, et al. (2008). H<sub>2</sub> Storage in Carbon Materials. *Adsorption*, 14, 557-566.

- [27]. Hou, Peng-Xiang et al. (2002). Hydrogen Adsorption/Desorption Behavior of Multi-walled Carbon Nanotubes with Different Diameters. *Carbon*, 41, 2471-2476.
- [28]. Dillon, A.C and Heben, M.J. (2001). Hydrogen Storage using Carbon Adsorbents: Past, Present and Future. *Appl. Phys. A*, 72, 133-142.
- [29]. Ioannatos, Gerasimos E., and Verykios, Xenophon E. (2010). H<sub>2</sub> Storage on Single and Multi-walled Carbon Nanotubes. *International Journal of Hydrogen Energy*, 35 (40), 622-628.
- [30]. Rzepka, M., et al. (1998). Physisorption of Hydrogen on Microporous Carbon and Carbon Nanotubes. *J. Phys. Chem. B*, 102, 10894-10898.
- [31]. Zhang, Xianren., Cao, Dapeng., and Chen, Jianfeng. (2003). Hydrogen Adsorption Storage on Single-Walled Carbon Nanotube Arrays by a Combination of Classical Potential and Density Functional Theory. *J. Phys. Chem. B*, 107, 4942-4950.
- [32]. Kayiran, S. Beyaz, Lamari, S. Darkrim, and Levesque, D. (2004). Adsorption Properties and Structural Characterization of Activated Carbons and Nanocarbons. *J. Phys. Chem. B*, 108, 15211-15215.
- [33]. Ning, G.Q., et al. (2004). Hydrogen Storage in Multi-wall Carbon Nanotubes using Samples up to 85g. *Appl. Phys. A*, 78, 955-959.
- [34]. Ren, Jianwei., Liao, Shijun., and LIU, Junmin. (2006) Hydrogen Storage of Multiwalled Carbon nanotubes Coated with Pd-Ni Nanoparticles Under Moderate Conditions. *Chinese Science Bulletin*, 51(24), 2959-2963.
- [35]. Paramitha, S. Shantya. (2009). Aplikasi Pengadukan Ultrasonik dan Pemanasan Microwave untuk Memurnikan Karbon Nanotube yang Disintesis Dengan Metode Dekomposisi Katalitik Metana. Skripsi, Departemen Teknik Kimia, Fakultas Teknik UI, Depok
- [36]. Goodman, A.L., et al. (2004). An Inter-laboratory Comparison of CO<sub>2</sub> Isotherms Measured on Argonne Premium Coal Samples. *Energy and Fuels Journal*, 18 (4), 1175-1182.
- [37]. Li Zhou, Yaping Zhou, and Yan Sun. (2004). A Comparative Study of Hydrogen Adsorption on Superactivated Carbon versus Carbon Nanotubes. *International Journal of Hydrogen Energy*, 29, 475-479.