

## DAFTAR PUSTAKA

- Anonim. Titanium dioxide [Online]. Available at: URL: <http://monographs.iarc.fr/ENG/Meetings/93-titaniumdioxide.pdf>. Accessed February, 21 2009.
- Anonim. Hydrothermal synthesis [Online]. Available at: URL: [http://en.wikipedia.org/wiki/Hydrothermal\\_synthesis](http://en.wikipedia.org/wiki/Hydrothermal_synthesis). Accessed Mei, 25 2008.
- Anonim. Hydrosynthesis [Online]. Available at: URL: <http://www.tipe.com.cn/library/kb2507.htm>. Accessed January, 25 2009.
- Anonim. Hydrosynthesis [Online]. Available at: URL: <http://believerwoman.wordpress.com/2007/08/01/what-is-hydrosynthetic-photocatalyst/>. Accessed Mei, 25 2008.
- Ahmmad, B., Kusumoto, Y., Somekawa, S., & Ikeda, M. (2008). Carbon nanotubes synergistically enhance photocatalytic activity of TiO<sub>2</sub>. J. Elsevier, Catalysis communications, 9, 1410 - 1413.
- Amemiya, S. (2004). Titanium-oxide photocatalyst. Three bond technical news, pp. 1-8.
- Chen, X., & Mao, S.S. (2007). Titanium dioxide nanomaterial: synthesis, properties, modifications, and applications. Chem. Rev., 107, 2891-2959.
- Chung, Y.C., & Chen, C.Y. (2008). Degradation of azo dye reactive violet 5 by TiO<sub>2</sub> photocatalysis. Environ Chem Lett, pp. 1-5.
- Dhamayanti, Y., Wijaya, K., & Tahir, I. (2005). Fotodegradasi zat warna methyl orange menggunakan Fe<sub>2</sub>O<sub>3</sub> montmorillonit dan sinar ultraviolet. Prosidng Seminar Nasional DIES ke FMIPA UGM, 17 September, 22-28.
- Hermann, J.M. (1999). Water Treatment By Heterogeneous Photocatalys. In F.a. Jassen, Environmental Catalysis, Singapore: Imperial College Press, pp. 171-191.
- Hsu, Y.Y., Hsiung, T.L., Wang, H.P., Fukushima, Y., Wei, Y.L., & Chang, J.E. (2008). Photocatalytic degradation of spill oils on TiO<sub>2</sub> nanotube thin films. J. Elsevier, Marine pollution bulletin, pp.1-4.

- Kim, G.S., Kim, Y.S., Seo, H. K., & Shin, H.S. (2006). Hydrothermal synthesis of titanate nanotubes followed by electrodeposition process. *Korean J. Chem. Eng.*, 23, 6, 1037 – 1045.
- Kasuga, T., Hiramatsu, M., Hoson, A., Sekino, T., & Niihara, K. (1999). Titania nanotubes prepared by chemical processing. *Adv Mater.*, 11, 1307–1311.
- Linsebigler, A., Lu, G., Yates Jr, J.T. (1995). Photocatalysis on TiO<sub>2</sub> Surface: Principles, Mechanism, and Selected Results. *Chem Rev*, 95, 735-58.
- Nagamine, S., & Sasaoka, E. (2002). Synthesis of nanostructured titania template by anionic surfactant in acidic conditions. *Journal of porous material*, 9, 167-173
- Niederberger, M., Bartl, M. H., & Stucky, G. D. (2002). Benzyl alcohol nand titanium tetrachloride- a versatile reaction system for the nonaqueous and low temperature preparation of crystalline and luminescent titania nanoparticles. *Chem. Mater.*, 14, 4364 – 4370.
- O'Donoghue, M. (1983). *A guide to Man-made Gemstones (in english)*. Great Britain: Van Nostrand Reinhold Company.
- Ollis, D.F., & Al-Ekabi, H. (1993). *Photocatalytic Purification and Treatment of Water and Air*. J. Elsevier. Amsterdam, pp. 207–223.
- Ortmer, K. (1997). Encyclopedia of chemical technology (4<sup>th</sup> edition., Vol 24). (Kroschwitz, Ed) U.S.A: John Wiley & Sons.
- Ou, H.H., & Lo, S.L. (2007). Review of titania nanotubes synthesized via the hydrothermal treatment: Fabrication, modification, and application. J. Elsevier, *Separation and purification technology*, 58, 179 – 191.
- Patsoura, A., Kondarides, D.I., & Verykios, X.E. (2007). Photocatalytic degradation of organic pollutants with simultaneous production of hydrogen. J. Elsevier, *Catalysis Today*, 124, 94–102.
- Pavasupree, S., Ngamsinlapasathian, S., Suzuki, Y., & Yoshikawa, S. (2007). One-dimensional nanostructured TiO<sub>2</sub> for photocatalytic Activity and dye-sensitized solar cells. *J. Photochem. Photobio. A: Chem.*, in press, 4364 – 4370.

- Pourbabae, Ali, A., Malekzadeh, & Fereydom. (2005). Decolorization of Methyl Orange (As a Model Azo Dyes) by Newly Discovered Bacillus Sp. Iran. J.Chem. Eng. 24, 23, 41-45.
- Qamar, M., Yoon,C.R., Oh, H.J., Lee, N.H., Park, K., Kim, D.H., Lee, K.S., Lee, W.J., & Kim, S.J. (2008). Preparation and photocatalytic activity of nanotubes obtained from titanium dioxide. J. Elsevier. Catalysis Today 13, 3 -14.
- Seo, D.S., Lee, J.K., & Kim, H. (2001). Preparation of nanotube-shaped TiO<sub>2</sub> powder. J. Elsevier, journal of crystal growth, 229, 428-432.
- Sopyan, I., Murasawa, S., Hashimoto, K., & Fujishima, A. (1994). Highly efficient TiO<sub>2</sub> film Photocatalyst. Journal of Photochemistry and Photobiology A: Chemistry, 723 – 726.
- Slamet, Nasution, H.W., Purnama, E., Kosela, S., Gunlazuardi, J. (2005). Photocatalytic reduction of CO<sub>2</sub> on copper-doped Titania catalysts prepared by improved-impregnation method. *Catal Comm*, 6, 313-9.
- Su, C., B-Y.Hong, & Tseng, C-M. (2004). Sol gel preparation and photocatalysis of titanium dioxide. Catalyst today, 96, 119-26
- Triandi, T.R., & Jarnuzi, G. (2001). Preparasi lapisan tipis TiO<sub>2</sub> sebagai fotokatalis keterkaitan antara ketebalan & aktivitas fotokatalis. Makara. Jurnal penelitian Universitas Indonesia, Vol. 5, No. 2, Seri sains Desember 2001, hal 81-91.
- Wang, Z., Xia, D., Chen, G., Yang, T., & Chen, Y. (2008). The effects of different acids on the preparation of TiO<sub>2</sub> nanostructure in liquid media at low temperature. J.Elsevier, Materials chemistry and physics, 1-4.
- Wang, D., Zhou, F., Liu, Y., & Liu, W. (2008). Synthesis and Characterization of anatase TiO<sub>2</sub> nanotubes with uniform diameter from titanium powder. J. Elsevier. Materials letters, 62, 1819 – 1822.
- Xu, J.H., Dai, W.L., Li, J., Cao, Y., Li, H., He, H., & Fan, K. (2008) Simple fabrication of thermally stable apertured N-doped TiO<sub>2</sub> microtubes as a highly efficient photocatalyst under visible light irradiation. *Catal Comm*, 9, 146-52.

- Yan, X., He, J., Evans, D.G, Zhu, Y., & Duan, X. (2004). Preparation, characterization, and photocatalytic Activity of TiO<sub>2</sub> formed from a mesoporous precursor. *Journal of porous materials* 11: 131-139.
- Yoo, K.S., Choi, H., & Dionysiou, D.D. (2005). Synthesis of anatase nanostructured TiO<sub>2</sub> particles at low temperature using ionic liquid for photocatalys. *J. Elsevier*, 6, 259-262.
- Yuan, Z.Y., & Su, B.L. (2004). Titanium oxide nanotubes, nanofibers and nanowires. *Colloids Surf A: Physiochem Eng Aspects*, 241, 173–83.
- Zhu, J., Yang, J., Bian, Z.F., Ren, J., Liu, Y.M., Cao, Y., Li, H.X., He, H.Y., & Fan, K.N. (2007). Nanocrystalyne anatase TiO<sub>2</sub> photocatalyst prepared via a facile low temperature nonhydrolytic sol gel reaction of TiCl<sub>4</sub> and benzyl alcohol. *App. Catalysis B: Environmental*, *J. Elsevier*, Vol. 76, Issues 1-2, p. 82-91
- Zhu, Y., Zhang, L., Gao, C., & Cao, L. (2000). The synthesis of nanosized TiO<sub>2</sub> powder using sol gel method with TiCl<sub>4</sub> as a precursor. *Journal of material science*, 35, 4049 – 4054.