

## DAFTAR PUSTAKA

1. Sherwood, L. Human physiology from cells to system 5<sup>th</sup> ed. New York: Thompson Learning-Brooksdale Cole.2004. P. 510-557
2. Skorecki K, Green J, Brenner BM. Chronic renal failure in Harrison's principles of internal medicine 16<sup>th</sup> ed. USA: McGraw-Hill. 2005. p. 1653-1663
3. Suardjono, Lydia A. Penyakit ginjal kronik dalam Buku ajar ilmu penyakit dalam jilid II ed 3. Jakarta: Balai Penerbit FKUI. 1999. h. 427-37
4. Hemodialisis. Diunduh dari:  
[http://www.medicastore.com/cybermed/detail\\_pyk.php?idktg=9&iddtl=105](http://www.medicastore.com/cybermed/detail_pyk.php?idktg=9&iddtl=105) pada 27 September 2008
5. Singh AK, Brenner BM. Dialysis in the treatment of renal failure in Harrison's principles of internal medicine 16<sup>th</sup> ed. USA: McGraw-Hill. 2005. p.1663-1666
6. Department of Internal Medicine Lund Hospital. Nils Allwall, the artificial kidney and gambro. Diunduh dari  
[http://www.med.lu.se/english/about\\_the\\_faculty/faculty\\_milestones/nils\\_allwall](http://www.med.lu.se/english/about_the_faculty/faculty_milestones/nils_allwall) pada 27 September 2008
7. National Institute of Diabetes and Digestive and Kidney Diseases. Treatment Methods for Kidney Failure: Hemodialysis. Diunduh dari <http://www.kidney.niddk.nih.gov/Kudiseases/pubs/hemodialysis> [cited 27 September 2008].
8. Doulton TW. Review: Blood pressure in haemodialysis patients: The importance of the relationship between the renin-angiotensin-aldosterone system, salt intake and extracellular volume. *Journal of Renin-Angiotensin-Aldosterone System*, Vol. 5, No. 1, 14-22 (2004)
9. London GM, Marchais SJ, Metivier F, Guerin AP. Cardiovascular risk in end-stage renal disease: vascular aspects. *Nephrol Dial Transplant* 2000;15(Suppl 5):97-104.

10. Sandip M, et.al. What is hypertension in chronic hemodialysis: The role of interdialytic blood pressure monitoring. *Nephrol Dial Transplant*, Vol.14, No.2, 2915-22 (2008).
11. Katzarski KS, Charra B, Luik AJ, et al. Fluid state and blood pressure control in patients treated with long and short hemodialysis. *Nephrol Dial Transplant* 2000;14:369-75.
12. Straver B. Hypotension during hemodialysis. Diunduh dari <http://dare.uvu.vu.nl/bitstream/1871/9105/1/7475.pdf>. pada 1 Mei 2009
13. Xiao S, Wagner L, Schmidt RJ, Baylis C. Circulating endothelial nitric oxide synthase inhibitory faktor in some patients with chronic renal disease. *Kidney Int* 2001;59:1466-72
14. Flynn JJ. Faktors contributing to hypotension during hemodialysis. *Geriatric Nephrology and Urology*. Jan 1996; 6(2): 99-104  
Kaysen GA. Serum albumin concentration in dialysis patients: Why does it remain resistant to therapy? *Kidney International* [Serial Online] 2003 [cited 2009 Apr 24].64. Available from URL:  
<http://www.nature.com/ki/journal/v64/n87s/abs/4494205a.html>
15. Inrig JK *et al.* (2007) Association of intradialytic blood pressure changes with hospitalization and mortality rates in prevalent ESRD patients. *Kidney Int* **71**: 454–461
16. Ritz E, Pablick-Deetjen J, Zeier M, Amann K. Blood pressure on dialysis: An ongoing controversy. *Saudi J Kidney Dis Transpl* [serial online] 2002 [cited 2009 May 21]; 13:1-13. Available from:  
<http://www.sjkd.org/text.asp?2002/13/1/1/33195>.