

## DAFTAR PUSTAKA

- Ahmad, Mansur. (2000). *Analysis of Calcutta bamboo for structural composite materials*. Ph.D Dissertation. Wood Science and Forest Products. Virginia Polytechnic Institute. Blacksburg, Virginia.
- American Coalition of Ethanol. Talking Points. [Online]. Diperoleh dari: [www.ethanol.org](http://www.ethanol.org). [Diakses 25:03:2006]
- Atthasampunna, P., Somchai, P., Eur-aree, A., Artjariyasripong, S. (1987). Production of Bioethanol from Cassava. *World Journal of Microbiology and Biotechnology*, **3(2)**. Pp. 135-142
- Badger, P. C. (2002) Ethanol from Cellulose: A General Review. *ASHS Press*, Pp. 17-21.
- Bansal, P. S. (1997). A Development for an ISM Harmonic RF Attenuation Model for Combating Interference Generated by 13 MHz and 27 MHz Industrial Processing Machines. Progress Report on Task B. *ERA Project*.
- Dannenmann, B. M. E., Choocharoenb, C., Spreera, W., Naglea, M., Leisa, H., Neef, A., Muellera, J. (2007). The Potential of Bamboo as a Source of Renewable Energy in Northern Laos. *Conference on International Agricultural Research for Development*. Germany. October 9-11, 2007
- Chaudhary, N., Qazi, J. L., 2006. Microbiological Saccharification and Ethanol Production from Sugarcane Bagasse. *Biotechnology*, **5(4)**. Pp. 517-521.
- Dela Rosa, A. M., Dela Mines, A. S., Banzon, R. B., Simbul-Nuguid, Z. F. (1987). Radiation pretreatment of cellulose for energy production. *Radiation Physics and Chemistry*, **22**. Pp. 861-867
- De Menezes, T. J. B., Dos Santos, C. L. M., Azzini A. (2004). Saccharification of Bamboo Carbohydrates for The Production of Ethanol. *Journal of Biotechnology and Bioengineering*, **25 (4)**. Pp. 1071-1082.
- Demirbas, A., 2003. Bioethanol from Cellulosic Materials: A Renewable Motor Fuel from Biomass. *Energy Sources*, **27**. Pp. 327-337.
- Fengel, D., Wegener, G., Sastrohamidjojo, H. (1995). *Kimia Kayu, Ultrastruktur, Reaksi-reaksi*. Yogyakarta: Gadjah Mada University Press.

- Gallawa, J. C. (2008). What are Microwaves? [Online]. Tersedia di: [www.gallawa.com](http://www.gallawa.com). [Diakses 20:11: 08]
- Harris, J. F., Baker, A. J., Zerbe, J. I. 1984. Two Stage Dilute Sulfuric Acid Hydrolysis of Hardwood for Ethanol Production. *Energy Biomass Wastes*, **8**. Pp.1151-1170.
- Hattaka, A. I. 1983. Pretreatment of Wheat Straw by White-rot Fungi for Enzymic Saccharification of Cellulose. *Applied Microbiology and Biotechnology*, **18(6)**. Pp. 350-356.
- Hernandez, L., Kafarov, V. 2007. Process Integration of Bioethanol from Sugar Cane and Hydrogen Production. *Journal of Applied Sciences*, **7(15)**. Pp. 2015-2019.
- Husnil, Y. A. 2006. *Studi Konversi Limbah Media Budidaya Jamur Tiram (Pleurotus Sp.) Dengan Perlakuan Hidrolisis Asam Klorida Dan Hidrolisis Enzim Untuk Produksi Bioetanol*. Skripsi Program Sarjana. Departemen Teknik Kimia Fakultas Teknik Universitas Indonesia. Depok.
- Keshwani, D. R., Cheng, J. J., Burns, J. C., Li, L., Chiang, V. (2007). Microwave Pretreatment of Switchgrass to Enhance Enzymatic Hydrolysis.[Online]. *American Society of Agricultural and Biological Engineers*. Tersedia di [www.asabe.org](http://www.asabe.org). [Diakses 10:09:08]
- Johannson, J. 2008. *Pretreatment of Prevalent Canadian West Coast Softwoods Using the Ethanol Organosolv Process*. Master Thesis. Department of Chemical Engineering, Lund University of Technology, Sweden.
- Lang, X., MacDonald, D.,G., Hill, G. A. 2001. Recycle Bioreactor for Bioethanol Production from Wheat Starch II: Fermentation and Economics. *Energy Sources*, **23(5)**. Pp.427-436
- Lei, X., Lin, L., Li, K. (2008). Effect of Xylanase Pretreatment of Wood Chips on Fiber Separation in the CTMP Refining Process. *Bioresources* **3(3)**, Pp. 801-815
- Liese, Walter (1992). The Structure of Bamboo in Relation to Its Properties and Utilization. *International symposium on industrial use of bamboo*. Beijing, 7-11 dec., 1992, intern. Trop. Timber organization, Chinese academy of forestry
- Lindstedt, J. 2003. Alcohol Production from Lignocellulosic Feedstock. *Fachtagung Session IV*. BioAlcohol Foundation, Sweden.

- Magara, K., Azuma, J., Koshijima, T. (1989). Microwave-Irradiation of Lignocellulosic Materials X: Conversion of Microwave-Irradiated Agricultural Wastes into Ethanol. *Wood Research* **76**. Pp. 1-9
- Metaxas A. C., Meredith, R. J., (1993). *Industrial Microwave Heating*. Michael Faraday House, United Kingdom: Peter Peregrinus, Ltd.
- National Renewable Energy Laboratory. (1993). Cooperative Agreement Uses Cellulosic Fiber to Get More Ethanol from Corn. U.S Department of Energy.
- Neves, Bob. (1996). Permittivity/Dielectric Constant: Do the Math. [Online]. Diperoleh dari: [www.thetestlab.com](http://www.thetestlab.com). [Diakses 20:11:08]
- Nguyen, Q. A., Keller, F. A., Tucker, M. P. (2003). *Ethanol Production with Dilute Acid Hydrolysis using Partially Dried Lignocellulosics*. United States Patent 6660506.
- Palonen, H. (2004). Role of Lignin in the Enzymatic Hydrolysis of Lignocellulose. *Espoo.VTT Publications*, **520**.
- Pauley, K. 2007. Cellulosic Biomass Chemical Pretreatment Technologies. [Online]. Diperoleh dari: [www](http://www). [Diakses 21:11:08]
- Petit-Conil, M., Hoddenbagh, M. K., Meyer, V., Tolan, J. (2005). *Can Enzymes Really be Used to Reduce Chip Refining Energy? A Study of Xylanase Pre-treatment of Hardwood Chips*. International Mechanical Pulping Conference, Ottawa, Canada, 71-77.
- Ram M. S., Seenayya G. (1991). "Production of Ethanol from Straw and Bamboo Pulp by Primary Isolates of Clostridium Thermocellum". *World Journal of Microbiology and Biotechnology*, **7(3)**, Pp. 372-378.
- Samsuri, M. (2005). *Pengaruh Perlakuan Jamur Pelapuk Putih dan Steaming pada Produksi Etanol dari Bagas Melalui Proses Sakarifikasi dan Fermentasi Serentak (SSF)*. Tesis Program Pascasarjana. Universitas Indonesia, Depok.
- Samsuri, M., Gozan, M., Wijanarko, A., Hermansyah, H. , Wulan, P.P.D.K., Dianursanti, Nasikin, M. , Prasetya, B. (2007). Hydrolysis of Bagasse by Cellulase and Xylanase for Bioethanol Production in Simultaneous Saccharification and Fermentation. *RSCHE Bioethanol*.
- Samsuri, M., Gozan, M., Nasikin, M., Zulys, A., Prasetya, B., Watanabe, T. (2008). Ethanol Production from Bagasse: Effect of Using Mixed Enzymes, and

- Pretreatment with Steam and White Rot Fungi Pretreatment in the Simultaneous Saccharification and Fermentation (SSF) of Baggase. *ACGC Chem. Res. Comm*, **22**. Pp. 34-43.
- Schell, D. J., Walter, P. J., Johnson, D. K. (1992). Dilute sulfuric acid pretreatment of corn stover at high solids concentrations. *Applied Biochemistry and Biotechnology*, **34-35(1)**. Pp. 659-665.
- Taherzadeh, M. J., Karimi, K. (2007). Enzyme-based Hydrolysis Processes for Ethanol from Lignocellulosics Materials: A Review. *Bioresources*, **2(4)**. Pp. 707-738.
- Taherzadeh, M. J., Karimi, K. (2008). Pretreatment of Lignocellulose Wastes to Improve Ethanol and Biogas Production: A Review. *International Journal of Molecular Sciences*, **9**. Pp. 1621-1651.
- Taylor, M., Atri, B. S., Minhas, S., (2005). Developments in Microwave Chemistry. Evalueserve. [Online]. Diperoleh dari: www. [Diakses 20:11:08]
- Tucker, M., Kim, K., Newman, M., Nguyen, Q. (2003). Effects of Temperature and Moisture on Dilute-Acid Steam Explosion Pretreatment of Corn Stover and Cellulase Enzyme Digestibility. *Applied Biochemistry and Biotechnology*, **105-108**. Pp. 165-177.
- U.S. Department of Energy Office of Science. (2008). Genomics:GTL. [Online]. Diperoleh dari: (<http://genomicsgtl.energy.gov/benefits/cellulosestructure.shtml>). [Diakses: 05:12:08]
- Widjaja, E. A. State of the Art of Indonesian Bamboo. [Online]. Diperoleh dari: [www.biodiversityinternational.org](http://www.biodiversityinternational.org). [Diakses: 10:11:08]
- Yusgiantoro, P. (2007). Indonesia's Experience on Biofuels Development. *International Bioefuels Conference*. Brussels..
- Zhu, S., Wu, Y., Yu, Z., Wang, C., Yu, F., Jin, S., Ding, Y., Chi, R., Liao, J., Zhang, Y. (2005). Comparison of Three Microwave/Chemical Pretreatment Processes for Enzymatic Hydrolysis of Rice Straw. *Biosystems Engineering*, **93**. Pp. 279-283.
- \_\_\_\_\_. 2008. Bond Energy. [Online]. Diperoleh dari: [www.chem.msu.edu](http://www.chem.msu.edu). [Diakses 7:12:08]
- \_\_\_\_\_. 2008. Cellulose. [Online]. Diperoleh dari: [www.wikipedia.org](http://www.wikipedia.org). [Diakses 11:11:08]

- \_\_\_\_\_. 2008. Ethanol Fuel. [Online]. Diperoleh dari: [www.journeytoforever.org](http://www.journeytoforever.org). [Diakses 3:07:08]
- \_\_\_\_\_. 2008. Ethanol. [Online]. Diperoleh dari: [www.wikipedia.org](http://www.wikipedia.org). [Diakses 7:09:08]
- \_\_\_\_\_. 2008. Hemicellulose. [Online]. Diperoleh dari: [www.wikipedia.org](http://www.wikipedia.org). [Diakses 8:10:08]
- \_\_\_\_\_. 2008. Interaction of microwave irradiation with material. [Online]. Diperoleh dari: [www.microwavetec.com](http://www.microwavetec.com). [Diakses 5:12:08]
- \_\_\_\_\_. 2008. Lignin. [Online]. Diperoleh dari: [www.wikipedia.org](http://www.wikipedia.org). [Diakses 8:10:08]
- \_\_\_\_\_. 2008. Lignin. [Online]. Diperoleh dari: [www.wikipedia.org/lignin/](http://www.wikipedia.org/lignin/). [Diakses 5:12:08]
- \_\_\_\_\_. 2008. Microbiology - MCB 2010. Diperoleh dari: <http://faculty.ircc.edu>. [Diakses 16:12:08]
- \_\_\_\_\_. 2008. Microwave. [Online]. Diperoleh dari: [www.wikipedia.org](http://www.wikipedia.org). [Diakses 5:12:08]
- \_\_\_\_\_. 2008. Notes on the Troubleshooting and Repair of Microwave Ovens. [Online]. Diperoleh dari: [www.kellerstudio.de](http://www.kellerstudio.de). [Diakses 7:12:08]
- \_\_\_\_\_. 2008. The Missing Water. [Online]. Diperoleh dari: [www.navaching.com/shaku](http://www.navaching.com/shaku). [Diakses 7:12:08]
- \_\_\_\_\_. 2008. User:NEUROtiker/gallery/archive1. [Online]. Diperoleh dari: [www.upload.wikimedia.org](http://www.upload.wikimedia.org). [Diakses 16:12:08]
- \_\_\_\_\_. 2008. Water Molecule in a Microwave Field. [Online]. Diperoleh dari: [www.colorado.edu](http://www.colorado.edu). [Diakses 5:12:08]