

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x2 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .339 ^a | .115 | .088 | 6.63992 | .115 | 4.278 | 1 | 33 | .047 |

- a. Predictors: (Constant), x2

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 188.623 | 1 | 188.623 | 4.278 | .047 ^a |
| | Residual | 1454.920 | 33 | 44.088 | | |
| | Total | 1643.543 | 34 | | | |

- a. Predictors: (Constant), x2
b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 103.323 | 9.730 | | 10.619 | .000 |
| | x2 | 1.107 | .535 | .339 | 2.068 | .047 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x3 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .377 ^a | .143 | .117 | 6.53507 | .143 | 5.484 | 1 | 33 | .025 |

- a. Predictors: (Constant), x3

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 234.207 | 1 | 234.207 | 5.484 | .025 ^a |
| | Residual | 1409.336 | 33 | 42.707 | | |
| | Total | 1643.543 | 34 | | | |

- a. Predictors: (Constant), x3
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 85.794 | 16.060 | | 5.342 | .000 |
| | x3 | .645 | .275 | .377 | 2.342 | .025 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x4 ^a | | Enter |

- a. All requested variables entered.
 b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .082 ^a | .007 | -.023 | 7.03331 | .007 | .225 | 1 | 33 | .639 |

- a. Predictors: (Constant), x4

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 11.118 | 1 | 11.118 | .225 | .639 ^a |
| | Residual | 1632.425 | 33 | 49.467 | | |
| | Total | 1643.543 | 34 | | | |

- a. Predictors: (Constant), x4
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 129.508 | 13.119 | | 9.872 | .000 |
| | x4 | -.217 | .457 | -.082 | -.474 | .639 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x5 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .263 ^a | .069 | .041 | 6.80785 | .069 | 2.462 | 1 | 33 | .126 |

- a. Predictors: (Constant), x5

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 114.098 | 1 | 114.098 | 2.462 | .126 ^a |
| | Residual | 1529.445 | 33 | 46.347 | | |
| | Total | 1643.543 | 34 | | | |

- a. Predictors: (Constant), x5
b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 102.809 | 13.119 | | 7.837 | .000 |
| | x5 | .629 | .401 | .263 | 1.569 | .126 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .436 ^a | .190 | .165 | 6.35236 | .190 | 7.730 | 1 | 33 | .009 |

- a. Predictors: (Constant), x

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 311.911 | 1 | 311.911 | 7.730 | .009 ^a |
| | Residual | 1331.632 | 33 | 40.352 | | |
| | Total | 1643.543 | 34 | | | |

a. Predictors: (Constant), x

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 57.066 | 23.852 | | 2.392 | .023 |
| | x | .333 | .120 | .436 | 2.780 | .009 |

a. Dependent Variable: y

Uji Statistik di RW 02

Correlations

| | | Kel.&Jar. | Kep.&Solid | Tind.&Kerj | Inf.&Kom. | Koh.&Inkl | Mod.Sos.Kom | DDL |
|-------------|---------------------|-----------|------------|------------|-----------|-----------|-------------|--------|
| Kel.&Jar. | Pearson Correlation | 1.000 | .041 | .359* | .361* | .251 | .848** | .502** |
| | Sig. (1-tailed) | . | .412 | .022 | .021 | .083 | .000 | .002 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| Kep.&Solid | Pearson Correlation | .041 | 1.000 | -.085 | .191 | -.186 | .167 | -.023 |
| | Sig. (1-tailed) | .412 | . | .321 | .148 | .154 | .181 | .450 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| Tind.&Kerj | Pearson Correlation | .359* | -.085 | 1.000 | .401* | -.148 | .700** | .035 |
| | Sig. (1-tailed) | .022 | .321 | . | .012 | .209 | .000 | .424 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| Inf.&Kom. | Pearson Correlation | .361* | .191 | .401* | 1.000 | .030 | .641** | .382* |
| | Sig. (1-tailed) | .021 | .148 | .012 | . | .436 | .000 | .016 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| Koh.&Inkl | Pearson Correlation | .251 | -.186 | -.148 | .030 | 1.000 | .231 | .038 |
| | Sig. (1-tailed) | .083 | .154 | .209 | .436 | . | .101 | .418 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| Mod.Sos.Kom | Pearson Correlation | .848** | .167 | .700** | .641** | .231 | 1.000 | .379* |
| | Sig. (1-tailed) | .000 | .181 | .000 | .000 | .101 | . | .016 |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| DDL | Pearson Correlation | .502** | -.023 | .035 | .382* | .038 | .379* | 1.000 |
| | Sig. (1-tailed) | .002 | .450 | .424 | .016 | .418 | .016 | . |
| | N | 32 | 32 | 32 | 32 | 32 | 32 | 32 |

*. Correlation is significant at the 0.05 level (1-tailed).

**. Correlation is significant at the 0.01 level (1-tailed).

Test Statistics

| | x1 | x2 | x3 | x4 | x5 | x | y |
|---------------------------------|-------|--------|--------|-------|--------|--------|-------|
| Chi-Square ^{a,b,c,d,e} | 4.813 | 15.500 | 10.188 | 9.875 | 11.750 | 11.313 | 9.250 |
| df | 18 | 9 | 14 | 9 | 9 | 20 | 19 |
| Asymp. Sig. | .999 | .078 | .748 | .361 | .228 | .938 | .969 |

- a. 19 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.7.
- b. 10 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 3.2.
- c. 15 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.1.
- d. 21 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.5.
- e. 20 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.6.

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x1 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|------|------|---------------|
| | | | | | R Square Change | F Change | df 1 | df 2 | Sig. F Change |
| 1 | .502 ^a | .252 | .227 | 7.54804 | .252 | 10.084 | 1 | 30 | .003 |

- a. Predictors: (Constant), x1

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 574.533 | 1 | 574.533 | 10.084 | .003 ^a |
| | Residual | 1709.186 | 30 | 56.973 | | |
| | Total | 2283.719 | 31 | | | |

- a. Predictors: (Constant), x1
- b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 74.915 | 15.642 | | 4.789 | .000 |
| | x1 | .615 | .194 | .502 | 3.176 | .003 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x2 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .023 ^a | .001 | -.033 | 8.72254 | .001 | .016 | 1 | 30 | .899 |

- a. Predictors: (Constant), x2

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 1.238 | 1 | 1.238 | .016 | .899 ^a |
| | Residual | 2282.481 | 30 | 76.083 | | |
| | Total | 2283.719 | 31 | | | |

- a. Predictors: (Constant), x2
b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 125.957 | 12.251 | | 10.281 | .000 |
| | x2 | -.089 | .699 | -.023 | -.128 | .899 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x3 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .035 ^a | .001 | -.032 | 8.71947 | .001 | .037 | 1 | 30 | .848 |

- a. Predictors: (Constant), x3

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 2.843 | 1 | 2.843 | .037 | .848 ^a |
| | Residual | 2280.876 | 30 | 76.029 | | |
| | Total | 2283.719 | 31 | | | |

- a. Predictors: (Constant), x3
- b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 120.821 | 18.602 | | 6.495 | .000 |
| | x3 | .052 | .269 | .035 | .193 | .848 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x4 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .382 ^a | .146 | .117 | 8.06454 | .146 | 5.114 | 1 | 30 | .031 |

- a. Predictors: (Constant), x4

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 332.616 | 1 | 332.616 | 5.114 | .031 ^a |
| | Residual | 1951.103 | 30 | 65.037 | | |
| | Total | 2283.719 | 31 | | | |

- a. Predictors: (Constant), x4
- b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 88.885 | 15.772 | | 5.636 | .000 |
| | x4 | 1.168 | .517 | .382 | 2.261 | .031 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x5 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .038 ^a | .001 | -.032 | 8.71855 | .001 | .044 | 1 | 30 | .836 |

- a. Predictors: (Constant), x5

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 3.326 | 1 | 3.326 | .044 | .836 ^a |
| | Residual | 2280.392 | 30 | 76.013 | | |
| | Total | 2283.719 | 31 | | | |

- a. Predictors: (Constant), x5
b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 119.447 | 23.758 | | 5.028 | .000 |
| | x5 | .138 | .657 | .038 | .209 | .836 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .379 ^a | .144 | .115 | 8.07378 | .144 | 5.034 | 1 | 30 | .032 |

- a. Predictors: (Constant), x

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 328.140 | 1 | 328.140 | 5.034 | .032 ^a |
| | Residual | 1955.579 | 30 | 65.186 | | |
| | Total | 2283.719 | 31 | | | |

a. Predictors: (Constant), x

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 64.812 | 26.600 | | 2.437 | .021 |
| | x | .256 | .114 | .379 | 2.244 | .032 |

a. Dependent Variable: y

Uji Statistik di RW 06

Correlations

| | | X1 | X2 | X3 | X4 | X5 | X | Y |
|----|---------------------|--------|--------|--------|--------|--------|--------|--------|
| X1 | Pearson Correlation | 1.000 | .224 | .363* | -.074 | -.016 | .518** | .231 |
| | Sig. (1-tailed) | . | .101 | .017 | .340 | .465 | .001 | .094 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| X2 | Pearson Correlation | .224 | 1.000 | .373* | .381* | .073 | .531** | .363* |
| | Sig. (1-tailed) | .101 | . | .015 | .013 | .341 | .001 | .017 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| X3 | Pearson Correlation | .363* | .373* | 1.000 | .379* | .579** | .866** | .653** |
| | Sig. (1-tailed) | .017 | .015 | . | .014 | .000 | .000 | .000 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| X4 | Pearson Correlation | -.074 | .381* | .379* | 1.000 | .733** | .658** | .185 |
| | Sig. (1-tailed) | .340 | .013 | .014 | . | .000 | .000 | .148 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| X5 | Pearson Correlation | -.016 | .073 | .579** | .733** | 1.000 | .710** | .139 |
| | Sig. (1-tailed) | .465 | .341 | .000 | .000 | . | .000 | .217 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| X | Pearson Correlation | .518** | .531** | .866** | .658** | .710** | 1.000 | .504** |
| | Sig. (1-tailed) | .001 | .001 | .000 | .000 | .000 | . | .001 |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| Y | Pearson Correlation | .231 | .363* | .653** | .185 | .139 | .504** | 1.000 |
| | Sig. (1-tailed) | .094 | .017 | .000 | .148 | .217 | .001 | . |
| | N | 34 | 34 | 34 | 34 | 34 | 34 | 34 |

*. Correlation is significant at the 0.05 level (1-tailed).

**. Correlation is significant at the 0.01 level (1-tailed).

Test Statistics

| | x1 | x2 | x3 | x4 | x5 | x | y |
|----------------------------------|--------|--------|-------|--------|-------|-------|-------|
| Chi-Square ^{a,b,c,d,ef} | 10.000 | 11.294 | 8.471 | 18.000 | 7.471 | 7.176 | 7.176 |
| df | 16 | 10 | 18 | 12 | 14 | 24 | 24 |
| Asymp. Sig. | .867 | .335 | .971 | .116 | .915 | 1.000 | 1.000 |

- a. 17 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.0.
- b. 11 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 3.1.
- c. 19 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.8.
- d. 13 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.6.
- e. 15 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.3.
- f. 25 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.4.

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x1 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .231 ^a | .053 | .024 | 10.66151 | .053 | 1.802 | 1 | 32 | .189 |

- a. Predictors: (Constant), x1

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 204.866 | 1 | 204.866 | 1.802 | .189 ^a |
| | Residual | 3637.369 | 32 | 113.668 | | |
| | Total | 3842.235 | 33 | | | |

- a. Predictors: (Constant), x1
- b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 90.596 | 24.643 | | 3.676 | .001 |
| | x1 | .450 | .335 | .231 | 1.343 | .189 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x2 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .363 ^a | .132 | .105 | 10.20980 | .132 | 4.860 | 1 | 32 | .035 |

a. Predictors: (Constant), x2

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 506.557 | 1 | 506.557 | 4.860 | .035 ^a |
| | Residual | 3335.679 | 32 | 104.240 | | |
| | Total | 3842.235 | 33 | | | |

a. Predictors: (Constant), x2

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 94.372 | 13.369 | | 7.059 | .000 |
| | x2 | 1.393 | .632 | .363 | 2.204 | .035 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x3 ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .653 ^a | .426 | .408 | 8.29906 | .426 | 23.786 | 1 | 32 | .000 |

a. Predictors: (Constant), x3

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 1638.257 | 1 | 1638.257 | 23.786 | .000 ^a |
| | Residual | 2203.979 | 32 | 68.874 | | |
| | Total | 3842.235 | 33 | | | |

a. Predictors: (Constant), x3

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 54.199 | 14.299 | | 3.791 | .001 |
| | x3 | 1.058 | .217 | .653 | 4.877 | .000 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x4 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .185 ^a | .034 | .004 | 10.76940 | .034 | 1.128 | 1 | 32 | .296 |

a. Predictors: (Constant), x4

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 130.876 | 1 | 130.876 | 1.128 | .296 ^a |
| | Residual | 3711.360 | 32 | 115.980 | | |
| | Total | 3842.235 | 33 | | | |

- a. Predictors: (Constant), x4
- b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 106.242 | 16.433 | | 6.465 | .000 |
| | x4 | .483 | .454 | .185 | 1.062 | .296 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x5 ^a | . | Enter |

- a. All requested variables entered.
- b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .139 ^a | .019 | -.011 | 10.85168 | .019 | .628 | 1 | 32 | .434 |

a. Predictors: (Constant), x5

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 73.946 | 1 | 73.946 | .628 | .434 ^a |
| | Residual | 3768.290 | 32 | 117.759 | | |
| | Total | 3842.235 | 33 | | | |

a. Predictors: (Constant), x5

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 109.936 | 17.328 | | 6.344 | .000 |
| | x5 | .351 | .443 | .139 | .792 | .434 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .504 ^a | .254 | .231 | 9.46339 | .254 | 10.903 | 1 | 32 | .002 |

a. Predictors: (Constant), x

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 976.454 | 1 | 976.454 | 10.903 | .002 ^a |
| | Residual | 2865.782 | 32 | 89.556 | | |
| | Total | 3842.235 | 33 | | | |

a. Predictors: (Constant), x

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 43.141 | 24.417 | | 1.767 | .087 |
| | x | .343 | .104 | .504 | 3.302 | .002 |

a. Dependent Variable: y

Uji Statistik di RW 08

Correlations

| | | X1 | X2 | X3 | X4 | X5 | X | Y |
|----|---------------------|--------|-------|--------|--------|--------|--------|--------|
| X1 | Pearson Correlation | 1.000 | .119 | .343* | .315* | .304* | .826** | .579** |
| | Sig. (1-tailed) | . | .238 | .017 | .027 | .032 | .000 | .000 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| X2 | Pearson Correlation | .119 | 1.000 | -.054 | -.180 | -.027 | .121 | .033 |
| | Sig. (1-tailed) | .238 | . | .373 | .140 | .437 | .235 | .423 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| X3 | Pearson Correlation | .343* | -.054 | 1.000 | .374* | .563** | .744** | .255 |
| | Sig. (1-tailed) | .017 | .373 | . | .010 | .000 | .000 | .061 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| X4 | Pearson Correlation | .315* | -.180 | .374* | 1.000 | .254 | .568** | .587** |
| | Sig. (1-tailed) | .027 | .140 | .010 | . | .062 | .000 | .000 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| X5 | Pearson Correlation | .304* | -.027 | .563** | .254 | 1.000 | .633** | .137 |
| | Sig. (1-tailed) | .032 | .437 | .000 | .062 | . | .000 | .205 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| X | Pearson Correlation | .826** | .121 | .744** | .568** | .633** | 1.000 | .579** |
| | Sig. (1-tailed) | .000 | .235 | .000 | .000 | .000 | . | .000 |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| Y | Pearson Correlation | .579** | .033 | .255 | .587** | .137 | .579** | 1.000 |
| | Sig. (1-tailed) | .000 | .423 | .061 | .000 | .205 | .000 | . |
| | N | 38 | 38 | 38 | 38 | 38 | 38 | 38 |

*. Correlation is significant at the 0.05 level (1-tailed).

**. Correlation is significant at the 0.01 level (1-tailed).

Test Statistics

| | x1 | x2 | x3 | x4 | x5 | x | y |
|-------------------------------------|-------|--------|--------|--------|--------|--------|--------|
| Chi-Square ^{a,b,c,d,e,f,g} | 9.368 | 21.211 | 13.368 | 18.053 | 14.684 | 10.316 | 10.632 |
| df | 24 | 8 | 15 | 14 | 12 | 26 | 21 |
| Asymp. Sig. | .997 | .007 | .574 | .204 | .259 | .997 | .969 |

- a. 25 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.5.
- b. 9 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 4.2.
- c. 16 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.4.
- d. 15 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.5.
- e. 13 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.9.
- f. 27 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.4.
- g. 22 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 1.7.

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x1 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .579 ^a | .335 | .317 | 7.37115 | .335 | 18.161 | 1 | 36 | .000 |

- a. Predictors: (Constant), x1

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 986.746 | 1 | 986.746 | 18.161 | .000 ^a |
| | Residual | 1956.017 | 36 | 54.334 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x1
b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 76.931 | 10.391 | | 7.403 | .000 |
| | x1 | .584 | .137 | .579 | 4.262 | .000 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x2 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .033 ^a | .001 | -.027 | 9.03643 | .001 | .038 | 1 | 36 | .846 |

- a. Predictors: (Constant), x2

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 3.110 | 1 | 3.110 | .038 | .846 ^a |
| | Residual | 2939.653 | 36 | 81.657 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x2
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 118.080 | 14.630 | | 8.071 | .000 |
| | x2 | .150 | .770 | .033 | .195 | .846 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x3 ^a | | Enter |

- a. All requested variables entered.
 b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .255 ^a | .065 | .039 | 8.74212 | .065 | 2.505 | 1 | 36 | .122 |

- a. Predictors: (Constant), x3

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|-------|-------------------|
| 1 | Regression | 191.473 | 1 | 191.473 | 2.505 | .122 ^a |
| | Residual | 2751.290 | 36 | 76.425 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x3
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 100.114 | 13.221 | | 7.572 | .000 |
| | x3 | .398 | .252 | .255 | 1.583 | .122 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x4 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .587 ^a | .344 | .326 | 7.32008 | .344 | 18.919 | 1 | 36 | .000 |

- a. Predictors: (Constant), x4

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 1013.752 | 1 | 1013.752 | 18.919 | .000 ^a |
| | Residual | 1929.011 | 36 | 53.584 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x4
b. Dependent Variable: y

Coefficients^c

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 75.459 | 10.519 | | 7.174 | .000 |
| | x4 | 1.431 | .329 | .587 | 4.350 | .000 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x5 ^a | . | Enter |

- a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .137 ^a | .019 | -.008 | 8.95538 | .019 | .693 | 1 | 36 | .411 |

- a. Predictors: (Constant), x5

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|------|-------------------|
| 1 | Regression | 55.606 | 1 | 55.606 | .693 | .411 ^a |
| | Residual | 2887.158 | 36 | 80.199 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x5
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 110.254 | 12.892 | | 8.552 | .000 |
| | x5 | .369 | .443 | .137 | .833 | .411 |

- a. Dependent Variable: y

Regression

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^a | | Enter |

- a. All requested variables entered.
 b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .579 ^a | .335 | .316 | 7.37325 | .335 | 18.130 | 1 | 36 | .000 |

- a. Predictors: (Constant), x

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 985.631 | 1 | 985.631 | 18.130 | .000 ^a |
| | Residual | 1957.133 | 36 | 54.365 | | |
| | Total | 2942.763 | 37 | | | |

- a. Predictors: (Constant), x
 b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 53.987 | 15.765 | | 3.424 | .002 |
| | x | .323 | .076 | .579 | 4.258 | .000 |

- a. Dependent Variable: y

Uji Statistik Komunitas

Correlations

| | | X1 | X2 | X3 | X4 | X5 | X | Y |
|----|---------------------|--------|--------|--------|--------|--------|--------|--------|
| X1 | Pearson Correlation | 1.000 | .238** | .325** | .232** | .272** | .739** | .265** |
| | Sig. (1-tailed) | . | .002 | .000 | .003 | .001 | .000 | .001 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| X2 | Pearson Correlation | .238** | 1.000 | .102 | .394** | .277** | .429** | .146* |
| | Sig. (1-tailed) | .002 | . | .116 | .000 | .000 | .000 | .043 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| X3 | Pearson Correlation | .325** | .102 | 1.000 | .254** | .694** | .774** | .337** |
| | Sig. (1-tailed) | .000 | .116 | . | .001 | .000 | .000 | .000 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| X4 | Pearson Correlation | .232** | .394** | .254** | 1.000 | .469** | .563** | .246** |
| | Sig. (1-tailed) | .003 | .000 | .001 | . | .000 | .000 | .002 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| X5 | Pearson Correlation | .272** | .277** | .694** | .469** | 1.000 | .766** | .173* |
| | Sig. (1-tailed) | .001 | .000 | .000 | .000 | . | .000 | .021 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| X | Pearson Correlation | .739** | .429** | .774** | .563** | .766** | 1.000 | .365** |
| | Sig. (1-tailed) | .000 | .000 | .000 | .000 | .000 | . | .000 |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| Y | Pearson Correlation | .265** | .146* | .337** | .246** | .173* | .365** | 1.000 |
| | Sig. (1-tailed) | .001 | .043 | .000 | .002 | .021 | .000 | . |
| | N | 139 | 139 | 139 | 139 | 139 | 139 | 139 |

** . Correlation is significant at the 0.01 level (1-tailed).

* . Correlation is significant at the 0.05 level (1-tailed).

Test Statistics

| | x1 | x2 | x3 | x4 | x5 | x | y |
|-------------------------------------|--------|--------|--------|--------|--------|--------|---------|
| Chi-Square ^{a,b,c,d,e,f,g} | 49.906 | 50.050 | 50.216 | 77.547 | 69.453 | 46.827 | 101.453 |
| df | 37 | 13 | 32 | 19 | 24 | 69 | 38 |
| Asymp. Sig. | .076 | .000 | .021 | .000 | .000 | .981 | .000 |

- 38 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 3.7.
- 0 cells (.0%) have expected frequencies less than 5. The minimum expected cell frequency is 9.9.
- 33 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 4.2.
- 0 cells (.0%) have expected frequencies less than 5. The minimum expected cell frequency is 7.0.
- 0 cells (.0%) have expected frequencies less than 5. The minimum expected cell frequency is 5.6.
- 70 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 2.0.
- 39 cells (100.0%) have expected frequencies less than 5. The minimum expected cell frequency is 3.6.

Regression

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x1 ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .265 ^a | .070 | .063 | 8.62234 | .070 | 10.353 | 1 | 137 | .002 |

a. Predictors: (Constant), x1

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1 | Regression | 769.695 | 1 | 769.695 | 10.353 | .002 ^a |
| | Residual | 10185.241 | 137 | 74.345 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x1

b. Dependent Variable: y

Coefficients

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 106.297 | 5.236 | | 20.302 | .000 |
| | x1 | .232 | .072 | .265 | 3.218 | .002 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x2 ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .146 ^a | .021 | .014 | 8.84636 | .021 | 2.985 | 1 | 137 | .086 |

a. Predictors: (Constant), x2

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|-------|-------------------|
| 1 | Regression | 233.585 | 1 | 233.585 | 2.985 | .086 ^a |
| | Residual | 10721.351 | 137 | 78.258 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x2

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 114.918 | 4.726 | | 24.318 | .000 |
| | x2 | .437 | .253 | .146 | 1.728 | .086 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x3 ^a | . | Enter |

a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .337 ^a | .114 | .107 | 8.41785 | .114 | 17.599 | 1 | 137 | .000 |

a. Predictors: (Constant), x3

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1 | Regression | 1247.092 | 1 | 1247.092 | 17.599 | .000 ^a |
| | Residual | 9707.843 | 137 | 70.860 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x3
b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 101.566 | 5.154 | | 19.707 | .000 |
| | x3 | .351 | .084 | .337 | 4.195 | .000 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x4 ^a | . | Enter |

a. All requested variables entered.
b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .246 ^a | .061 | .054 | 8.66692 | .061 | 8.841 | 1 | 137 | .003 |

a. Predictors: (Constant), x4

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|-------|-------------------|
| 1 | Regression | 664.111 | 1 | 664.111 | 8.841 | .003 ^a |
| | Residual | 10290.824 | 137 | 75.116 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x4

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 105.834 | 5.813 | | 18.208 | .000 |
| | x4 | .537 | .181 | .246 | 2.973 | .003 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x5 ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .173 ^a | .030 | .023 | 8.80760 | .030 | 4.219 | 1 | 137 | .042 |

a. Predictors: (Constant), x5

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|-------|-------------------|
| 1 | Regression | 327.311 | 1 | 327.311 | 4.219 | .042 ^a |
| | Residual | 10627.624 | 137 | 77.574 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x5

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 113.008 | 4.911 | | 23.011 | .000 |
| | x5 | .297 | .145 | .173 | 2.054 | .042 |

a. Dependent Variable: y

Regression

Variables Entered/Removed^d

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^a | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 1 | .365 ^a | .133 | .127 | 8.32506 | .133 | 21.065 | 1 | 137 | .000 |

a. Predictors: (Constant), x

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1 | Regression | 1459.925 | 1 | 1459.925 | 21.065 | .000 ^a |
| | Residual | 9495.010 | 137 | 69.307 | | |
| | Total | 10954.935 | 138 | | | |

a. Predictors: (Constant), x

b. Dependent Variable: y

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
| | | B | Std. Error | Beta | | |
| 1 | (Constant) | 90.488 | 7.114 | | 12.719 | .000 |
| | x | .150 | .033 | .365 | 4.590 | .000 |

a. Dependent Variable: y