

## DAFTAR ACUAN

- [1] Mayer, S.T and Contolini, R.J (1999), Electroplanarization of large and small damascene features using diffusion barriers and electropolishing, U.S Patent No. 6315883.
- [2] Chen,L.(2001), Method for electrolytically depositing copper on a semiconductor workpiece, U.S Patent No. 6290833.
- [3] Harinaldi, Ueda, T and Mizumoto, M., (2001), “Effect of slot gas injection to the flow field and coherent structure characteristics of a backstep flow”  
*International journal of heat and mass transfer*, vol 44, issue 14, hal 2711-2726
- [4] Robert A. Noult, Derek G. Leaist (1987). “Diffusion in aqueous copper sulfate and copper sulfate-sulfuric acid solutions” *Journal of solution chemistry*, vol 16, no 10, hal 813-825.
- [5] C.F Ouduza, A.A Wragg, M.A Patrick (1997). “The effects of a variety of wall obstruction on local mass transfer in a parallel plate electrochemical flow cell”.  
*Chemical Engineering Journal*, 68, hal 145-155.

## DAFTAR PUSTAKA

- Keenan, Charles W. *Ilmu Kimia untuk Universitas jilid 2.* (Jakarta: Penerbit Erlangga, 1993)
- Incropera, Frank P., De Witt, David P.. *Fundamentals of Heat and Mass Transfer.* (Singapore, Wiley and Sons, 2002)
- Munson, Bruce R., Young, Donald F., Okiishi, Theodore H.. *Mekanika Fluida. Terj* Harinaldi, Budiarto. (Jakarta: Erlangga, 2003)
- Armaly, B.F., Durst, F., Pereira, J.C.F and Schonung, B., *Journal of Fluid Mechanics*, 127 (1983), pp. 473-496
- Chen, L., Method for electrolytically depositing copper on a semiconductor workpiece, U.S Patent No. 6290833, (2001).
- Choi, H., Moin, P. and Kim, J., *Journal of Fluid Mechanics*, 262 (1994), pp. 75-110.
- Chouikhi, S.M., Patrick, M.A. and Wragg, A.A., *Journal of Applied Electrochemical*, 17 (1987), pp. 1118-1128.
- Eaton, J.K. and Johnston, J.P., *AIAA Journal*, 19 (1981), pp. 1093-1099.
- Endo, T., Kasagi, N. and Suzuki, Y., *Turbulence and Shear Flow-1*, Begell House, New York, (1999), pp. 405-410
- Harinaldi, Prooceding of The 8th Indonesia Toray Science Foundation Seminar on Science and Technology, (2003)
- Harinaldi, Ueda, T. and Mizomoto, M., *International Journal of Heat and Mass Transfer*, 44:14 (2001), pp. 2711-2726.
- Harinaldi, Ueda, T. and Mizomoto, M., *Journal of Chemical Engineering of Japan (International Edition)*, 34:3 (2001), pp. 351-359.
- Harinaldi, Ueda, T. and Mizomoto, M., dalam S. Dost, H. Struchtrup and I. Dincer (Eds.): *Progress in Transport Phenomena*, Elsevier, Paris, (2002), pp. 93-98.
- Harinaldi, Laporan Penelitian Hibah PHK A3-DTM FTUI, 2007
- Hung, Y.H. and Lin, H.H., *International Journal of Heat and Mass Transfer*, 35 (1992), pp. 29-42.

- Khan, Z.U. and Johnston, J.P., *Turbulence and Shear Flow-1*, Beggel House, New York, (1999), pp. 411-416.
- Kim, K.C., Chung, M.K. and Kim.Y., *International Communication on Heat and Mass Transfer*, 14 (1987), pp. 531-542.
- Kodama, Y., Kakugawa, A., Takahashi, T. and Kawashima, H., *Turbulence and Shear Flow-1*, Beggel House, New York, (1999), pp. 417-422.
- Krall, K.M. and Sparrow, E.M., *International Journal of Heat and Mass Transfer*, 8 (1966), pp. 131-181.
- Kundu, P.K. and Cohen, I.M., *Fluid Mechanics*, Academic Press, California, 1990
- Mayer, S.T and Contolini, R.J, Electroplanarization of large and small damascene features using diffusion barriers and electropolishing, U.S Patent No. 6315883, (1999).
- Oduza, C.F., Wragg, A.A, Patrick, M.A., *Chemical Engineering Journal*, 68 (1997) pp. 145-155.
- Rosner, D.E., *Transport Process in Chemically Reacting Flow System*, Dover Publication, Inc., New York, (2000), pp. 267-270.
- Runchall, A.K., *International Journal of Heat and Mass Transfer*, 14, (1971), pp. 781-792
- Sparrow, E.M. and Kalejs, J.P., *International Journal of Heat and Mass Transfer*, 20 (1977), pp.1241-1249.
- Tagg, D.J., Patrick, M.A. and Wragg, A.A. *Trans. I.Chem .Eng.*, 57 (1979), pp. 176-181.
- Yang, J.T. and Tsai, C.H, *International Journal of Heat and Mass Transfer*, 39 (1996), pp. 2293-2301.