

**Pendidikan Ibu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
rekocode pendidikan ibu 3 kategori * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**rekocode pendidikan ibu 3 kategori \* asi eksklusif Crosstabulation**

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
recode pendidikan ibu 3 kategori	>= SLTA	Count	39	191	230
		% within rekocode pendidikan ibu 3 kategori	17,0%	83,0%	100,0%
	Tamat SLP	Count	27	83	110
		% within rekocode pendidikan ibu 3 kategori	24,5%	75,5%	100,0%
	>= Tamat SD	Count	17	49	66
		% within rekocode pendidikan ibu 3 kategori	25,8%	74,2%	100,0%
Total		Count	83	323	406
		% within rekocode pendidikan ibu 3 kategori	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,003(a)	2	,135
Likelihood Ratio	3,968	2	,138
Linear-by-Linear Association	3,547	1	,060
N of Valid Cases	406		

a 0 cells (,0%) have expected count less than 5. The minimum expected count is 13,49.

**Pengetahuan Ibu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan 2 var * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**pengetahuan 2 var \* asi eksklusif Crosstabulation**

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
pengetahuan 2 var	baik	Count	19	49	68
		% within pengetahuan 2 var	27,9%	72,1%	100,0%
	kurang	Count	64	274	338
		% within pengetahuan 2 var	18,9%	81,1%	100,0%
Total		Count	83	323	406
		% within pengetahuan 2 var	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,823(b)	1	,093		
Continuity Correction(a)	2,297	1	,130		
Likelihood Ratio	2,654	1	,103		
Fisher's Exact Test				,101	,068
Linear-by-Linear Association	2,816	1	,093		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,90.

**Pekerjaan ibu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pekerjaan ibu recode * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**pekerjaan ibu recode \* asi eksklusif Crosstabulation**

			asi eksklusif		Total ASI eksklusif
			ASI eksklusif	tidak ASI eksklusif	
pekerjaan ibu recode	tidak bekerja	Count	70	282	352
		% within pekerjaan ibu recode	19,9%	80,1%	100,0%
	bekerja	Count	13	41	54
		% within pekerjaan ibu recode	24,1%	75,9%	100,0%
Total		Count	83	323	406
		% within pekerjaan ibu recode	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,505(b)	1	,477		
Continuity Correction(a)	,280	1	,597		
Likelihood Ratio	,488	1	,485		
Fisher's Exact Test				,472	,292
Linear-by-Linear Association	,504	1	,478		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 11,04.

## Tempat Bersalin

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
recode tempat bersalin2 * asi eksklusif	406	100,0%	0	,0%	406	100,0%

### recode tempat bersalin2 \* asi eksklusif Crosstabulation

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
recode tempat bersalin2	bidan	Count	55	194	249
		% within recode tempat bersalin2	22,1%	77,9%	100,0%
	institusi	Count	24	110	134
		% within recode tempat bersalin2	17,9%	82,1%	100,0%
	rumah	Count	4	19	23
		% within recode tempat bersalin2	17,4%	82,6%	100,0%
Total		Count	83	323	406
		% within recode tempat bersalin2	20,4%	79,6%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,075(a)	2	,584
Likelihood Ratio	1,089	2	,580
Linear-by-Linear Association	,966	1	,326
N of Valid Cases	406		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 4,70.

## Immediate Breastfeeding

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
recode inisiasi dini * asi eksklusif	406	100,0%	0	,0%	406	100,0%

### recode inisiasi dini \* asi eksklusif Crosstabulation

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
recode inisiasi dini	<= 1 jam	Count	53	120	173
		% within recode inisiasi dini	30,6%	69,4%	100,0%
	>= 2 jam	Count	30	203	233
		% within recode inisiasi dini	12,9%	87,1%	100,0%
Total		Count	83	323	406
		% within recode inisiasi dini	20,4%	79,6%	100,0%

### Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	19,255(b)	1	,000		
Continuity Correction(a)	18,179	1	,000		
Likelihood Ratio	19,127	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	19,208	1	,000		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 35,37.

### Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for recode inisiasi dini (<= 1 jam / >= 2 jam)	2,989	1,810	4,935
For cohort asi eksklusif = ASI eksklusif	2,379	1,591	3,558
For cohort asi eksklusif = tidak ASI eksklusif	,796	,713	,889
N of Valid Cases	406		



## Pemberian Kolostrum

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama * asi eksklusif	406	100,0%	0	,0%	406	100,0%

### Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama \* asi eksklusif Crosstabulation

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama	ya	Count	81	276	357
		% within Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama	22,7%	77,3%	100,0%
Total	tidak	Count	2	47	49
		% within Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama	4,1%	95,9%	100,0%
Total		Count	83	323	406
		% within Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama	20,4%	79,6%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,172(b)	1	,002		
Continuity Correction(a)	8,064	1	,005		
Likelihood Ratio	12,215	1	,000		
Fisher's Exact Test				,001	,001
Linear-by-Linear Association	9,150	1	,002		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 10,02.

### Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for Ibu memberikan kolostrum kepada bayi dalam 3 hari pertama (ya / tidak)	6,897	1,640	29,010
For cohort asi eksklusif = ASI eksklusif	5,559	1,411	21,893
For cohort asi eksklusif = tidak ASI eksklusif	,806	,744	,874
N of Valid Cases	406		





**Penolong Persalinan (tdk dukun)**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
penolonglast * asi eksklusif	397	97,8%	9	2,2%	406	100,0%

**penolonglast \* asi eksklusif Crosstabulation**

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
penolonglast	Bidan	Count	68	224	292
		% within penolonglast	23,3%	76,7%	100,0%
	Dokter	Count	15	90	105
		% within penolonglast	14,3%	85,7%	100,0%
Total		Count	83	314	397
		% within penolonglast	20,9%	79,1%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,785(b)	1	,052		
Continuity Correction(a)	3,260	1	,071		
Likelihood Ratio	4,021	1	,045		
Fisher's Exact Test				,068	,033
Linear-by-Linear Association	3,775	1	,052		
N of Valid Cases	397				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 21,95.

**Umur Ibu (30 tahun)**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
umur ibu recode1 * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**umur ibu recode1 \* asi eksklusif Crosstabulation**

			asi eksklusif		Total
			ASI eksklusif	tidak ASI eksklusif	ASI eksklusif
umur ibu recode1	> 30 tahun	Count	40	128	168
		% within umur ibu recode1	23,8%	76,2%	100,0%
	<= 30 tahun	Count	43	195	238
		% within umur ibu recode1	18,1%	81,9%	100,0%
Total		Count	83	323	406
		% within umur ibu recode1	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,997(b)	1	,158		
Continuity Correction(a)	1,659	1	,198		
Likelihood Ratio	1,978	1	,160		
Fisher's Exact Test				,170	,099
Linear-by-Linear Association	1,992	1	,158		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 34,34.

**Pengetahuan Ibu tentang ASI eksklusif 6 Bulan**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Asi eksklusif pengetahuan * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**Asi eksklusif pengetahuan \* asi eksklusif Crosstabulation**

		asi eksklusif		Total ASI eksklusif	
		ASI eksklusif	tidak ASI eksklusif		
Asi eksklusif pengetahuan	Tahu	Count	25	65	90
		% within Asi eksklusif pengetahuan	27,8%	72,2%	100,0%
Tidak Tahu	Tidak Tahu	Count	58	258	316
		% within Asi eksklusif pengetahuan	18,4%	81,6%	100,0%
Total		Count	83	323	406
		% within Asi eksklusif pengetahuan	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,825(b)	1	,051		
Continuity Correction(a)	3,267	1	,071		
Likelihood Ratio	3,626	1	,057		
Fisher's Exact Test				,055	,038
Linear-by-Linear Association	3,815	1	,051		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 18,40.

**Frekuensi ANC**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
recode D5tot1 * asi eksklusif	406	100,0%	0	,0%	406	100,0%

**recode D5tot1 \* asi eksklusif Crosstabulation**

			asi eksklusif		Total ASI eksklusif
			ASI eksklusif	tidak ASI eksklusif	
recode D5tot1	< 4 kali	Count	4	10	14
		% within recode D5tot1	28,6%	71,4%	100,0%
	>= 4 kali	Count	79	313	392
		% within recode D5tot1	20,2%	79,8%	100,0%
Total		Count	83	323	406
		% within recode D5tot1	20,4%	79,6%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,589(b)	1	,443		
Continuity Correction(a)	,185	1	,667		
Likelihood Ratio	,543	1	,461		
Fisher's Exact Test				,498	,316
Linear-by-Linear Association	,588	1	,443		
N of Valid Cases	406				

a Computed only for a 2x2 table

b 1 cells (25,0%) have expected count less than 5. The minimum expected count is 2,86.