

LAMPIRAN

Lampiran Hubungan Variabel Independen dengan Dependen

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Konstruksi bangunan *						
Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Dinding * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Langit-langit (plafon) *						
Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Ventilasi * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Penerangan * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Kualitas fisik air * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Sumber air * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Saluran air kotor * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Toilet * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Tempat sampah * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Pencucian peralatan *						
Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%
Pelatihan * Laik fisik tempat pengolahan makanan	100	100.0%	0	.0%	100	100.0%

Hubungan Konstruksi bangunan dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			laik fisik	Tidak	
Konstruksi bangunan	Permanen	Count	10	73	83
		% within Konstruksi bangunan	12.0%	88.0%	100.0%
	Tidak permanent	Count	0	17	17
		% within Konstruksi bangunan	.0%	100.0%	100.0%
Total		Count	10	90	100
		% within Konstruksi bangunan	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.276 ^b	1	.131		
Continuity Correction ^a	1.134	1	.287		
Likelihood Ratio	3.948	1	.047		
Fisher's Exact Test				.204	.141
Linear-by-Linear Association	2.253	1	.133		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.

70.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Laik fisik tempat pengolahan makanan = Tidak	.880	.812	.952
N of Valid Cases	100		

Hubungan Dinding dengan Laik fisik tempat pengolahan makanan

Crosstab

		Laik fisik tempat pengolahan makanan		Total
		laik fisik	Tidak	
Dinding	ada	Count	10	76
		% within Dinding	13.2%	86.8%
	tidak	Count	0	24
		% within Dinding	.0%	100.0%
Total		Count	10	100
		% within Dinding	10.0%	90.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.509 ^b	1	.061		
Continuity Correction ^a	2.199	1	.138		
Likelihood Ratio	5.831	1	.016		
Fisher's Exact Test				.112	.055
Linear-by-Linear Association	3.474	1	.062		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.40.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Laik fisik tempat pengolahan makanan = Tidak	.868	.796	.948
N of Valid Cases	100		

Hubungan Langit-langit (plafon) dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			laik fisik	Tidak	
Langit-langit bersih (plafon)	Count		7	57	64
	% within Langit-langit (plafon)		10.9%	89.1%	100.0%
tidak	Count		3	33	36
	% within Langit-langit (plafon)		8.3%	91.7%	100.0%
Total	Count		10	90	100
	% within Langit-langit (plafon)		10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.174 ^b	1	.677		
Continuity Correction ^a	.005	1	.945		
Likelihood Ratio	.178	1	.673		
Fisher's Exact Test				1.000	.483
Linear-by-Linear Association	.172	1	.678		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.

60.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Langit-langit (plafon) (bersih / tidak)	1.351	.327	5.582
For cohort Laik fisik tempat pengolahan makanan = laik fisik	1.313	.362	4.765
For cohort Laik fisik tempat pengolahan makanan = Tidak	.972	.853	1.107
N of Valid Cases	100		

Hubungan Ventilasi dengan Laik fisik tempat pengolahan makanan

Crosstab

		Laik fisik tempat pengolahan makanan		Total
		laik fisik	Tidak	
Ventilasi	Ada	Count	10	90
		% within Ventilasi	10.0%	90.0%
Total		Count	10	90
		% within Ventilasi	10.0%	90.0%

Chi-Square Tests

	Value
Pearson Chi-Square	^a
N of Valid Cases	100

a. No statistics are computed because Ventilasi is a constant.

Risk Estimate

	Value
Odds Ratio for Ventilasi (Ada / .)	^a .

a. No statistics are computed because Ventilasi is a constant.

Hubungan Penerangan dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			Laik fisik	Tidak	
Penerangan	Terang	Count	10	81	91
		% within Penerangan	11.0%	89.0%	100.0%
	Redup	Count	0	9	9
		% within Penerangan	.0%	100.0%	100.0%
Total		Count	10	90	100
		% within Penerangan	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.099 ^b	1	.295		
Continuity Correction ^a	.217	1	.641		
Likelihood Ratio	1.993	1	.158		
Fisher's Exact Test				.593	.371
Linear-by-Linear Association	1.088	1	.297		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is .90.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Laik fisik tempat pengolahan makanan = Tidak	.890	.828	.957
N of Valid Cases	100		

Hubungan Kualitas fisik air dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			laik fisik	Tidak	
Kualitas fisik air	Memenuhi syarat	Count	10	87	97
		% within Kualitas fisik air	10.3%	89.7%	100.0%
	Tidak memenuhi syarat	Count	0	3	3
		% within Kualitas fisik air	.0%	100.0%	100.0%
Total		Count	10	90	100
		% within Kualitas fisik air	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.344 ^b	1	.558		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.642	1	.423		
Fisher's Exact Test				1.000	.727
Linear-by-Linear Association	.340	1	.560		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .30.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Laik fisik tempat pengolahan makanan = Tidak	.897	.838	.960
N of Valid Cases	100		

Hubungan Sumber air dengan Laik fisik tempat pengolahan makanan

Crosstab

Sumber air	Baik	Count	Laik fisik tempat pengolahan makanan		Total
			laik fisik	Tidak	
% within Sumber air	Baik	6	59	65	100.0%
	Tidak	4	31	35	
Total		10	90	100	100.0%
% within Sumber air		10.0%	90.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.122 ^b	1	.727		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.120	1	.729		
Fisher's Exact Test				.737	.488
Linear-by-Linear Association	.121	1	.728		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3. 50.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sumber air (Baik / Tidak)	.788	.207	3.003
For cohort Laik fisik tempat pengolahan makanan = laik fisik	.808	.244	2.672
For cohort Laik fisik tempat pengolahan makanan = Tidak	1.025	.889	1.181
N of Valid Cases	100		

Hubungan Saluran air kotor dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			laik fisik	Tidak	
Saluran air kotor	Baik	Count	10	75	85
		% within Saluran air kotor	11.8%	88.2%	100.0%
	Tidak	Count	0	15	15
		% within Saluran air kotor	.0%	100.0%	100.0%
Total		Count	10	90	100
		% within Saluran air kotor	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.961 ^b	1	.161		
Continuity Correction ^a	.871	1	.351		
Likelihood Ratio	3.441	1	.064		
Fisher's Exact Test				.351	.181
Linear-by-Linear Association	1.941	1	.164		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1. 50.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Laik fisik tempat pengolahan makanan = Tidak	.882	.816	.954
N of Valid Cases	100		

Hubungan Toilet dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			Iaik fisik	Tidak	
Toilet	Ada	Count	7	41	48
		% within Toilet	14.6%	85.4%	100.0%
	Tidak	Count	3	49	52
		% within Toilet	5.8%	94.2%	100.0%
	Total	Count	10	90	100
		% within Toilet	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.155 ^b	1	.142		
Continuity Correction ^a	1.287	1	.257		
Likelihood Ratio	2.198	1	.138		
Fisher's Exact Test				.188	.128
Linear-by-Linear Association	2.133	1	.144		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4. 80.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Toilet (Ada / Tidak)	2.789	.678	11.476
For cohort Laik fisik tempat pengolahan makanan = laik fisik	2.528	.693	9.223
For cohort Laik fisik tempat pengolahan makanan = Tidak	.906	.792	1.037
N of Valid Cases	100		

Hubungan Tempat sampah dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			Laik fisik	Tidak	
Tempat sampah	ada	Count	2	22	24
		% within Tempat sampah	8.3%	91.7%	100.0%
	tidak	Count	8	68	76
		% within Tempat sampah	10.5%	89.5%	100.0%
Total		Count	10	90	100
		% within Tempat sampah	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.097 ^b	1	.755		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.101	1	.750		
Fisher's Exact Test				1.000	.553
Linear-by-Linear Association	.096	1	.756		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2. 40.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tempat sampah (ada / tidak)	.773	.153	3.914
For cohort Laik fisik tempat pengolahan makanan = laik fisik	.792	.180	3.478
For cohort Laik fisik tempat pengolahan makanan = Tidak	1.025	.888	1.182
N of Valid Cases	100		

Hubungan Pencucian peralatan dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			Iaik fisik	Tidak	
Pencucian peralatan	baik	Count	9	73	82
		% within Pencucian peralatan	11.0%	89.0%	100.0%
	tidak	Count	1	17	18
		% within Pencucian peralatan	5.6%	94.4%	100.0%
Total		Count	10	90	100
		% within Pencucian peralatan	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.482 ^b	1	.488		
Continuity Correction ^a	.068	1	.795		
Likelihood Ratio	.548	1	.459		
Fisher's Exact Test				.685	.428
Linear-by-Linear Association	.477	1	.490		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1. 80.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pencucian peralatan (baik / tidak)	2.096	.248	17.678
For cohort Laik fisik tempat pengolahan makanan = laik fisik	1.976	.267	14.627
For cohort Laik fisik tempat pengolahan makanan = Tidak	.943	.823	1.079
N of Valid Cases	100		

Hubungan Pelatihan dengan Laik fisik tempat pengolahan makanan

Crosstab

			Laik fisik tempat pengolahan makanan		Total
			Laik fisik	Tidak	
Pelatihan	Ya	Count	3	25	28
		% within Pelatihan	10.7%	89.3%	100.0%
	Belum	Count	7	65	72
		% within Pelatihan	9.7%	90.3%	100.0%
Total		Count	10	90	100
		% within Pelatihan	10.0%	90.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.022 ^b	1	.882		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.022	1	.883		
Fisher's Exact Test				1.000	.570
Linear-by-Linear Association	.022	1	.883		
N of Valid Cases	100				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2. 80.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pelatihan (Ya / Belum)	1.114	.267	4.652
For cohort Laik fisik tempat pengolahan makanan = laik fisik	1.102	.306	3.964
For cohort Laik fisik tempat pengolahan makanan = Tidak	.989	.852	1.148
N of Valid Cases	100		

Tabel Frekuensi Variabel Dependen

Laik fisik tempat pengolahan makanan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laik fisik	10	10.0	10.0	10.0
	Tidak	90	90.0	90.0	100.0
	Total	100	100.0	100.0	

Tabel Frekuensi Variabel Independen

Statistics

	Konstruksi bangunan	Dinding	angit-lang (plafon)	Ventilasi	Kualitas saringan	fisik air	Saluran air kotor	Toilet	Tempat sampah	Pencuci peralatan	Elatiha	Laik fisik tempat pengolahan makanan
N	Valid	100	100	100	100	100	100	100	100	100	100	100
	Missing	0	0	0	0	0	0	0	0	0	0	0
Mean		1.17	1.24	1.36	1.00	1.09	1.03	1.35	1.15	1.52	1.76	1.18
Median		1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	1.00	2.00
Minimum		1	1	1	1	1	1	1	1	1	1	1
Maximum		2	2	2	1	2	2	2	2	2	2	2

Konstruksi bangunan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Permanen	83	83.0	83.0	83.0
	Tidak permanent	17	17.0	17.0	100.0
	Total	100	100.0	100.0	

Langit-langit (plafon)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid bersih	64	64.0	64.0	64.0
tidak	36	36.0	36.0	100.0
Total	100	100.0	100.0	

Ventilasi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ada	100	100.0	100.0	100.0

Penerangan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Terang	91	91.0	91.0	91.0
Redup	9	9.0	9.0	100.0
Total	100	100.0	100.0	

Kualitas fisik air

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Memenuhi syarat	97	97.0	97.0	97.0
Tidak memenuhi syarat	3	3.0	3.0	100.0
Total	100	100.0	100.0	

Sumber air

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baik	65	65.0	65.0	65.0
Tidak	35	35.0	35.0	100.0
Total	100	100.0	100.0	

Saluran air kotor

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baik	85	85.0	85.0	85.0
Tidak	15	15.0	15.0	100.0
Total	100	100.0	100.0	

Toilet

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ada	48	48.0	48.0	48.0
Tidak	52	52.0	52.0	100.0
Total	100	100.0	100.0	

Tempat sampah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ada	24	24.0	24.0	24.0
tidak	76	76.0	76.0	100.0
Total	100	100.0	100.0	

Pencucian peralatan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid baik	82	82.0	82.0	82.0
tidak	18	18.0	18.0	100.0
Total	100	100.0	100.0	

Pelatihan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	28	28.0	28.0	28.0
Belum	72	72.0	72.0	100.0
Total	100	100.0	100.0	