

Lampiran A

Dataset A₁

1,3,1,2

1,1,1,1

1,1,1,2

1,1,1,3

1,2,1,2

2,2,2,2

1,1,1,2

1,3,1,1

2,2,2,2

1,1,1,1



Lampiran B

Dataset A₂

1,3,1,2

1,1,1,1

1,1,1,2

1,3,1,1

2,2,2,2

1,1,1,1

1,1,1,2

1,1,1,3

1,2,1,2

2,2,2,2



Lampiran C

Dataset A₃

1,1,1,2

1,1,1,3

1,1,1,2

2,2,2,2

1,1,1,1


2,2,2,2

1,2,1,2

1,1,1,1

1,3,1,1

1,3,1,2



Lampiran D

Dataset A₄

1,1,1,2

1,3,1,1

1,1,1,1

1,3,1,2

2,2,2,2

1,1,1,2

1,2,1,2

1,1,1,1

2,2,2,2

1,1,1,3



Lampiran E

Dataset A₅

1,1,1,2

1,1,1,3

2,2,2,2

1,1,1,2

1,2,1,2

1,1,1,1

1,3,1,1

1,1,1,1

1,3,1,2

2,2,2,2



Lampiran F

Dataset A₆

2,2,2,2

1,2,1,2

1,1,1,1

1,1,1,2

1,1,1,1

1,1,1,3

1,1,1,2

2,2,2,2

1,3,1,1

1,3,1,2



Lampiran G

Dataset A₇

1,1,1,2

1,3,1,1

1,1,1,3

2,2,2,2

1,1,1,1


2,2,2,2

1,3,1,2

1,1,1,2

1,2,1,2

1,1,1,1



Lampiran H

Dataset A₈

2,2,2,2

1,2,1,2

1,1,1,1

1,1,1,2

1,1,1,1

1,3,1,2

2,2,2,2

1,3,1,1

1,1,1,3

1,1,1,2



Lampiran I

Dataset A₉

2,2,2,2

1,1,1,1

2,2,2,2

1,2,1,2

1,1,1,1

1,3,1,1

1,1,1,2

1,1,1,3

1,1,1,2

1,3,1,2



Lampiran J

Dataset A₁₀

2,2,2,2

1,1,1,1

2,2,2,2

1,2,1,2

1,3,1,1

1,1,1,2

1,1,1,1

1,1,1,3

1,1,1,2

1,3,1,2



Lampiran K

Hasil program *Cobweb* dengan *dataset A₁₀*

(*Cluster 1*) 0 100.0000%

[2,2,2,2]

[1,1,1,1]

[2,2,2,2]

[1,2,1,2]

[1,3,1,1]

[1,1,1,2]

[1,1,1,1]

[1,1,1,3]

[1,1,1,2]

[1,3,1,2]

(*Cluster 2*) 1 20.0000%

[2,2,2,2]

[2,2,2,2]

(*Cluster 3*) 2 10.0000%

[2,2,2,2]

(*Cluster 4*) 2 10.0000%

[2,2,2,2]

Lanjutan

(Cluster 5) 1 80.0000%

[1,1,1,1]

[1,2,1,2]

[1,3,1,1]

[1,1,1,2]

[1,1,1,1]

[1,1,1,3]

[1,1,1,2]

[1,3,1,2]

(Cluster 6) 2 30.0000%

[1,1,1,1]

[1,3,1,1]

[1,1,1,1]

(Cluster 7) 3 20.0000%

[1,1,1,1]

[1,1,1,1]

(Cluster 8) 4 10.0000%

[1,1,1,1]

(Cluster 9) 4 10.0000%

[1,1,1,1]

Universitas Indonesia

Lanjutan

(Cluster 10) 3 10.0000%

[1,3,1,1]

(Cluster 11) 2 20.0000%

[1,2,1,2]

[1,3,1,2]

(Cluster 12) 3 10.0000%

[1,2,1,2]

(Cluster 13) 3 10.0000%

[1,3,1,2]

(Cluster 14) 2 30.0000%

[1,1,1,2]

[1,1,1,3]

[1,1,1,2]

(Cluster 15) 3 20.0000%

[1,1,1,2]

[1,1,1,2]

(Cluster 16) 4 10.0000%

[1,1,1,2]


(Cluster 17) 4 10.0000%

[1,1,1,2]

Lanjutan

(Cluster 18)3 10.0000%

[1,1,1,3]



Lampiran L

Hasil WEKA dengan *dataset file* “data_kecil.arff” dengan menampilkan *instance-instance*

(Cluster 1) 0 100.0000%

[1,3,1,2]

[1,1,1,1]

[1,1,1,2]

[1,1,1,3]

[1,2,1,2]

[2,2,2,2]

[1,1,1,2]

[1,3,1,1]

[2,2,2,2]

[1,1,1,1]

(Cluster 2) 1 70.0000%

[1,1,1,2]

[1,1,1,2]

[1,3,1,2]

[1,1,1,1]

[1,1,1,1]

[1,3,1,1]

[1,1,1,3]

(Cluster 3) 2 30.0000%

[1,1,1,2]

[1,1,1,2]

[1,3,1,2]

(Cluster 4) 3 10.0000%

Lanjutan

[1,1,1,2]		
(Cluster 5) 3	10.0000%	
[1,1,1,2]		
(Cluster 6) 3	10.0000%	
[1,3,1,2]		
(Cluster 7) 2	30.0000%	
[1,1,1,1]		
[1,1,1,1]		
[1,3,1,1]		
(Cluster 8) 3	20.0000%	
[1,1,1,1]		
[1,1,1,1]		
(Cluster 9) 4	10.0000%	
[1,1,1,1]		
(Cluster 10) 4	10.0000%	
[1,1,1,1]		
(Cluster 11) 3	10.0000%	
[1,3,1,1]		
(Cluster 12) 2	10.0000%	
[1,1,1,3]		
(Cluster 13) 1	30.0000%	
[2,2,2,2]		
[2,2,2,2]		
[1,2,1,2]		
(Cluster 14) 2	20.0000%	
[2,2,2,2]		

Lanjutan

[2,2,2,2]

(Cluster 15) 3

10.0000%

[2,2,2,2]

(Cluster 16) 3


10.0000%

[2,2,2,2]

(Cluster 17) 2

10.0000%

[1,2,1,2]



Lampiran M

Hasil uji coba program *Iterate* dengan *dataset A₁₀*

(Cluster 1) 0 100.0000%

[2,2,2,2]

[2,2,2,2]

[1,3,1,1]

[1,1,1,3]

[1,3,1,2]

[1,1,1,1]

[1,1,1,1]

[1,1,1,2]

[1,2,1,2]

[1,1,1,2]

(Cluster 2) 1 20.0000%

[2,2,2,2]

[2,2,2,2]

(Cluster 3) 1 80.0000%

[1,3,1,1]

[1,1,1,3]

[1,3,1,2]

Lanjutan

[1,1,1,1]

[1,1,1,1]

[1,2,1,2]

[1,1,1,2]

[1,1,1,2]

(Cluster 4) 2 30.0000%

[1,3,1,1]

[1,2,1,2]

[1,3,1,2]

(Cluster 5) 3 10.0000%

[1,3,1,1]

(Cluster 6) 3 10.0000%

[1,2,1,2]

(Cluster 7) 3 10.0000%

[1,3,1,2]

(Cluster 8) 2 50.0000%

[1,1,1,3]

[1,1,1,1]

[1,1,1,1]

Lanjutan

[1,1,1,2]

[1,1,1,2]

(Cluster 9) 3 30.0000%

[1,1,1,3]

[1,1,1,2]

[1,1,1,2]

(Cluster 10) 4 10.0000%

[1,1,1,3]

(Cluster 11) 4 20.0000%

[1,1,1,2]

[1,1,1,2]

(Cluster 12) 3 20.0000%

[1,1,1,1]

[1,1,1,1]