

Hubungan aktivitas kehidupan sehari-hari (AKS) dengan kualitas tidur pada lansia di Panti Sosial Tresna Werdha wilayah Jakarta = Activity of daily living towards quality of life in the elderly in PSTW Jakarta

Dara Mustika, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20430248&lokasi=lokal>

Abstrak

Gangguan kemandirian dalam melakukan AKS dan penurunan tingkat kualitas tidur merupakan masalah kesehatan lansia yang mempengaruhi kualitas hidup. Penulisan dengan desain analisis deskriptif ini bertujuan untuk mengetahui hubungan AKS dengan kualitas tidur lansia.

Desain Penulisan menggunakan metode cross sectional dengan cara wawancara dan observasi menggunakan kuesioner Katz Index dan PSQI. Teknik pengambilan sampel dilakukan dengan simple random sampling. Hasil Penulisan pada 102 lansia di PSTW Budi Mulia Wilayah Jakarta menunjukkan bahwa terdapat hubungan yang signifikan antara kemampuan lansia melakukan AKS dengan kualitas tidur, dengan p value 0,05 (OR 76,632; 95% CI 9,728-603,643).

Hasil Penulisan menunjukkan bahwa lansia yang mengalami keterbatasan dalam melakukan AKS 76 kali lebih berisiko mengalami masalah pada kualitas tidurnya. Perawat perlu memotivasi dan memfasilitasi lansia untuk dapat melakukan AKS secara mandiri.

.....

Impairment to performing Activity of Daily Living (ADL) independently and decrease level of quality of sleep is a common problem in elderly health that affects to their quality of life. Research by design descriptive analysis aims to determining the relationship between activity daily of living with quality of sleep.

Research design with cross sectional method by interviews and observations using Katz Index and PSQI questionnaire. This research was carried out by simple random sampling.

The results of 102 elderly people in PSTW Budi Mulia Jakarta shown that there was a significant relation between independence of the elderly in doing ADL with quality of sleep, with p value 0,05 (OR 76,632; 95% CI 9,728-603,643).

Results showed that the elderly who have limitations in performing ADL 76 times more at risk of having problems in the quality of sleep. The nurse should be motivate and facilitate of the elderly to do independence activity of daily living.