

## Pengelolaan perikanan tangkap komoditas udang secara berkelanjutan di Kabupaten Cilacap = Capture fisheries management for sustainable shrimp commodity In Cilacap

Sahono Budiando, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20333569&lokasi=lokal>

---

### Abstrak

Penelitian bertujuan mengetahui beberapa aspek biologi udang yang tertangkap trammel net dan didaratkan di PPS Cilacap (hubungan panjang berat, nisbah kelamin, tingkat kematangan gonad, CPUE, dan MSY), menentukan status keberlanjutan pengelolaan perikanan tangkap komoditas udang di Kabupaten Cilacap, dan menentukan strategi pengelolaan secara berkelanjutan. Penelitian dilaksanakan di PPS Cilacap pada bulan Maret sampai Juni 2012. Metode yang digunakan adalah sample survey terhadap udang yang ditangkap oleh kapal trammel net yang mendaratkan hasil tangkapannya di PPS Cilacap. Sedangkan untuk analisis status keberlanjutan menggunakan Rapid Appraisal for Fisheries (RAPFISH), dan untuk menyusun prioritas strategi menggunakan metode Proses Hirarki Analitik (AHP).

Udang jerbung, udang dogol, udang windu, dan udang krosok yang tertangkap dan didaratkan di PPS Cilacap mempunyai sifat pertumbuhan alometrik negatif dengan nilai  $b < 3$ , yaitu pertambahan panjang lebih cepat daripada pertambahan beratnya. Hasil perhitungan nisbah kelamin menunjukkan udang jerbung jantan lebih banyak daripada udang jerbung betina, sedangkan untuk jenis udang lainnya menunjukkan jenis kelamin betina lebih banyak daripada jenis kelamin jantan. Hasil pengamatan TKG menunjukkan bahwa di PPS Cilacap udang jerbung paling banyak ditemukan dengan TKG 4 (27,4%), udang dogol TKG 0 (44,9%), udang windu TKG 0 (53,7%), dan udang krosok TKG 0 (43 %), sedangkan untuk TKG 1, 2, dan 3 lebih sedikit ditemukan. Status keberlanjutan pengelolaan perikanan tangkap komoditas udang di Kabupaten Cilacap adalah dimensi ekologis 83,6 (berkelanjutan), ekonomi 52,15 (cukup berkelanjutan), sosial 58,75 (cukup berkelanjutan), teknologi 93,11 (berkelanjutan), dan etika 53,41 (cukup berkelanjutan). Apabila dilihat secara multidimensi, kegiatan perikanan tangkap komoditas udang dengan alat tangkap trammel net di Kabupaten Cilacap dalam kondisi cukup berkelanjutan (nilai indeks 70,04).

Strategi yang perlu dilakukan dalam pengelolaan perikanan tangkap komoditas udang di Kabupaten Cilacap berdasarkan skala prioritas adalah 1) Pengaturan zonasi penangkapan udang, 2) Peningkatan akses nelayan terhadap pendidikan, 3) Pengaturan hak kepemilikan dalam pemanfaatan sumberdaya udang, 4) Penentuan ukuran udang yang diperbolehkan ditangkap, 5) Pelatihan cara penanganan hasil tangkapan untuk menjaga mutu, 6) Pengaturan upaya penangkapan udang, 7) Sosialisasi penangkapan ramah lingkungan, 8) Pengembangan alat tangkap yang efisien, 9) Peningkatan peran lembaga terkait, dan 10) Penyusunan peraturan daerah tentang pengelolaan perikanan tangkap komoditas udang.

Cilacap waters has a great fisheries potential resources, especially shrimps. The study aims to know some aspects of the biology of shrimp are caught by trammel net and landed in the PPS Cilacap (length weight relationship, sex ratio, gonad maturity level, CPUE, and MSY), determine the status of sustainable management of shrimp fisheries commodities in Cilacap, and determine strategies sustainable management. The research carried out in PPS Cilacap in March until June 2012. The method used is a sample survey of shrimp caught by trammel net vessels operating in the Cilacap waters and landing their catch in PPS Cilacap. The analysis of shrimps sustainability status using Rapid Appraisal for Fisheries (RAPFISH), and

prioritize strategies using Analytical Hierarchy Process method (AHP).

White/Banana shrimps, greasyback shrimps, tiger shrimps, and rainbow shrimps are caught by trammel net and landed in PPS Cilacap have negative allometric growth with value of  $b < 3$ , that's main the growth of length is sooner rather than increase the weight. Sex ratio for jerbung shrimps much more male than female, and for the others of shrimps female more than the male sex. Gonad Maturity Level (GML) indicate that the PPS Cilacap for white/banana shrimps most abundant with GML 4 (27.4%), greasyback shrimps at GML 0 (44.9%), tiger shrimps at GML 0 (53.7 %), and rainbow shrimps at GML 0 (43%), while for GML 1, 2, and 3 are less common. Sustainability status of fisheries management in shrimp commodity in Cilacap are for the ecological dimension 83.6 (sustainable), economic, 52.15 (enough sustainable), social 58.75 (enough sustainable), technological 93.11 (sustainable), and ethics 53.41 (enough sustainable). When viewed as a multidimensional, commodity shrimp fishing activities by trammel net in Cilacap is enough sustained (index value of 70.04).

Strategy needs to be done in the management of shrimp fisheries commodities in Cilacap upon priorities are 1) Setting for fishing ground, 2) Increased access to education fishermen, 3) The ownership rights in the resource use shrimp, 4) Determination of the permitted size of shrimp caught, 5) Training the handling of the catch to keep the quality, 6) Setting the shrimp fishing effort, 7) Dissemination of environmentally fishing, 8) Development of fishing gear are efficient, 9) Increase the role of relevant institutions, and 10) Preparation of local regulations on the management of shrimp fisheries commodities.